

ASX ANNOUNCEMENT

4 September 2025



OUTSTANDING DRILL RESULTS AT WAIHI BUILDS MOMENTUM FOR THIRD UNDERGROUND MINE

Highlights:

- Drilling from the first 9 holes from a planned program of 45 drill holes (15,300 metres) at the Waihi deposit has delivered outstanding results.
- The drilling intersected both:
 - a new gold lode returning **13.5m @ 6.1 g/t & 8.0m @ 8.7 g/t (Inc 4.0m @ 14.9 g/t, 4m Composites)** in the hanging wall of the historical Golden Pole Mine; and
 - **material depth extensions on the Waihi West Lode** to over 350 vertical metres below surface with hole WHDD25006W2 returning **3.9m @ 29.5 g/t (Inc 1.8m @ 60.8 g/t)**.
- Significant results include:

◦ 6.0m @ 21.1 g/t	<i>Inc.</i>	0.7m @ 159.0 g/t	<i>Waihi East</i>
◦ 3.9m @ 29.5 g/t	<i>Inc.</i>	1.8m @ 60.8 g/t	<i>Waihi West</i>
◦ 7.0m @ 14.5 g/t	<i>Inc.</i>	5.0m @ 19.2 g/t	<i>Waihi West</i>
◦ 4.1m @ 8.8 g/t	<i>Inc.</i>	1.5m @ 15.7 g/t	<i>Waihi West</i>
◦ 9.0m @ 3.5 g/t			<i>Waihi East</i>
◦ 13.5m @ 6.1 g/t	<i>Inc.</i>	0.9m @ 33.7 g/t	<i>New Lode</i>
◦ 8.0m @ 8.7 g/t	<i>Inc.</i>	4.0m @ 14.9 g/t	<i>New Lode (4m Comps)</i>
◦ 12.0m @ 2.3 g/t			<i>Homeward Bound (4m Comps)</i>
◦ 1.8m @ 14.8 g/t	<i>Inc.</i>	0.6m @ 33.1 g/t	<i>Waihi West</i>
◦ 8.0m @ 3.0 g/t			<i>Waihi East</i>

- The Waihi deposit is located three kilometres west of Ora Banda's processing plant and is being targeted as a potential third underground mine (in addition to Riverina and Sand King) at the Davyhurst Project.
- A number of highly prospective exploration targets will be tested in addition to extensions of known mineralisation with the remaining 36 holes in the program.

Ora Banda Mining Limited (ASX: OBM) ("Ora Banda", "Company") is pleased to provide an update on its continued drilling success at its Waihi deposit.

Following the success of the first seven-hole drill program that was reported on 10 June 2025¹ at Waihi, Ora Banda has embarked upon a 45-hole drill program for 15,300 metres targeting depth extensions and new discoveries. Early drilling has been highly successful in expanding the mineralised envelope with the best intercept of 6.0m @ 21.1g/t presenting 200 metres below surface and demonstrating the high-grade potential within the envelope (see Figure 4 & 7).

The program has extended the Waihi West Lode to over 350 metres below surface with hole WHDD25006W2 returning 3.9m @ 29.5 g/t (Inc 1.8m @ 60.8 g/t) (see Figure 3 & 6). This is the deepest hole drilled to date targeting this lode surface. In a shallower, potential second shoot position, hole WHRC25005 returned 7.0m @ 14.5g/t (see Figure 6). Follow up drilling on both of these potential shoots remains ongoing.

A significant outcome has been the discovery of a new Lode system in the hanging wall of the historical Gold Pole mine with early drilling returning 13.5m @ 6.1 g/t and 8.0m @ 8.7 g/t (Inc 4.0m @ 14.9 g/t) (see Figure 3). These intersections remain open along strike, to the north and down plunge. Follow-up drilling has been planned to expand on this discovery.

According to the Minedex database², the historical Golden Pole mine produced 81,000 tonnes @ 29.0g/t Au for ~77,000 ounces (between 1900 and 1939), all extracted via underground mining methods. Currently the down plunge extensions of this mine remain untested at depth and are hosted within the same controlling structures and geological setting as the main Waihi complex. The Golden Pole was mined to a depth of 190 metres (275mRL) below surface, yet the deepest drill intercept is only 150 metres below surface (345mRL). The mine's shoot dimensions are relatively small, with approximately 250 metres of plunge continuity and 60-70 metres of height, with mining widths, at times exceeding 5-10 metres.

As reported on 10 June 2025¹, hole WHDD25004W1 intersected mineralisation at 330 metres below surface, returning 8.7m @ 9.3g/t, including 1.1m @ 30.2 g/t and 0.4m @ 90.6 g/t. This position has now been interpreted to be the down plunge continuance of the Lady Georgina Lode. Lady Georgina held some of the highest near surface grade gold mineralisation that was mined historically in an underground mine and subsequently in an open cut mine. Additional drilling has been being planned for this position and will be scheduled in the near term.

Ora Banda's Managing Director, Luke Creagh, said:

"These results are nothing short of outstanding as we continue to expand the high-grade potential of the Waihi deposit, which is located only 3km from the Davyhurst processing plant."

"The high-grade and good widths combined with meaningful depth extensions continue to build the case for Waihi as a third underground mine on the Davyhurst Project"

¹ ASX release 'Strong New Drill Results at Riverina, Waihi and Little Gem' dated 10 June 2025.

² <https://minedex.dmirswa.gov.au/Web/home>

Waihi Geology

The Waihi rock pile is composed predominantly of two volcanic units: fine-grained tholeiitic basalt and komatiitic basalt. These units are interlayered with narrow bands of carbonaceous and interflow sediments that are rheologically weaker, effectively localising and accommodating high-strain deformation. Regional crustal shortening has resulted in the folding of the volcanic sequence into a steep, subvertical NNW striking orientation. The rock pile is overprinted by a pervasive foliation dipping 70° towards 255°.

Multiple deformational events have given rise to a network of ductile shear zones that partition strain both along lithological boundaries and within rheologically favourable units. These shear zones typically exhibit mylonitic textures and act as the primary fluid pathways and structural controls for gold mineralisation. Strain partitioning is particularly focused along the contacts between the tholeiitic and komatiitic basalts and within the interflow sediment horizons, which act as loci for shear development.

Gold mineralisation at Waihi is structurally controlled and primarily associated with these shear zones. High-grade mineralisation occurs in three key settings: within the ductile shear zones themselves; at the intersection of shears with lithological contacts; and where shears overprint early, highly deformed quartz veins. These early quartz veins predate the main mineralising event and were initially emplaced prior to ductile deformation. They were later overprinted during transpressional deformation, undergoing intense strain, including isoclinal folding and boudinage. This deformational overprint produced strong competency contrasts and created low-strain zones within the shear system, which became ideal sites for the precipitation of gold-bearing hydrothermal fluids.

High-grade mineralised shoots such as those previously mined at Waihi, are commonly hosted within these deformed quartz vein zones and historically have represented larger, blow-out-style ore bodies. To date, these shoots exhibit moderate north-westerly plunges.




Figure 1 – Overview showing location Waihi compared to Davyhurst processing hub





Figure 2 – Cross Section and Long Section location plans at Waihi




Figure 3 – Cross Section looking north showing New Lode location and exploration opportunities

* Historical production figures sourced from internal Company Records and Minedex database at <https://minedex.dmirswa.gov.au/Web/home>




Figure 4 – Cross Section looking north showing depth extensions and exploration opportunities




Figure 5 – Long Section Golden Pole and New Lode looking west

* Historical production figures sourced from internal Company Records and Minedex database at <https://minedex.dmirswa.gov.au/Web/home>




Figure 6 – Long Section Waihi West Lode looking west




Figure 7 – Long Section Waihi East Lode looking west




Figure 8 – Long Section Lady Georgina looking west




Figure 9 – Long Section Homeward bound looking west

This announcement was authorised for release to the ASX by the Ora Banda Board of Directors. For further information about Ora Banda Mining Ltd and its projects please visit the Company's website at www.orabandamining.com.au.

Investor & Media Queries:

Luke Creagh
Managing Director
+61 8 6365 4548
admin@obmltd.com.au

Competent Persons Statement

The information in this announcement that relates to exploration results is based on, and fairly represents, information and supporting documentation prepared by Mr Andrew Czerw, an employee of Ora Banda Mining Limited, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Czerw has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Czerw consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

Forward-looking Statements

This announcement contains forward-looking statements which may be identified by words such as "forecast", "guidance", "target", "outlook", "estimates", "believes", "expects", "anticipates", "intends", "may", "will", "would", "could", or "should" and other similar words that involve risks and uncertainties. These statements are based on an assessment of present economic and operating conditions, and on a number of assumptions regarding future events and actions that, as at the date of this announcement, are expected to take place.

Such forward-looking statements are provided as a general guide only, are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, the Directors and management of the Company. When forecasting or providing guidance on costs and production the Company has taken into account current operating costs, design, plans for the mine, cost escalation, required personnel numbers and inputs including capital estimates, submitted tender rates from contractors and suppliers, and average industry productivity and mining specification metrics. These and other factors could cause actual results to differ materially from those expressed or implied in any forward-looking statements.

The Company has no intention to update or revise forward-looking statements, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this announcement, except where required by law (including the ASX Listing Rules). The Company cannot and does not give assurances that the results, performance or achievements expressed or implied in the forward-looking statements contained in this announcement will actually occur and investors are cautioned not to place undue reliance on these forward-looking statements.

Appendix 1 – Significant Intersection Table

Waihi - 1.0g/t cut-off, maximum 2m internal dilution, minimum width 0.2m

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	WHDD25003	6674915 271791 459 46 -63 345 DDH	191.00	191.69	0.69	1.17	0.8	0.7m @ 1.2 g/t						
	WHDD25003		216.95	217.36	0.41	1.16	0.5	0.4m @ 1.2 g/t						
	WHDD25003		224.40	225.00	0.60	1.32	0.8	0.6m @ 1.3 g/t						
	WHDD25003		270.00	271.00	1.00	4.19	4.2	1.0m @ 4.2 g/t						
	WHDD25003		282.27	283.00	0.73	2.62	1.9	0.7m @ 2.6 g/t						
	WHDD25003		294.00	294.39	0.39	1.66	0.6	0.4m @ 1.7 g/t						
ROUND DAM	WHDD25006	6674716 271589 462 76 -62 582 RCDD	94.00	94.56	0.56	1.11	0.6	0.6m @ 1.1 g/t						
	WHDD25006		97.95	98.95	1.00	1.14	1.1	1.0m @ 1.1 g/t						
	WHDD25006		105.65	109.51	3.86	1.08	4.2	3.9m @ 1.1 g/t						
	WHDD25006		113.48	127.00	13.52	6.11	82.5	13.5m @ 6.1 g/t						
	WHDD25006		Incl	118.48	0.46	10.66	4.9	0.5m @ 10.7 g/t						
	WHDD25006		Incl	121.62	0.92	33.71	31.0	0.9m @ 33.7 g/t						
	WHDD25006		400.00	404.00	4.00	1.92	7.7	4.0m @ 1.9 g/t						
	WHDD25006		409.37	413.48	4.11	8.79	36.1	4.1m @ 8.8 g/t						
	WHDD25006		Incl	410.86	1.49	15.67	23.3	1.5m @ 15.7 g/t						
	WHDD25006		437.58	438.00	0.42	9.50	4.0	0.4m @ 9.5 g/t						
	WHDD25006		480.30	480.81	0.51	4.93	2.5	0.5m @ 4.9 g/t						
ROUND DAM	WHDD25006W1	6674716 271589 462 76 -62 510 DDHW	404.00	405.77	1.77	14.75	26.1	1.8m @ 14.8 g/t						
	WHDD25006W1		Incl	405.17	0.59	33.11	19.5	0.6m @ 33.1 g/t						
	WHDD25006W1		427.00	428.00	1.00	1.95	2.0	1.0m @ 2.0 g/t						
	WHDD25006W1		473.88	474.75	0.87	1.49	1.3	0.9m @ 1.5 g/t						
	WHDD25006W1		487.00	488.00	1.00	1.90	1.9	1.0m @ 1.9 g/t						
ROUND DAM	WHDD25006W2	6674716 271589 462 76 -62 552 DDHW	333.66	334.18	0.52	3.71	1.9	0.5m @ 3.7 g/t						
	WHDD25006W2		403.00	406.85	3.85	29.45	113.4	3.9m @ 29.5 g/t						
	WHDD25006W2		Incl	406.85	1.78	60.80	108.2	1.8m @ 60.8 g/t						
	WHDD25006W2		443.15	443.50	0.35	2.36	0.8	0.4m @ 2.4 g/t						
	WHDD25006W2		486.55	486.85	0.30	4.12	1.2	0.3m @ 4.1 g/t						
ROUND DAM	WHDD25008	6674615 271607 464 69 -57 546 DDH	75.50	76.00	0.50	1.65	0.8	0.5m @ 1.7 g/t						
	WHDD25008		88.30	93.40	5.10	2.77	14.1	5.1m @ 2.8 g/t						
	WHDD25008		209.59	210.14	0.55	1.06	0.6	0.6m @ 1.1 g/t						
	WHDD25008		292.60	293.02	0.42	1.50	0.6	0.4m @ 1.5 g/t						
	WHDD25008		299.75	300.10	0.35	14.25	5.0	0.4m @ 14.3 g/t						
	WHDD25008		380.28	382.00	1.72	2.19	3.8	1.7m @ 2.2 g/t						
	WHDD25008		388.04	389.47	1.43	1.80	2.6	1.4m @ 1.8 g/t						
	WHDD25008		397.01	398.00	0.99	1.10	1.1	1.0m @ 1.1 g/t						
	WHDD25008		410.47	411.00	0.53	1.85	1.0	0.5m @ 1.9 g/t						
	WHDD25008		431.82	434.00	2.18	1.77	3.9	2.2m @ 1.8 g/t						
	WHDD25008		436.97	437.46	0.49	2.04	1.0	0.5m @ 2.0 g/t						
	WHDD25008		462.72	465.90	3.18	2.93	9.3	3.2m @ 2.9 g/t						
	WHDD25008		471.00	472.00	1.00	2.13	2.1	1.0m @ 2.1 g/t						
ROUND DAM	WHDD25009	6674585 271708 462 69 -60 483 RCDD	0.00	1.00	1.00	2.08	2.1	1.0m @ 2.1 g/t						
	WHDD25009		88.70	90.62	1.92	1.86	3.6	1.9m @ 1.9 g/t						
	WHDD25009		93.55	94.11	0.56	1.32	0.7	0.6m @ 1.3 g/t						
	WHDD25009		110.45	110.78	0.33	4.23	1.4	0.3m @ 4.2 g/t						
	WHDD25009		132.87	133.25	0.38	9.88	3.8	0.4m @ 9.9 g/t						
	WHDD25009		192.25	193.00	0.75	1.11	0.8	0.8m @ 1.1 g/t						
	WHDD25009		210.07	210.40	0.33	1.80	0.6	0.3m @ 1.8 g/t						
	WHDD25009		216.30	216.70	0.40	2.05	0.8	0.4m @ 2.1 g/t						
	WHDD25009		267.90	268.23	0.33	2.33	0.8	0.3m @ 2.3 g/t						
	WHDD25009		404.00	409.15	5.15	1.51	7.8	5.2m @ 1.5 g/t						
	WHDD25009		Incl	407.15	0.35	11.75	4.1	0.4m @ 11.8 g/t						
	WHDD25009		427.00	428.00	1.00	1.00	1.0	1.0m @ 1.0 g/t						

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	WHDD25012	6674521	271849	462	69	-61	318	DDH	152.13	152.45	0.32	1.94	0.6	0.3m @ 1.9 g/t
	WHDD25012								154.70	156.00	1.30	5.47	7.1	1.3m @ 5.5 g/t
	WHDD25012								169.26	170.00	0.74	11.30	8.4	0.7m @ 11.3 g/t
	WHDD25012								Incl	169.66	0.40	19.76	7.9	0.4m @ 19.8 g/t
	WHDD25012								189.00	189.95	0.95	4.72	4.5	1.0m @ 4.7 g/t
	WHDD25012								197.00	203.00	6.00	21.11	126.6	6.0m @ 21.1 g/t
	WHDD25012								Incl	199.23	0.73	159.00	116.1	0.7m @ 159.0
	WHDD25012								208.30	211.75	3.45	2.77	9.6	3.5m @ 2.8 g/t
	WHDD25012								214.05	217.00	2.95	5.70	16.8	3.0m @ 5.7 g/t
	WHDD25012								Incl	217.00	0.54	25.88	14.0	0.5m @ 25.9 g/t
	WHDD25012								250.00	251.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
ROUND DAM	WHRC25001A	6674464	271871	462	74	-57	270	RC	91.00	92.00	1.00	1.01	1.0	1.0m @ 1.0 g/t
	WHRC25001A								141.00	142.00	1.00	3.21	3.2	1.0m @ 3.2 g/t
	WHRC25001A								149.00	153.00	4.00	3.40	13.6	4.0m @ 3.4 g/t
	WHRC25001A								186.00	188.00	2.00	1.54	3.1	2.0m @ 1.5 g/t
	WHRC25001A								240.00	242.00	2.00	7.29	14.6	2.0m @ 7.3 g/t
	WHRC25001A								Incl	241.00	1.00	10.38	10.4	1.0m @ 10.4 g/t
ROUND DAM	WHRC25002A	6674467	271865	462	65	-50	270	RC	180.00	181.00	1.00	10.67	10.7	1.0m @ 10.7 g/t
	WHRC25002A								185.00	187.00	2.00	1.11	2.2	2.0m @ 1.1 g/t
	WHRC25002A								189.00	190.00	1.00	1.07	1.1	1.0m @ 1.1 g/t
	WHRC25002A								201.00	203.00	2.00	2.95	5.9	2.0m @ 2.9 g/t
ROUND DAM	WHRC25004	6674624	271836	461	75	-55	300	RC	135.00	136.00	1.00	1.86	1.9	1.0m @ 1.9 g/t
	WHRC25004								148.00	150.00	2.00	2.33	4.7	2.0m @ 2.3 g/t
	WHRC25004								154.00	163.00	9.00	3.50	31.5	9.0m @ 3.5 g/t
	WHRC25004								196.00	198.00	2.00	1.58	3.2	2.0m @ 1.6 g/t
	WHRC25004								203.00	204.00	1.00	1.56	1.6	1.0m @ 1.6 g/t
ROUND DAM	WHRC25005	6674678	271799	461	72	-50	222	RC	138.00	139.00	1.00	3.49	3.5	1.0m @ 3.5 g/t
	WHRC25005								155.00	162.00	7.00	14.53	101.7	7.0m @ 14.5 g/t
	WHRC25005								Incl	161.00	5.00	19.20	96.0	5.0m @ 19.2 g/t
	WHRC25005								165.00	166.00	1.00	3.82	3.8	1.0m @ 3.8 g/t
	WHRC25005								173.00	174.00	1.00	1.93	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC25006	6674707	271806	460	74	-50	198	RC	128.00	130.00	2.00	4.33	8.7	2.0m @ 4.3 g/t
	WHRC25006								156.00	164.00	8.00	2.97	23.7	8.0m @ 3.0 g/t
	WHRC25006								167.00	168.00	1.00	2.42	2.4	1.0m @ 2.4 g/t
ROUND DAM	WHRC25007	6674735	271775	460	67	-53	300	RC	156.00	161.00	5.00	2.82	14.1	5.0m @ 2.8 g/t
	WHRC25007								178.00	179.00	1.00	1.29	1.3	1.0m @ 1.3 g/t
	WHRC25007								194.00	195.00	1.00	1.34	1.3	1.0m @ 1.3 g/t
	WHRC25007								196.00	197.00	1.00	1.40	1.4	1.0m @ 1.4 g/t
ROUND DAM	WHRC25014A	6674997	272002	457	267	-51	258	RCDD	120.00	124.00	4.00	3.08	12.3	4.0m @ 3.1 g/t
	WHRC25014A								136.00	148.00	12.00	2.34	28.1	12.0m @ 2.3 g/t
ROUND DAM	WHRC25015	6674722	271590	462	76	-56	156	RC	80.00	88.00	8.00	8.75	70.0	8.0m @ 8.7 g/t
	WHRC25015								Incl	84.00	4.00	14.90	59.6	4.0m @ 14.9 g/t
	WHRC25015								92.00	96.00	4.00	1.54	6.2	4.0m @ 1.5 g/t

Waihi - Historical drilling - 1.0g/t cut-off, maximum 2m internal dilution, minimum width 0.2m

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Aug/t interval
ROUND DAM	90GPRC1	6674570	271692	464	237	-60	39	RC	32	34	2	2.05	4.1	2.0m @ 2.1 g/t
	90GPRC2	6674574	271644	465	57	-60	65	RC	6	10	4	3.72	14.9	4.0m @ 3.7 g/t
ROUND DAM	90GPRC2								50	51	1	2.08	2.1	1.0m @ 2.1 g/t
	90GPRC2								63	64	1	2.10	2.1	1.0m @ 2.1 g/t
ROUND DAM	90GPRC3	6674558	271639	465	57	-60	88	RC	70.0	72	2	1.71	3.4	2.0m @ 1.7 g/t
ROUND DAM	90GPRC4	6674522	271758	464	237	-60	46	RC	38.0	46	8	1.92	15.4	8.0m @ 1.9 g/t
ROUND DAM	90GPRC5	6674503	271776	464	237	-60	47	RC	41.0	45				N.S.I.
ROUND DAM	90GPRC6	6674569	271751	463	237	-60	130	RC	18.0	130				N.S.I.
ROUND DAM	90GPRC7	6674578	271686	464	237	-60	40	RC	30.0	31	1	2.53	2.5	1.0m @ 2.5 g/t
ROUND DAM	97DRB064	6677713	272054	458	90	-60	23	RAB	0.0	23				N.S.I.
ROUND DAM	97DRB070	6674620	272459	456	76	-60	60	RAB	0.0	60				N.S.I.
ROUND DAM	97DRB071	6674608	272412	457	76	-60	60	RAB	0.0	60				N.S.I.
ROUND DAM	97DRB072	6674598	272364	458	76	-60	66	RAB	0.0	66				N.S.I.
ROUND DAM	97DRB073	6674583	272316	459	76	-60	54	RAB	0.0	54				N.S.I.
ROUND DAM	97DRB074	6674819	272414	469	76	-60	60	RAB	0.0	60				N.S.I.
ROUND DAM	97DRB075	6674803	272363	473	76	-60	50	RAB	0.0	3	3	2.39	7.2	3.0m @ 2.4 g/t
ROUND DAM	97DRB076	6674795	272315	473	76	-60	18	RAB	0.0	18				N.S.I.
ROUND DAM	97DRB077	6674781	272268	467	76	-60	16	RAB	0.0	16				N.S.I.
ROUND DAM	97DRB078	6675009	272366	468	76	-60	45	RAB	0.0	45				N.S.I.
ROUND DAM	97DRB079	6674997	272316	476	76	-60	15	RAB	0.0	15				N.S.I.
ROUND DAM	97DRB080	6674985	272267	476	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB081	6674973	272222	476	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB082	6675204	272316	468	76	-60	37	RAB	0.0	37				N.S.I.
ROUND DAM	97DRB083	6675193	272267	475	76	-60	8	RAB	0.0	8				N.S.I.
ROUND DAM	97DRB084	6675181	272219	475	76	-60	7	RAB	0.0	7				N.S.I.
ROUND DAM	97DRB085	6675168	272170	470	76	-60	7	RAB	0.0	7				N.S.I.
ROUND DAM	97DRB087	6675402	272267	459	76	-60	11	RAB	0.0	11				N.S.I.
ROUND DAM	97DRB088	6675390	272220	461	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB089	6675374	272171	461	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB090	6675362	272123	460	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB091	6675351	272079	456	76	-60	8	RAB	0.0	8				N.S.I.
ROUND DAM	97DRB092	6675298	272075	457	76	-60	7	RAB	0.0	7				N.S.I.
ROUND DAM	97DRB466	6674696	272348	464	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB467	6674692	272329	464	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB468	6674687	272310	463	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB469	6674682	272290	463	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB470	6674677	272271	463	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB471	6674672	272251	462	76	-60	10	RAB	3.0	4	1	2.61	2.6	1.0m @ 2.6 g/t
ROUND DAM	97DRB472	6674667	272232	461	76	-60	10	RAB	0.0	1	1	1.52	1.5	1.0m @ 1.5 g/t
ROUND DAM	97DRB473	6674663	272213	460	76	-60	6	RAB	0.0	6				N.S.I.
ROUND DAM	97DRB474	6674808	272383	472	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB475	6674806	272373	473	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB476	6674801	272353	474	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB477	6674798	272344	474	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB478	6674910	272378	471	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB479	6674905	272358	474	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB480	6674900	272339	476	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB481	6674895	272320	476	76	-60	10	RAB	0.0	10				N.S.I.
ROUND DAM	97DRB482	6674890	272300	476	76	-60	7	RAB	0.0	6				N.S.I.
ROUND DAM	98DRB709	6675419	272766	452	76	-60	38	RAB	0.0	38				N.S.I.
ROUND DAM	98DRB710	6675399	272689	452	76	-60	37	RAB	0.0	37				N.S.I.
ROUND DAM	98DRB711	6675380	272611	452	76	-60	36	RAB	0.0	36				N.S.I.
ROUND DAM	98DRB712	6675361	272533	453	76	-60	36	RAB	0.0	36				N.S.I.
ROUND DAM	DO1	6674791	271903	464	78	-50	50.5	DDH	43.6	44.4	0.8	2.10	1.7	0.8m @ 2.1 g/t
ROUND DAM	D05	6674413	271832	464	258	-50	74.3	DDH	0.0	74.3				N.S.I.
ROUND DAM	DRC024	6674236	272071	467	78	-60	110	RC	57.0	63	6	23.29	139.7	6.0m @ 23.3 g/t
	DRC024								Incl 61.00	62	1	128.00	128.0	1.0m @ 128.0 g/t
	DRC024								72.0	73	1	1.24	1.2	1.0m @ 1.2 g/t
ROUND DAM	DRC025	6674259	272137	465	270	-60	120	RC	53.0	90	37	4.02	148.6	37.0m @ 4.0 g/t
	DRC025								Incl 83.00	84	1	35.60	35.6	1.0m @ 35.6 g/t
	DRC025								95.0	96	1	1.02	1.0	1.0m @ 1.0 g/t
	DRC025								116.0	118	2	2.23	4.5	2.0m @ 2.2 g/t
ROUND DAM	DRC026	6674256	272054	468	80	-60	99	RC	79.0	88	9	3.14	28.2	9.0m @ 3.1 g/t
	DRC026								92.0	93	1	2.03	2.0	1.0m @ 2.0 g/t
	DRC029								100.0	111	11	2.36	26.0	11.0m @ 2.4 g/t
ROUND DAM	DRC034	6674365	272017	453	81	-59	70	RC	12.0	13	1	4.05	4.1	1.0m @ 4.1 g/t
	DRC034								20.0	21	1	2.19	2.2	1.0m @ 2.2 g/t
	DRC034								28.0	31	3	2.47	7.4	3.0m @ 2.5 g/t
	DRC034								35.0	36	1	7.85	7.9	1.0m @ 7.9 g/t
	DRC034								45.0	48	3	1.78	5.3	3.0m @ 1.8 g/t
	DRC034								57.0	60	3	1.96	5.9	3.0m @ 2.0 g/t
ROUND DAM	DRC035	6674356	271982	465	79	-59	100	RC	48.0	50	2	1.72	3.4	2.0m @ 1.7 g/t
	DRC035								60.0	62	2	1.44	2.9	2.0m @ 1.4 g/t
	DRC035								79.0	80	1	1.76	1.8	1.0m @ 1.8 g/t
	DRC035								85.0	86	1	1.94	1.9	1.0m @ 1.9 g/t
ROUND DAM	DRC036	6674379	272022	453	78	-60	30	RC	9.0	14	5	1.09	5.5	5.0m @ 1.1 g/t
	DRC036								19.0	20	1	1.24	1.2	1.0m @ 1.2 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	DRC213	6674354	272251	460	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC218	6674833	272064	460	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC219	6674803	272054	462	77	-60	76	RC	0.0	76				N.S.I.
ROUND DAM	DRC221	6674606	271929	463	77	-60	91	RC	44.0	48	4	1.07	4.3	4.0m @ 1.1 g/t
	DRC221								73.0	74	1	1.69	1.7	1.0m @ 1.7 g/t
ROUND DAM	DRC222	6674631	271933	464	77	-60	70	RC	44.0	45	1	1.07	1.1	1.0m @ 1.1 g/t
	DRC222								50.0	57	7	1.76	12.3	7.0m @ 1.8 g/t
	DRC223								65.0	74	9	18.91	170.2	9.0m @ 18.9 g/t
	DRC223								Incl 67.00	72	5	30.58	152.9	5.0m @ 30.6 g/t
	DRC225								57.0	58	1	8.09	8.1	1.0m @ 8.1 g/t
	DRC225								62.0	63	1	1.75	1.8	1.0m @ 1.8 g/t
	DRC225								70.0	73	3	1.71	5.1	3.0m @ 1.7 g/t
	DRC226								24.0	25	1	1.53	1.5	1.0m @ 1.5 g/t
	DRC226								60.0	61	1	1.04	1.0	1.0m @ 1.0 g/t
	DRC226								63.0	64	1	1.20	1.2	1.0m @ 1.2 g/t
	DRC226								68.0	70	2	2.74	5.5	2.0m @ 2.7 g/t
	DRC226								79.0	82	3	2.26	6.8	3.0m @ 2.3 g/t
ROUND DAM	DRC227	6674767	271902	464	77	-60	70	RC	36.0	37	1	1.26	1.3	1.0m @ 1.3 g/t
	DRC227								53.0	54	1	1.58	1.6	1.0m @ 1.6 g/t
	DRC227								57.0	63	6	2.20	13.2	6.0m @ 2.2 g/t
ROUND DAM	DRC228	6674837	271989	464	257	-60	80	RC	66.0	67	1	1.14	1.1	1.0m @ 1.1 g/t
ROUND DAM	DRC229	6674863	271979	464	257	-60	80	RC	73.0	74	1	2.32	2.3	1.0m @ 2.3 g/t
	DRC230D	6674261	272149	465	257	-50	100	RCDD	55.0	79.5	24.5	5.17	126.7	24.5m @ 5.2 g/t
	DRC230D								Incl 66.50	67	0.5	16.50	8.3	0.5m @ 16.5 g/t
	DRC230D								Incl 74.80	75.4	0.6	11.20	6.7	0.6m @ 11.2 g/t
	DRC230D								82.4	83.3	0.9	1.57	1.4	0.9m @ 1.6 g/t
	DRC230D								86.2	96	9.8	1.85	18.1	9.8m @ 1.9 g/t
ROUND DAM	DRC231D	6674366	271984	464	79	-49	90	RCDD	45.0	46	1	2.68	2.7	1.0m @ 2.7 g/t
	DRC231D								51.6	54	2.4	2.77	6.6	2.4m @ 2.8 g/t
	DRC231D								63.3	64	0.7	2.75	1.9	0.7m @ 2.8 g/t
	DRC231D								69.8	71	1.2	1.12	1.3	1.2m @ 1.1 g/t
	DRC231D								77.0	78	1	1.73	1.7	1.0m @ 1.7 g/t
	DRC231D								84.0	85	1	1.80	1.8	1.0m @ 1.8 g/t
ROUND DAM	DRC232D	6674516	271931	462	78	-60	90	RCDD	52.0	58	6	3.61	21.7	6.0m @ 3.6 g/t
	DRC232D								67.6	71.65	4.05	1.33	5.4	4.1m @ 1.3 g/t
	DRC232D								73.0	77.3	4.3	2.31	9.9	4.3m @ 2.3 g/t
	DRC233D								55.1	55.9	0.8	2.30	1.8	0.8m @ 2.3 g/t
	DRC234D								66.6	67.2	0.6	1.23	0.7	0.6m @ 1.2 g/t
	DRC235D								49.6	53	3.4	45.81	155.8	3.4m @ 45.8 g/t
	DRC235D								Incl 49.60	51.8	2.2	69.25	152.3	2.2m @ 69.2 g/t
	DRC235D								57.0	65	8	4.07	32.5	8.0m @ 4.1 g/t
	DRC235D								Incl 61.00	62	1	18.24	18.2	1.0m @ 18.2 g/t
	DRC236D								51.0	52	1	2.34	2.3	1.0m @ 2.3 g/t
	DRC236D								58.0	59	1	1.91	1.9	1.0m @ 1.9 g/t
ROUND DAM	DRC237D	6674393	272002	454	77	-60	50	RCDD	3.0	5	2	1.15	2.3	2.0m @ 1.2 g/t
	DRC237D								14.8	23	8.2	1.56	12.8	8.2m @ 1.6 g/t
	DRC237D								27.0	28	1	1.61	1.6	1.0m @ 1.6 g/t
	DRC237D								35.3	38.5	3.2	2.18	7.0	3.2m @ 2.2 g/t
ROUND DAM	DRC238D	6674268	272176	465	256	-60	210.7	RCDD	99.0	100	1	1.43	1.4	1.0m @ 1.4 g/t
	DRC238D								107.0	108	1	1.76	1.8	1.0m @ 1.8 g/t
	DRC238D								117.0	118	1	2.85	2.9	1.0m @ 2.9 g/t
ROUND DAM	DRC239D	6674474	271871	462	77	-60	199	RCDD	95.0	96	1	1.29	1.3	1.0m @ 1.3 g/t
	DRC239D								101.0	102	1	1.10	1.1	1.0m @ 1.1 g/t
	DRC239D								140.5	141.3	0.8	1.24	1.0	0.8m @ 1.2 g/t
	DRC239D								152.0	153	1	1.30	1.3	1.0m @ 1.3 g/t
	DRC239D								193.0	194	1	1.11	1.1	1.0m @ 1.1 g/t
ROUND DAM	DRC240D	6674666	271815	464	81	-61	220	RCDD	171.0	174.5	3.5	6.95	24.3	3.5m @ 6.9 g/t
	DRC240D								Incl 172.00	172.8	0.8	14.86	11.9	0.8m @ 14.9 g/t
	DRC240D								179.1	181	1.9	26.39	50.1	1.9m @ 26.4 g/t
	DRC240D								Incl 180.00	181	1	46.46	46.5	1.0m @ 46.5 g/t
	DRC240D								188.0	189	1	4.14	4.1	1.0m @ 4.1 g/t
ROUND DAM	DRC241D	6674857	271803	459	79	-59	247	RCDD	109.0	111	2	6.07	12.1	2.0m @ 6.1 g/t
	DRC241D								Incl 109.00	110	1	10.50	10.5	1.0m @ 10.5 g/t
	DRC241D								150.0	153	3	6.95	20.8	3.0m @ 6.9 g/t
	DRC241D								Incl 150.00	151	1	15.12	15.1	1.0m @ 15.1 g/t
	DRC241D								156.7	158	1.3	2.02	2.6	1.3m @ 2.0 g/t
	DRC241D								160.8	161.5	0.7	1.64	1.1	0.7m @ 1.6 g/t
	DRC241D								165.2	166	0.8	1.95	1.6	0.8m @ 2.0 g/t
	DRC241D								191.7	192.5	0.8	1.06	0.9	0.8m @ 1.1 g/t
	DRC242D								92.0	98	6	1.82	10.9	6.0m @ 1.8 g/t
	DRC242D								130.0	132	2	1.71	3.4	2.0m @ 1.7 g/t
ROUND DAM	DRC243D	6674510	272013	461	77	-60	51.4	RCDD	32.0	51				N.S.I.
ROUND DAM	DRC244D	6674680	271868	462	77	-60	109	RCDD	79.0	80	1	2.53	2.5	1.0m @ 2.5 g/t
	DRC244D								94.0	95	1	2.87	2.9	1.0m @ 2.9 g/t
ROUND DAM	DRC245D	6674883	271856	460	80	-59	117	RCDD	25.0	26	1	1.12	1.1	1.0m @ 1.1 g/t
	DRC245D								60.0	74	14	2.26	31.6	14.0m @ 2.3 g/t
	DRC245D								85.0	87	2	2.15	4.3	2.0m @ 2.1 g/t
	DRC245D								96.0	99	3	1.85	5.6	3.0m @ 1.9 g/t
	DRC245D								106.0	110	4	2.38	9.5	4.0m @ 2.4 g/t
ROUND DAM	DRC254	6674972	271889	459	81	-59	40	RC	0.0	40				N.S.I.

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
ROUND DAM	DRC308	6674461	272017	462	89	-59	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC312	6674766	271893	463	83	-60	73	RC	52.0	53	1	1.01	1.0	1.0m @ 1.0 g/t
	DRC312								64.0	65	1	2.15	2.2	1.0m @ 2.2 g/t
	DRC312								71.0	73	2	3.61	7.2	2.0m @ 3.6 g/t
ROUND DAM	DRC313	6674782	271967	466	80	-60	80	RC	48.0	50	2	4.45	8.9	2.0m @ 4.4 g/t
	DRC315	6674819	272007	464	80	-55	119	RC	38.0	45	7	1.72	12.1	7.0m @ 1.7 g/t
ROUND DAM	DRC316D	6674827	272041	463	82	-60	75	RCDD	37.0	39	2	1.39	2.8	2.0m @ 1.4 g/t
	DRC316D								58.0	65	7	4.26	29.8	7.0m @ 4.3 g/t
	DRC316D								Incl 62.00	63	1	18.00	18.0	1.0m @ 18.0 g/t
ROUND DAM	DRC317	6674924	271912	461	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC318	6674398	272043	455	81	-61	51	RC	24.0	26	2	7.09	14.2	2.0m @ 7.1 g/t
ROUND DAM	DRC319	6674356	272035	451	257	-60	49	RC	15.0	16	1	1.30	1.3	1.0m @ 1.3 g/t
	DRC319								20.0	35	15	1.64	24.6	15.0m @ 1.6 g/t
	DRC319								45.0	46	1	1.80	1.8	1.0m @ 1.8 g/t
ROUND DAM	DRC320	6674247	272180	467	253	-60	100	RC	87.0	99	12	1.68	20.2	12.0m @ 1.7 g/t
	DRC322D	6674290	272016	468	83	-59	136	RCDD	109.0	119	10	2.49	24.9	10.0m @ 2.5 g/t
	DRC322D								123.0	136	13	6.26	81.3	13.0m @ 6.3 g/t
	DRC322D								Incl 126.00	131	5	10.39	52.0	5.0m @ 10.4 g/t
ROUND DAM	DRC323	6674686	271893	462	82	-60	95	RC	56.0	57	1	2.07	2.1	1.0m @ 2.1 g/t
	DRC323								70.0	77	7	7.01	49.1	7.0m @ 7.0 g/t
	DRC323								Incl 72.00	73	1	20.70	20.7	1.0m @ 20.7 g/t
	DRC323								85.0	92	7	7.70	53.9	7.0m @ 7.7 g/t
	DRC323								Incl 85.00	86	1	23.20	23.2	1.0m @ 23.2 g/t
	DRC324	6674853	272000	462	83	-60	50	RC	45.0	46	1	41.30	41.3	1.0m @ 41.3 g/t
ROUND DAM	DRC327D	6674498	271968	462	77	-60	26.5	RCDD	17.0	17.8	0.8	1.18	0.9	0.8m @ 1.2 g/t
	DRC327D								19.7	20.9	1.2	2.04	2.4	1.2m @ 2.0 g/t
ROUND DAM	DRC328	6674231	272042	468	82	-59	149	RC	59.0	61	2	1.21	2.4	2.0m @ 1.2 g/t
	DRC328								64.0	65	1	1.24	1.2	1.0m @ 1.2 g/t
	DRC328								83.0	84	1	3.49	3.5	1.0m @ 3.5 g/t
	DRC328								125.0	126	1	1.30	1.3	1.0m @ 1.3 g/t
ROUND DAM	DRC329D	6674402	271923	467	83	-59	196	RCDD	106.0	108	2	2.05	4.1	2.0m @ 2.1 g/t
	DRC329D								111.0	115	4	1.05	4.2	4.0m @ 1.0 g/t
	DRC329D								155.7	156.6	0.95	30.49	29.0	1.0m @ 30.5 g/t
	DRC329D								185.0	189	4	1.39	5.6	4.0m @ 1.4 g/t
ROUND DAM	DRC330	6674403	271943	459	77	-60	149	RC	13.0	14	1	1.14	1.1	1.0m @ 1.1 g/t
	DRC330								76.0	79	3	3.92	11.8	3.0m @ 3.9 g/t
	DRC330								84.0	85	1	4.60	4.6	1.0m @ 4.6 g/t
	DRC330								101.0	102	1	1.11	1.1	1.0m @ 1.1 g/t
	DRC330								138.0	139	1	1.11	1.1	1.0m @ 1.1 g/t
	DRC331	6674678	271859	462	78	-59	141	RC	93.0	95	2	3.53	7.1	2.0m @ 3.5 g/t
	DRC331								117.0	118	1	1.03	1.0	1.0m @ 1.0 g/t
	DRC331								126.0	127	1	1.47	1.5	1.0m @ 1.5 g/t
ROUND DAM	DRC332D	6674771	271821	461	80	-60	180	RCDD	147.0	148	1	2.81	2.8	1.0m @ 2.8 g/t
ROUND DAM	DRC333	6674781	271857	462	78	-60	137	RC	53.0	59	6	3.30	19.8	6.0m @ 3.3 g/t
	DRC333								92.0	93	1	3.49	3.5	1.0m @ 3.5 g/t
	DRC333								101.0	102	1	2.76	2.8	1.0m @ 2.8 g/t
	DRC333								108.0	111	3	1.54	4.6	3.0m @ 1.5 g/t
ROUND DAM	DRC334	6674874	271820	460	83	-60	146	RC	74.0	77	3	1.64	4.9	3.0m @ 1.6 g/t
	DRC334								82.0	84	2	1.83	3.7	2.0m @ 1.8 g/t
	DRC334								87.0	88	1	9.67	9.7	1.0m @ 9.7 g/t
ROUND DAM	DRC340	6675323	271970	454	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC341	6675313	271933	454	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC342	6675303	271892	455	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC343	6675293	271852	455	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC344	6675284	271813	455	77	-60	72	RC	71.0	72	1	1.13	1.1	1.0m @ 1.1 g/t
ROUND DAM	DRC345	6675275	271775	455	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC346	6675265	271733	455	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC347	6675255	271694	455	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC348	6675246	271654	456	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC349	6675234	271607	457	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC350	6675224	271561	458	77	-60	80	RC	78.0	79	1	1.46	1.5	1.0m @ 1.5 g/t
ROUND DAM	DRC351	6675211	271515	457	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC352	6675201	271468	456	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC353	6675190	271425	456	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC354	6675183	271383	456	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC355	6675169	271340	457	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC356	6675128	271607	459	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC357	6675124	271563	458	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC358	6675108	271525	458	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC359	6675099	271485	457	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC360	6675089	271445	457	77	-60	80	RC	0.0	71				N.S.I.
ROUND DAM	DRC361	6675079	271405	458	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC363	6674976	271804	457	77	-60	90	RC	0.0	90				N.S.I.
ROUND DAM	DRC364	6674964	271767	458	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC365	6674954	271728	459	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC366	6674946	271691	460	77	-60	78	RC	0.0	78				N.S.I.
ROUND DAM	DRC367	6674936	271649	461	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC368	6674930	271611	461	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC369	6674911	271574	460	77	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	DRC370	6674906	271534	459	77	-60	80	RC	0.0	80				N.S.I.

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WHRC19011								108.0	111	3	10.58	31.8	3.0m @ 10.6 g/t
	WHRC19011								Incl 109.00	110	1	23.88	23.9	1.0m @ 23.9 g/t
	WHRC19015								33.0	34	1	2.18	2.2	1.0m @ 2.2 g/t
	WHRC19015								99.0	101	2	2.37	4.7	2.0m @ 2.4 g/t
	WHRC19019								57.0	61	4	6.89	27.5	4.0m @ 6.9 g/t
	WHRC19019								Incl 58.00	59	1	17.93	17.9	1.0m @ 17.9 g/t
ROUND DAM	WHRC19022	6674821	272063	460	76	-60	84	RC	31.0	32	1	6.72	6.7	1.0m @ 6.7 g/t
	WHRC19022								42.0	44	2	1.58	3.2	2.0m @ 1.6 g/t
	WHRC19024								25.0	26	1	1.34	1.3	1.0m @ 1.3 g/t
	WHRC19024								29.0	30	1	2.12	2.1	1.0m @ 2.1 g/t
	WHRC19024								37.0	39	2	3.21	6.4	2.0m @ 3.2 g/t
	WHRC19024								63.0	65	2	1.46	2.9	2.0m @ 1.5 g/t
ROUND DAM	WHRC19025	6674816	272081	459	256	-60	96	RC	48.0	49	1	1.18	1.2	1.0m @ 1.2 g/t
ROUND DAM	WHRC19026	6674787	272050	462	76	-60	48	RC	38.0	43	5	19.16	95.8	5.0m @ 19.2 g/t
	WHRC19026								Incl 38.00	40	2	45.50	91.0	2.0m @ 45.5 g/t
	WHRC19028								30.0	36	6	2.78	16.7	6.0m @ 2.8 g/t
	WHRC19028								39.0	41	2	1.97	3.9	2.0m @ 2.0 g/t
ROUND DAM	WHRC19031	6674778	272093	459	256	-60	120	RC	0.0	120				N.S.I.
ROUND DAM	WHRC19032	6674758	272058	462	76	-60	72	RC	0.0	72				N.S.I.
ROUND DAM	WHRC19033	6674583	271966	458	76	-60	54	RC	4.0	54				N.S.I.
ROUND DAM	WHRC19034	6674574	271972	458	76	-60	42	RC	3.0	42				N.S.I.
ROUND DAM	WHRC19035	6674565	271976	458	76	-60	36	RC	15.0	16	1	2.51	2.5	1.0m @ 2.5 g/t
	WHRC19035								21.0	22	1	1.11	1.1	1.0m @ 1.1 g/t
	WHRC19035								25.0	26	1	5.52	5.5	1.0m @ 5.5 g/t
ROUND DAM	WHRC19036	6674540	271919	461	76	-60	114	RC	1.0	4	3	1.38	4.1	3.0m @ 1.4 g/t
	WHRC19036								8.0	12	4	3.71	14.8	4.0m @ 3.7 g/t
	WHRC19036								78.0	81	3	1.66	5.0	3.0m @ 1.7 g/t
ROUND DAM	WHRC19037	6674556	271980	458	76	-50	30	RC	22.0	24	2	5.72	11.4	2.0m @ 5.7 g/t
ROUND DAM	WHRC19038	6674531	271922	461	76	-60	126	RC	0.0	3	3	1.89	5.7	3.0m @ 1.9 g/t
	WHRC19038								58.0	63	5	4.17	20.8	5.0m @ 4.2 g/t
	WHRC19038								78.0	79	1	1.74	1.7	1.0m @ 1.7 g/t
	WHRC19038								82.0	84	2	4.65	9.3	2.0m @ 4.7 g/t
	WHRC19038								125.0	126	1	2.16	2.2	1.0m @ 2.2 g/t
ROUND DAM	WHRC19039	6674547	271986	458	76	-60	24	RC	17.0	22	5	3.53	17.7	5.0m @ 3.5 g/t
	WHRC19039								Incl 18.00	19	1	13.40	13.4	1.0m @ 13.4 g/t
ROUND DAM	WHRC19040	6674518	271912	461	76	-70	120	RC	0.0	10	10	1.69	16.9	10.0m @ 1.7 g/t
	WHRC19040								71.0	72	1	2.18	2.2	1.0m @ 2.2 g/t
	WHRC19040								98.0	99	1	16.32	16.3	1.0m @ 16.3 g/t
	WHRC19040								107.0	108	1	1.07	1.1	1.0m @ 1.1 g/t
	WHRC19040								114.0	115	1	1.13	1.1	1.0m @ 1.1 g/t
	WHRC19040								119.0	120	1	1.48	1.5	1.0m @ 1.5 g/t
ROUND DAM	WHRC19041	6674537	271987	458	76	-60	30	RC	18.0	22	4	2.93	11.7	4.0m @ 2.9 g/t
ROUND DAM	WHRC19045	6674496	271987	458	76	-60	48	RC	17.0	18	1	1.28	1.3	1.0m @ 1.3 g/t
	WHRC19045								34.0	35	1	1.16	1.2	1.0m @ 1.2 g/t
ROUND DAM	WHRC19046	6674463	271938	458	76	-75	30	RC	0.0	30				N.S.I.
ROUND DAM	WHRC19047	6674456	271950	458	76	-60	102	RC	48.0	59	11	2.42	26.6	11.0m @ 2.4 g/t
	WHRC19047								72.0	73	1	10.91	10.9	1.0m @ 10.9 g/t
	WHRC19047								83.0	87	4	12.55	50.2	4.0m @ 12.6 g/t
	WHRC19047								Incl 86.00	87	1	43.08	43.1	1.0m @ 43.1 g/t
ROUND DAM	WHRC19048	6674481	272010	458	76	-60	36	RC	2.0	3	1	1.44	1.4	1.0m @ 1.4 g/t
	WHRC19048								10.0	11	1	2.31	2.3	1.0m @ 2.3 g/t
ROUND DAM	WHRC19049	6674444	271945	458	76	-62	108	RC	26.0	27	1	1.18	1.2	1.0m @ 1.2 g/t
	WHRC19049								36.0	37	1	9.21	9.2	1.0m @ 9.2 g/t
	WHRC19049								64.0	69	5	2.74	13.7	5.0m @ 2.7 g/t
	WHRC19049								96.0	97	1	1.30	1.3	1.0m @ 1.3 g/t
ROUND DAM	WHRC19050	6674459	272008	459	76	-50	36	RC	22.0	23	1	1.19	1.2	1.0m @ 1.2 g/t
	WHRC19050								26.0	27	1	1.01	1.0	1.0m @ 1.0 g/t
ROUND DAM	WHRC19053	6674433	271983	458	76	-60	66	RC	30.0	34	4	4.00	16.0	4.0m @ 4.0 g/t
	WHRC19053								Incl 33.00	34	1	14.01	14.0	1.0m @ 14.0 g/t
	WHRC19053								49.0	52	3	3.17	9.5	3.0m @ 3.2 g/t
	WHRC19053								61.0	63	2	3.09	6.2	2.0m @ 3.1 g/t
ROUND DAM	WHRC19054	6674439	272009	459	76	-55	36	RC	15.0	18	3	2.72	8.2	3.0m @ 2.7 g/t
ROUND DAM	WHRC19055	6674461	271976	458	76	-60	84	RC	16.0	19	3	2.92	8.8	3.0m @ 2.9 g/t
	WHRC19055								35.0	37	2	1.23	2.5	2.0m @ 1.2 g/t
	WHRC19055								49.0	50	1	1.05	1.1	1.0m @ 1.1 g/t
	WHRC19055								54.0	61	7	1.21	8.5	7.0m @ 1.2 g/t
	WHRC19055								67.0	68	1	1.91	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC19056	6674424	271986	458	76	-60	66	RC	22.0	24	2	6.30	12.6	2.0m @ 6.3 g/t
	WHRC19056								Incl 23.00	24	1	10.18	10.2	1.0m @ 10.2 g/t
	WHRC19056								28.0	30	2	3.27	6.5	2.0m @ 3.3 g/t
	WHRC19056								46.0	47	1	4.62	4.6	1.0m @ 4.6 g/t
	WHRC19056								52.0	53	1	2.04	2.0	1.0m @ 2.0 g/t
	WHRC19056								59.0	60	1	1.27	1.3	1.0m @ 1.3 g/t
ROUND DAM	WHRC19057	6674427	271996	459	76	-60	48	RC	19.0	20	1	1.45	1.5	1.0m @ 1.5 g/t
	WHRC19057								23.0	25	2	5.96	11.9	2.0m @ 6.0 g/t
	WHRC19057								Incl 23.00	24	1	10.71	10.7	1.0m @ 10.7 g/t
	WHRC19057								36.0	38	2	1.75	3.5	2.0m @ 1.8 g/t
ROUND DAM	WHRC19058	6674430	272010	459	76	-60	30	RC	20.0	23	3	1.75	5.3	3.0m @ 1.8 g/t
ROUND DAM	WHRC19060	6674786	272027	463	82	-50	48	RC	31.0	36	5	2.05	10.2	5.0m @ 2.0 g/t
ROUND DAM	WHRC19061	6674832	271956	457	76	-60	126	RC	110.0	111	1	1.56	1.6	1.0m @ 1.6 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Avg t interval
	WHRC19061								115.0	119	4	1.83	7.3	4.0m @ 1.8 g/t
	WHRC19062								38.0	43	5	6.18	30.9	5.0m @ 6.2 g/t
	WHRC19062							Incl 38.00	39	1	23.88	23.9	1.0m @ 23.9 g/t	
ROUND DAM	WHRC19070	6674865	271815	459	80	-60	66	RC	0.0	66				N.S.I.
ROUND DAM	WHRC19071	6674889	271818	459	76	-65	150	RC	70.0	71	1	3.20	3.2	1.0m @ 3.2 g/t
ROUND DAM	WHRC19073	6674938	271821	458	76	-65	168	RC	92.0	103	11	2.25	24.8	11.0m @ 2.3 g/t
	WHRC19073								107.0	108	1	3.05	3.1	1.0m @ 3.1 g/t
	WHRC19073								137.0	144	7	1.82	12.8	7.0m @ 1.8 g/t
ROUND DAM	WHRC19074	6674956	271813	458	76	-60	120	RC	49.0	50	1	1.25	1.2	1.0m @ 1.2 g/t
	WHRC19074								92.0	95	3	1.03	3.1	3.0m @ 1.0 g/t
	WHRC19074								119.0	120	1	1.59	1.6	1.0m @ 1.6 g/t
ROUND DAM	WHRC19076	6674942	271985	459	256	-50	90	RC	44.0	45	1	3.58	3.6	1.0m @ 3.6 g/t
	WHRC19076								57.0	63	6	2.30	13.8	6.0m @ 2.3 g/t
ROUND DAM	WHRC19077	6674944	271996	458	256	-55	126	RC	45.0	46	1	1.26	1.3	1.0m @ 1.3 g/t
	WHRC19077								77.0	79	2	1.32	2.6	2.0m @ 1.3 g/t
ROUND DAM	WHRC19078	6674995	271937	458	256	-70	150	RC	59.0	61	2	2.33	4.7	2.0m @ 2.3 g/t
ROUND DAM	WHRC19079	6674932	271992	459	210	-70	174	RC	40.0	42	2	2.62	5.2	2.0m @ 2.6 g/t
	WHRC19079								99.0	105	6	41.92	251.5	6.0m @ 41.9 g/t
	WHRC19079								Incl 100.00	102	2	120.70	241.4	2.0m @ 120.7 g/t
	WHRC19079								110.0	111	1	1.05	1.0	1.0m @ 1.0 g/t
ROUND DAM	WHRC19082	6674860	272014	457	76	-70	120	RC	75.0	76	1	2.69	2.7	1.0m @ 2.7 g/t
	WHRC19082								79.0	80	1	21.41	21.4	1.0m @ 21.4 g/t
	WHRC19083								32.0	33	1	1.65	1.7	1.0m @ 1.7 g/t
	WHRC19083								38.0	42	4	2.18	8.7	4.0m @ 2.2 g/t
	WHRC19083								50.0	58	8	1.84	14.7	8.0m @ 1.8 g/t
	WHRC19083								61.0	62	1	1.55	1.6	1.0m @ 1.6 g/t
	WHRC19083								65.0	67	2	3.56	7.1	2.0m @ 3.6 g/t
	WHRC19084								30.0	32	2	3.34	6.7	2.0m @ 3.3 g/t
	WHRC19084								35.0	38	3	2.89	8.7	3.0m @ 2.9 g/t
	WHRC19084								41.0	63	22	4.99	109.8	22.0m @ 5.0 g/t
	WHRC19084								Incl 46.00	47	1	54.70	54.7	1.0m @ 54.7 g/t
	WHRC19084								Incl 50.00	51	1	15.12	15.1	1.0m @ 15.1 g/t
	WHRC19084								82.0	83	1	1.64	1.6	1.0m @ 1.6 g/t
ROUND DAM	WHRC19085	6674892	272020	457	256	-65	120	RC	66.0	72	6	9.01	54.0	6.0m @ 9.0 g/t
	WHRC19085								Incl 66.00	67	1	41.49	41.5	1.0m @ 41.5 g/t
	WHRC19085								75.0	85	10	5.26	52.6	10.0m @ 5.3 g/t
	WHRC19085								Incl 77.00	78	1	19.71	19.7	1.0m @ 19.7 g/t
ROUND DAM	WHRC19086	6674893	271934	457	76	-65	150	RC	103.0	105	2	1.31	2.6	2.0m @ 1.3 g/t
	WHRC19086								108.0	117	9	4.29	38.6	9.0m @ 4.3 g/t
	WHRC19086								129.0	132	3	2.51	7.5	3.0m @ 2.5 g/t
	WHRC19086								144.0	150	6	5.09	30.5	6.0m @ 5.1 g/t
	WHRC19086								Incl 144.00	145	1	22.32	22.3	1.0m @ 22.3 g/t
ROUND DAM	WHRC19087	6674887	271974	457	76	-75	120	RC	35.0	41	6	5.94	35.6	6.0m @ 5.9 g/t
	WHRC19087								Incl 38.00	39	1	16.63	16.6	1.0m @ 16.6 g/t
	WHRC19087								44.0	48	4	1.25	5.0	4.0m @ 1.2 g/t
	WHRC19087								65.0	74	9	4.29	38.6	9.0m @ 4.3 g/t
	WHRC19087								Incl 70.00	72	2	16.29	32.6	2.0m @ 16.3 g/t
	WHRC19087								77.0	85	8	11.44	91.5	8.0m @ 11.4 g/t
	WHRC19087								Incl 78.00	81	3	26.17	78.5	3.0m @ 26.2 g/t
	WHRC19087								88.0	90	2	30.53	61.1	2.0m @ 30.5 g/t
	WHRC19087								Incl 88.00	89	1	57.49	57.5	1.0m @ 57.5 g/t
	WHRC19087								94.0	95	1	5.67	5.7	1.0m @ 5.7 g/t
	WHRC19087								104.0	105	1	1.90	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC19088	6674894	271961	457	76	-75	144	RC	75.0	108	33	3.53	116.4	33.0m @ 3.5 g/t
	WHRC19088								Incl 82.00	83	1	50.67	50.7	1.0m @ 50.7 g/t
	WHRC19088								135.0	136	1	10.53	10.5	1.0m @ 10.5 g/t
ROUND DAM	WHRC19089	6674909	271939	457	76	-75	150	RC	118.0	120	2	1.91	3.8	2.0m @ 1.9 g/t
	WHRC19089								123.0	129	6	3.23	19.4	6.0m @ 3.2 g/t
	WHRC19089								133.0	143	10	14.15	141.4	10.0m @ 14.1 g/t
	WHRC19089								Incl 136.00	138	2	58.75	117.5	2.0m @ 58.8 g/t
ROUND DAM	WHRC19090	6674916	271932	457	62	-75	150	RC	0.0	150				N.S.I.
	WHRC19091								53.0	54	1	1.35	1.3	1.0m @ 1.3 g/t
	WHRC19091								62.0	65	3	1.37	4.1	3.0m @ 1.4 g/t
	WHRC19091								80.0	81	1	20.69	20.7	1.0m @ 20.7 g/t
ROUND DAM	WHRC19092	6674901	271939	457	76	-70	138	RC	0.0	138				N.S.I.
ROUND DAM	WHRC19093	6674916	271945	457	67	-65	54	RC	24.0	28	4	2.77	11.1	4.0m @ 2.8 g/t
	WHRC19093								44.0	45	1	1.20	1.2	1.0m @ 1.2 g/t
ROUND DAM	WHRC19094	6674925	271938	457	45	-65	60	RC	17.0	24	7	4.31	30.2	7.0m @ 4.3 g/t
	WHRC19094								Incl 18.00	19	1	10.15	10.1	1.0m @ 10.1 g/t
ROUND DAM	WHRC19095	6674956	271918	458	55	-75	163	RC	0.0	163				N.S.I.
ROUND DAM	WHRC19097	6674567	271799	462	240	-60	133	RC	97.0	100	3	1.43	4.3	3.0m @ 1.4 g/t
ROUND DAM	WHRC19098	6674580	271792	462	256	-60	127	RC	82.0	83	1	1.91	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC19099	6674596	271783	461	256	-65	121	RC	69.0	72	3	2.89	8.7	3.0m @ 2.9 g/t
	WHRC19099								80.0	81	1	3.54	3.5	1.0m @ 3.5 g/t
	WHRC19099								96.0	97	1	1.86	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC19104	6674446	271816	463	76	-65	181	RC	0.0	1	1	2.29	2.3	1.0m @ 2.3 g/t
	WHRC19104								127.0	129	2	2.13	4.3	2.0m @ 2.1 g/t
	WHRC19104								171.0	172	1	1.32	1.3	1.0m @ 1.3 g/t
ROUND DAM	WHRC19105	6675029	271868	457	256	-70	151	RC	82.0	83	1	3.06	3.1	1.0m @ 3.1 g/t
ROUND DAM	WHRC19106	6674755	272148	458	256	-65	151	RC	115.0	116	1	5.71	5.7	1.0m @ 5.7 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WHRC19106								140.0	141	1	1.45	1.5	1.0m @ 1.5 g/t
	WHRC19106								148.0	149	1	1.25	1.3	1.0m @ 1.3 g/t
ROUND DAM	WHRC19109	6674154	272190	461	76	-60	79	RC	31.0	35	4	1.63	6.5	4.0m @ 1.6 g/t
	WHRC19109								50.0	53	3	2.19	6.6	3.0m @ 2.2 g/t
ROUND DAM	WHRC19110	6674147	272152	463	256	-60	60	RC	38.0	39	1	3.36	3.4	1.0m @ 3.4 g/t
ROUND DAM	WHRC19111	6674152	272206	461	90	-60	85	RC	8.0	12	4	15.05	60.2	4.0m @ 15.1 g/t
	WHRC19111								Incl 8.00	10	2	28.80	57.6	2.0m @ 28.8 g/t
	WHRC19111								31.0	32	1	2.06	2.1	1.0m @ 2.1 g/t
ROUND DAM	WHRC19112	6674134	272173	462	256	-60	60	RC	0.0	60				N.S.I.
ROUND DAM	WHRC23001	6674184	272207	461	256	-60	72	RC	43.0	48	5	3.44	17.2	5.0m @ 3.4 g/t
	WHRC23001								63.0	64	1	1.22	1.2	1.0m @ 1.2 g/t
ROUND DAM	WHRC23002	6674186	272216	460	257	-70	90	RC	0.0	90				N.S.I.
ROUND DAM	WHRC23003	6674170	272201	461	256	-60	30	RC	16.0	19	3	3.07	9.2	3.0m @ 3.1 g/t
ROUND DAM	WHRC23004	6674159	272210	460	256	-50	30	RC	22.0	23	1	5.82	5.8	1.0m @ 5.8 g/t
ROUND DAM	WHRC23005	6674161	272219	460	257	-49	42	RC	26.0	27	1	1.17	1.2	1.0m @ 1.2 g/t
	WHRC23005								32.0	35	3	1.51	4.5	3.0m @ 1.5 g/t
ROUND DAM	WHRC23006	6674163	272228	460	261	-50	60	RC	36.0	39	3	3.77	11.3	3.0m @ 3.8 g/t
	WHRC23006								49.0	55	6	1.68	10.1	6.0m @ 1.7 g/t
ROUND DAM	WHRC23007	6674164	272234	460	262	-55	72	RC	29.0	30	1	1.06	1.1	1.0m @ 1.1 g/t
	WHRC23007								46.0	48	2	1.90	3.8	2.0m @ 1.9 g/t
ROUND DAM	WHRC23008	6674147	272217	460	256	-49	30	RC	13.0	14	1	1.03	1.0	1.0m @ 1.0 g/t
ROUND DAM	WHRC23009	6674150	272228	460	259	-50	42	RC	22.0	23	1	1.40	1.4	1.0m @ 1.4 g/t
ROUND DAM	WHRC23010	6674152	272238	460	255	-50	54	RC	24.0	27	3	1.84	5.5	3.0m @ 1.8 g/t
ROUND DAM	WHRC23011	6674139	272231	460	256	-51	36	RC	14.0	17	3	3.00	9.0	3.0m @ 3.0 g/t
ROUND DAM	WHRC23012	6674141	272241	460	263	-51	42	RC	0.0	42				N.S.I.
ROUND DAM	WHRC23013	6674143	272250	459	258	-52	54	RC	6.0	7	1	1.33	1.3	1.0m @ 1.3 g/t
	WHRC23013								14.0	15	1	1.27	1.3	1.0m @ 1.3 g/t
	WHRC23013								29.0	30	1	2.17	2.2	1.0m @ 2.2 g/t
	WHRC23013								46.0	47	1	3.02	3.0	1.0m @ 3.0 g/t
ROUND DAM	WHRC23014	6674130	272247	460	258	-50	36	RC	33.0	34	1	1.26	1.3	1.0m @ 1.3 g/t
ROUND DAM	WHRC23015	6674132	272257	460	255	-49	54	RC	0.0	54				N.S.I.
ROUND DAM	WHRC23016	6674117	272198	461	257	-49	48	RC	26.0	27	1	1.90	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC23017	6674119	272208	460	258	-50	66	RC	45.0	53	8	2.46	19.7	8.0m @ 2.5 g/t
	WHRC23017								64.0	65	1	1.09	1.1	1.0m @ 1.1 g/t
ROUND DAM	WHRC23018	6674101	272203	461	260	-48	42	RC	0.0	42				N.S.I.
ROUND DAM	WHRC23020	6674587	271743	462	65	-55	50	RC	0.0	50				N.S.I.
ROUND DAM	WHRC23021	6674583	271730	462	73	-55	70	RC	27.0	28	1	2.94	2.9	1.0m @ 2.9 g/t
	WHRC23021								48.0	49	1	1.88	1.9	1.0m @ 1.9 g/t
ROUND DAM	WHRC23022	6674565	271740	462	72	-50	50	RC	1.0	50				N.S.I.
ROUND DAM	WHRC23023	6674548	271756	462	75	-56	50	RC	2.0	50				N.S.I.
ROUND DAM	WHRC23024	6674545	271741	463	67	-56	70	RC	1.0	70				N.S.I.
ROUND DAM	WHRC23025	6674509	271768	463	68	-54	50	RC	1.0	50				N.S.I.
ROUND DAM	WHRC23026	6674505	271751	463	65	-55	70	RC	1.0	70				N.S.I.
ROUND DAM	WHRC23027	6674666	271715	461	74	-54	70	RC	2.0	70				N.S.I.
ROUND DAM	WHRC23028	6674628	271738	461	73	-55	50	RC	1.0	48				N.S.I.
ROUND DAM	WHRC23029	6674624	271723	461	75	-55	70	RC	47.0	52	5	1.09	5.4	5.0m @ 1.1 g/t
ROUND DAM	WHRC23030	6674709	271725	460	77	-55	50	RC	29.0	31	2	3.33	6.7	2.0m @ 3.3 g/t
ROUND DAM	WHRC23031	6674706	271708	461	79	-54	70	RC	51.0	54	3	4.49	13.5	3.0m @ 4.5 g/t
	WHRC23031								Incl 52.00	53	1	10.45	10.5	1.0m @ 10.5 g/t
ROUND DAM	WHRC23035	6674333	271922	463	71	-56	50	RC	16.0	18	2	2.20	4.4	2.0m @ 2.2 g/t
ROUND DAM	WHRC23036	6674325	271894	463	76	-52	70	RC	1.0	70				N.S.I.
ROUND DAM	WHRC23037	6674382	271910	462	78	-64	50	RC	24.0	26	2	1.57	3.1	2.0m @ 1.6 g/t
	WHRC23037								30.0	31	1	1.00	1.0	1.0m @ 1.0 g/t
ROUND DAM	WHRC25002A	6674467	271865	462	65	-50	270	RC						N.S.I.
ROUND DAM	WSRC001	6674212	272265	458	76	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	WSRC002	6674203	272224	459	76	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	WSRC003	6674052	272241	460	76	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	WSRC004	6674055	272267	459	76	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	WSRC005	6674071	272318	458	76	-60	80	RC	0.0	80				N.S.I.
ROUND DAM	WSRC022	6674031	272220	460	76	-60	120	RC	102.0	103	1	2.51	2.5	1.0m @ 2.5 g/t
ROUND DAM	WHDD25001A	6674287	272243	460	265	-57	360.3	DDH	96.00	97.05	1.05	4.25	4.5	1.1m @ 4.3 g/t
	WHDD25001A								220.00	221.78	1.78	2.22	3.9	1.8m @ 2.2 g/t
	WHDD25001A								240.00	243.00	3.00	1.38	4.1	3.0m @ 1.4 g/t
	WHDD25001A								260.00	261.00	1.00	1.22	1.2	1.0m @ 1.2 g/t
	WHDD25002								265.74	266.04	0.30	4.73	1.4	0.3m @ 4.7 g/t
ROUND DAM	WHDD25002	6674703	271711	460	53	-60	360	DDH	98.33	98.75	0.42	17.99	7.6	0.4m @ 18.0 g/t
	WHDD25002								150.80	157.35	6.55	1.15	7.5	6.6m @ 1.2 g/t
	WHDD25002								159.90	160.25	0.35	3.84	1.3	0.4m @ 3.8 g/t
	WHDD25002								218.80	219.10	0.30	1.68	0.5	0.3m @ 1.7 g/t
	WHDD25002								247.00	248.00	1.00	1.14	1.1	1.0m @ 1.1 g/t
	WHDD25002								250.60	251.00	0.40	1.52	0.6	0.4m @ 1.5 g/t
	WHDD25002								258.25	259.70	1.45	18.56	26.9	1.5m @ 18.6 g/t
	WHDD25002								Incl 258.25	258.60	0.35	72.51	25.4	0.4m @ 72.5 g/t
ROUND DAM	WHDD25003	6674914	271795	459	46	-63	345.1	DDH	112.92	115.34	2.42	2.08	5.0	2.4m @ 2.1 g/t
	WHDD25003								136.67	140.34	3.67	1.36	5.0	3.7m @ 1.4 g/t
	WHDD25003								145.00	150.00	5.00	2.25	11.3	5.0m @ 2.3 g/t
	WHDD25003								155.00	155.93	0.93	1.97	1.8	0.9m @ 2.0 g/t
	WHDD25003								160.00	161.00	1.00	1.38	1.4	1.0m @ 1.4 g/t
	WHDD25003								163.33	164.12	0.79	1.45	1.1	0.8m @ 1.5 g/t
ROUND DAM	WHDD25003W1	6674914	271795	459	46	-63	300.55	DDHW	110.26	111.76	1.50	8.08	12.1	1.5m @ 8.1 g/t

Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Hole Type	Depth From	Depth To	Interval	Grade	Gram Metres	Au g/t interval
	WHDD25003W1							Incl	110.26	110.61	0.35	26.26	9.2	0.4m @ 26.3 g/t
	WHDD25003W1								114.39	114.70	0.31	2.94	0.9	0.3m @ 2.9 g/t
	WHDD25003W1								134.73	135.04	0.31	1.86	0.6	0.3m @ 1.9 g/t
	WHDD25003W1								138.85	144.64	5.79	2.50	14.5	5.8m @ 2.5 g/t
	WHDD25003W1								149.28	149.68	0.40	3.48	1.4	0.4m @ 3.5 g/t
	WHDD25003W1								176.99	178.00	1.01	1.60	1.6	1.0m @ 1.6 g/t
	WHDD25003W1								187.24	188.02	0.78	4.45	3.5	0.8m @ 4.5 g/t
	WHDD25003W1								250.68	251.43	0.75	1.09	0.8	0.8m @ 1.1 g/t
	WHDD25003W1								251.88	252.35	0.47	1.25	0.6	0.5m @ 1.3 g/t
ROUND DAM	WHDD25004	6674537	271763	460	65	-70	461.7	DDH	22.00	22.50	0.50	1.85	0.9	0.5m @ 1.9 g/t
	WHDD25004								177.52	177.88	0.36	1.00	0.4	0.4m @ 1.0 g/t
	WHDD25004								179.11	179.46	0.35	2.83	1.0	0.4m @ 2.8 g/t
	WHDD25004								192.00	192.30	0.30	1.15	0.3	0.3m @ 1.2 g/t
	WHDD25004								228.80	230.69	1.89	2.36	4.5	1.9m @ 2.4 g/t
	WHDD25004								266.55	267.05	0.50	1.56	0.8	0.5m @ 1.6 g/t
	WHDD25004								287.68	288.12	0.44	1.76	0.8	0.4m @ 1.8 g/t
	WHDD25004								297.00	297.30	0.30	1.93	0.6	0.3m @ 1.9 g/t
	WHDD25004								300.90	301.84	0.94	1.21	1.1	0.9m @ 1.2 g/t
	WHDD25004								305.32	305.62	0.30	1.62	0.5	0.3m @ 1.6 g/t
	WHDD25004								308.00	308.53	0.53	1.32	0.7	0.5m @ 1.3 g/t
	WHDD25004								329.63	329.93	0.30	1.99	0.6	0.3m @ 2.0 g/t
	WHDD25004								331.55	332.20	0.65	1.25	0.8	0.7m @ 1.3 g/t
	WHDD25004								380.70	382.75	2.05	1.29	2.6	2.1m @ 1.3 g/t
	WHDD25004								383.80	384.10	0.30	1.27	0.4	0.3m @ 1.3 g/t
	WHDD25004								450.00	450.30	0.30	2.82	0.8	0.3m @ 2.8 g/t
ROUND DAM	WHDD25004W1	6674537	271763	460	65	-70	441.3	DDHW	96.35	96.65	0.30	3.65	1.1	0.3m @ 3.7 g/t
	WHDD25004W1								205.32	206.00	0.68	8.45	5.7	0.7m @ 8.5 g/t
	WHDD25004W1								214.25	214.98	0.73	2.73	2.0	0.7m @ 2.7 g/t
	WHDD25004W1								219.57	219.95	0.38	1.43	0.5	0.4m @ 1.4 g/t
	WHDD25004W1								220.66	221.60	0.94	1.19	1.1	0.9m @ 1.2 g/t
	WHDD25004W1								259.71	260.50	0.79	2.49	2.0	0.8m @ 2.5 g/t
	WHDD25004W1								341.94	342.90	0.96	5.69	5.5	1.0m @ 5.7 g/t
	WHDD25004W1								350.47	351.73	1.26	2.78	3.5	1.3m @ 2.8 g/t
	WHDD25004W1								357.76	366.41	8.65	9.27	80.2	8.7m @ 9.3 g/t
	WHDD25004W1								Incl 357.76	358.81	1.05	30.21	31.7	1.1m @ 30.2 g/t
	WHDD25004W1								Incl 363.80	364.24	0.44	90.64	39.9	0.4m @ 90.6 g/t

Appendix 2 - JORC CODE, 2012 EDITION – TABLE 1 REPORT

Section 1 Sampling Techniques and Data - Waihi

Criteria	JORC Code explanation	Commentary
<i>Sampling techniques</i>	<ul style="list-style-type: none"> • <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> • Aberfoyle/Bardoc - RC and RAB sampling methods generally undocumented however usually collected as 1m samples and composited to 2 to 4m samples when outside mineralised zones. Pre-1990 RAB holes generally sampled on 2-3m intervals and composited to 6m. Samples sent to accredited laboratories for drying, crushing and pulverising. Usually 50g fire assay for RC samples and aqua regia or 50g fire assay for RAB samples. • Ashton – RAB drilling sampled at 2m intervals and composited to 6m by methods undocumented. Samples sent to laboratories for drying, crushing and pulverising. A sub sample taken for analysis by fire assay or aqua regia. • Billiton - RAB and RC 1m samples with RAB being composited to 2m. Diamond core of NQ size. Assay sample techniques undocumented • Consolidated Exploration (ConsEx) – RAB 1m samples usually dispatched as 3m composites but occasional 1m. RC a mix of 1m sampling or 2m composites. Lady Eileen programs RC drilling made use of roller, Blade or hammer with crossover sub all nominally 5.5 inch diameter to obtain 2-3kg sample. Composite 2m samples were hammer milled, mixed and split to 200g then pulverised. 1m samples single stage mix and ground. Sub –samples taken for aqua regia and fire assay. • Cons Gold (Consolidated Gold) – RC 1m samples where alteration is visible. Remainder of hole composited to 4m. 2 to 3 kg samples, including core, sent to laboratory for crushing, pulverising and 50g Fire Assay. • Croesus – RC 1m samples collected under cyclone. 5m comps assayed for gold by 50g Fire assay. NQ diamond except for geotechnical purposes (HQ triple). • Delta - RAB 5 metre composites (Aqua-regia with 50g charge) with 1m re-samples (Fire assay). • DPPL (Davyhurst Project Pty. Ltd.)- 4.25 to 5.5 inch RC drilling with face hammer. Potential mineralisation sampled and assayed on a metre basis otherwise 4m composites. Samples jaw crushed and pulverised before taking a 50gm charge for fire assay. • Hill Minerals - 1m and 4m concurrent sampling of RC drilling. Samples analysed by Genalysis by AAS following mixed acid digestion. • Intrepid - RC drilling with 1m samples in mineralised zones and varying composite lengths up to 5m elsewhere. Analysis by AAS, assumed to be Aqua regia. Unknown weight of charge. Diamond core samples predominately 0.5m of half core. • Monarch - Riffle split RC samples were collected at 1m intervals and despatched for analysis by pulverisation and fire assay. Selected RAB 2m-4m scoop composites and 1m intervals were despatched for analysis, usually by aqua regia. Not all intervals were sampled. All samples dried, crushed, milled and split before taking a sub sample for analysis • Kersey - RC drilling 1m samples passed through riffle splitter and composited. Resulting composite was re-split on site for a 1-2kg sample. RAB hole sample cones quartered by trowel and composited over 4m. Wet samples were grab sampled. 30g charge for AAS. • Normandy - RAB 1m sampling with 4m composites dispatched for assay using 50g Aqua-regia followed by graphite furnace AAS. • Pancontinental – RAB sampling methods undocumented • Perilya – RAB and AC sampling methods undocumented

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> • Texas Gulf – Sampling methods undocumented • West Coast Holdings – RAB drilling 2m intervals were passed through riffle splitter for approximately 1kg sample. Industry standard analysis completed by SGS labs, fire assay and aqua regia. • WMC - RC Sampling on 1m basis, assayed by aqua regia method, unknown laboratory. • Ora Banda Mining Limited (OBM) - RC samples collected from the levelled cone splitter directly off rig into calico bags. Splitter maintained on level site to ensure sample representivity. 1m samples are dried, crushed, pulverised and a 50g charge is analysed by Fire Assay. Half core samples, cut by saw. Core sample intervals selected by geologist and defined by geological and/or mineralisation boundaries, or sampled to 1m. Samples are crushed, pulverized and a 40g or 50g charge is analysed by Fire Assay. For all drilling since 2022, -1m RC samples using face sampling hammer with samples collected under cone splitter. 4m composite RC samples were taken outside of mineralised zone, collected using a scoop from the sample piles at the drill site. 1m cone spilt samples were taken within the expected mineralised zones. Core sample intervals selected by geologist and defined by geological boundaries. All samples were dispatched to the SGS laboratory at the Davyhurst site for pulverising. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay. From 7 March 2025 samples were analysed by 500g photon analysis by SGS.
<i>Drilling techniques</i>	<ul style="list-style-type: none"> • Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<ul style="list-style-type: none"> • Aberfoyle/Bardoc - RC, RAB and Diamond details undocumented however NQ diamond known to be used. RC drilling between 4 and 6 inch diameter with use of face sampling hammer known from 1992 onwards. • Ashton RAB drilling. Details undocumented • Billiton RAB and RC (Conventional hammer) diameter undocumented with use of roller/blade and hammer. NQ Diamond core • ConsEx - RC drilling with roller, blade or hammer with crossover sub. • Cons Gold – NQ diamond and HQ (triple) for geotechnical holes. RAB and RC. 4.25 to 5.5 inch RC drilling with stabilisers and face sampling hammers. • Croesus – Diamond holes NQ2 diameter. RC and RAB details undocumented but assumed to be industry standard at the time being 5.5 inch face sampling hammers and 4 inch diameter respectively. • Delta – RAB - details undocumented • DPPL - NQ core and HQ for geotechnical holes. RC drilling with stabilisers and face sampling hammers. • Hill Minerals - RC - details undocumented. • Intrepid – RC drilling and diamond/diamond tails. Size and types undocumented. • Monarch - RC samples were collected by Kennedy Drilling using a 4 inch blade and 5.5 inch face sampling hammer. RAB drill details undocumented. • Kersey - Details of RC and RAB drilling details undocumented but assumed to be industry standard at the time being 5.5 inch face sampling hammers and 4 inch diameter respectively. • Normandy – RAB with both hammer and blade using Schramm 42. • Pancontinental – Details of RAB drilling undocumented. • Perilya – Details of RAB and Aircore drilling undocumented. • Texas Gulf – Conventional RC hammer, diameter undocumented • West Coast Holdings – 4 inch blade, roller and open hole hammer used for RAB drilling. • WMC – Conventional RC hammer, diameter unknown and RAB drilling details undocumented. • OBM - HQ3 coring to approx. 40m, then NQ2 to BOH. All core oriented by reflex instrument. All core drilled from 2022 was orientated by Axis instrument. RC drilled with face sampling hammer, 5.5" – 5.625" diameter
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> • Method of recording and assessing core and chip sample recoveries and results 	<ul style="list-style-type: none"> • RC drill recoveries were not recorded by Aberfoyle/Bardoc, Annaconda, Ashton, Consolidated Gold, Croesus, Delta, DPPL, OBM, Hill Minerals, Intrepid, Monarch, Mt Kersey, Normandy, Pancontinental, Texas Gulf, West coast holdings or WMC

Criteria	JORC Code explanation	Commentary
	<p><i>assessed.</i></p> <ul style="list-style-type: none"> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> • Billiton – Recoveries for some RC drilling programs were examined in 1986 but raw data not available. • ConsEx – 2 metre plastic pipe inserted into cyclone vent. Cyclone washed at the end of each hole or if water injected. Sample weights measured for Homeward bound (no bias observed) and Lady Eileen prospects (generally no bias observed aside from two high grade samples perceived to be due to coarse grained gold) • Perilya - Method undocumented but quality, moisture, sample quality and % recovery logged • OBM - Diamond drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). RC sample recoveries are approximated based on the size of the bulk sample and recorded in drill log tables. • It is unknown whether a relationship exists between sample recovery and grade or whether sample bias may have occurred.
Logging	<ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> • Aberfoyle/Bardoc - Qualitative: lithology, colour, grainsize, structures, alteration. Quantitative: Quartz mineralisation • Ashton - Qualitative: colour, lithology, alteration, oxidation. Quantitative: Quartz • Billiton - Qualitative: lithology, alteration for Diamond and RAB. RC logging details unavailable • Consolidated Exploration- Qualitative: lithology, colour, alteration, grainsize (at times). Quantitative: Quartz mineralisation at times • Consolidated Gold/ DPPL - Qualitative: lithology , colour, oxidation, alteration, with grainsize, texture and structure often recorded in diamond drilling. Quantitative: Quartz veining. Core photographed. Logging entered directly into HPLX200 data loggers. • Croesus - Most holes photographed, geologically logged and geotechnical and magnetic susceptibility measurements were taken. Qualitative: Lithology, colour, grainsize, alteration, oxidation, texture, structures, regolith. Quantitative: Quartz veining • Delta - Qualitative: Lithology, colour, alteration, oxidation, structure, minerals/sulphides. Quantitative: Quartz veining • Hill Minerals - Qualitative: lithology, colour. Quantitative: Quartz veining • Intrepid – No detailed logging kept for RC drilling. Diamond logging: Colour, lithology, oxidation, texture, alteration, mineralisation, grain size, structure • Monarch - Qualitative: lithology, colour, oxidation, grainsize, texture, structure, hardness, regolith. Quantitative: estimates are made of quartz veining, sulphide percentages. Core photographed • Mt Kersey - Qualitative: lithology, colour, alteration, oxidation, fabric, hardness, BOCO, grainsize. Quantitative: minerals, quartz • Normandy – Qualitative: lithology, regolith, colour, mineralogy, oxidation • Pancontinental – logging details undocumented • Perilya - Qualitative: lithology, colour, oxidation, mineralogy, grain size, alteration, schistosity, texture, regolith at times. Quantitative: recovery, veining • Texas Gulf - Qualitative: lithology, oxidation • West coast holdings - Qualitative: colour, oxidation, lithology, alteration. Quantitative: Quartz, Iron • WMC RC: Qualitative: Lithology, Colour, Grainsize, Alteration and oxidation • Some logging detail was lost during translation from one logging system to another. This has been rectified by referring back to original logs. • OBM - Field logging was conducted using Geobank MobileTM software on Panasonic Toughbook CF-31 ruggedized laptop computers. Qualitative: Lithology, colour, oxidation, grainsize, texture, structure, hardness, regolith. Quantitative: estimates are made of quartz veining, sulphide and alteration percentages. Core photographed wet and dry. Magnetic susceptibility recorded for core holes. Bulk density measurements taken at regular intervals for core holes (determined by Archimedes Principle).

Criteria	JORC Code explanation	Commentary
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> • If core, whether cut or sawn and whether quarter, half or all core taken. • If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. • For all sample types, the nature, quality and appropriateness of the sample preparation technique. • Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. • Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. • Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> • Ashton - Compositing and re splitting methods undocumented. Classic Laboratories methods undocumented. Genalysis: single stage mix and grind. Pulp duplicates taken at the pulverising stage and selective repeats conducted at the discretion of the laboratory. • Billiton – Sub-sampling methods undocumented. 1m repeat fire assays of 2m RAB comps at Lady Eileen were done. Duplicates for RAB and RC inserted however frequency unknown. • Aberfoyle/Bardoc – Diamond core sawn in half. RC and RAB samples with variable compositing lengths and often 1m samples. Method undocumented before 1992, but thereafter riffle split to approximately 2kg samples. RC and RAB was usually prepared by single stage mixer and grind. Diamond, when known was jaw crushed and ring milled for a 50g charge fire assay. Sample duplicate studies undertaken at times, usually with good correlation • ConsEx – RC holes sampled on 1m basis and riffle split to 1-2kg samples for 3m composites or 2-3kg samples for 2m composites. Composite 2m samples were hammer milled, mixed and split to 200g then pulverised to 200#. 1m samples single stage mix and ground to 200#. • Consgold - RC Samples collected via cyclone at 1m intervals and passed through 3 stage riffle splitter. A 2-3kg fraction was calico bagged for analysis, the residue collected in plastic bags and stored on site. Potentially mineralised zones were sampled at 1m intervals, the remainder composited to 4m by unknown method. Composite samples returning >0.19g/t were re submitted at 1m intervals. Samples underwent mixermill preparation (2-3kg) by Amdel Laboratories. RAB 4m composite samples using PVC spear. Samples returning >0.19g/t were re submitted at 1m intervals. Diamond drill samples were sawn into half core. One half was jaw crushed, then pulverised using a labtechnics mill. A quartz blank was pulverised between each sample to avoid contamination. Field duplicates from residues at 1 in 20 frequency submitted. • Croesus RC/RAB - 1m samples collected under cyclone. 5m comps, spear sampled with 50mm PVC pipe. Wet RC drill samples were thoroughly mixed in the sample retention bag and scoop sampled to form a composite sample. 3-5kg five metre composite analytical samples, returning values greater than 0.1g/t gold, were riffle split at 1m intervals, were samples where dry, and grab sampled where wet. RAB 1m resampling method undocumented. Samples were dried, crushed and split to obtain a sample less than 3.5kg, and then fine pulverised prior to a 50gm charge being collected and analysed. Every 20th sample was duplicated in the field and submitted for analysis. Diamond tails were cut to half core and sampled based on geological boundaries and identified prospective zones. Samples size varied from 0.2m to 1m. Core samples were sent to Ultratrace Laboratories of Perth • Delta – RAB: 5m composite samples were total mixer mill prepped and a 50g charge taken for aqua regia analysis. Individual 1m samples re-submitted as if composite result >0.1ppm Au. • DPPL – RC 3 stage riffle split then 4m compositing. RAB 4m composites sampled using PVC spear. Both RC and RAB composites returning >0.19ppm Au re-submitted as 1m samples. Field duplicates from residues at 1 in 20 frequency submitted. • Hill Minerals – RC composited by undocumented methods to 4m then 1m samples re-submitted if 4m composite was above 0.25 g/t. • Intrepid – RC methods undocumented. Typically a mixture of 1m samples and 5m composites (but range from 2m to 7m). Diamond - Core cut in half in lode mineralisation or expected projections of such. 40 replicate samples of core were fire assayed with no significant differences. • Monarch - RC samples were collected at 1m intervals. Composite sampling methods undocumented. Samples were riffle split and prepared with single stage mix and grinding. ALS procedure: The samples were sort and dried where necessary. The samples were split via a riffle splitter to <3 kg and round in a ring mill pulverized using a standard low chrome steel ring set to >85% passing 75 micron. If sample was >3 kg it was split prior to pulverising and the remainder retained or discarded. Then a 250g representative split sample was taken and the remaining residue sample stored. Ultra Trace procedures: The samples were sorted and dried where necessary. 2.5 – 3kg sample was pulverized using a

Criteria	JORC Code explanation	Commentary
		<p>vibrating disc then split into a 200 -300g charge and the residue sample stored. Duplicates are taken 1 in 25 when taking 1m splits straight from the rig. When doing re-splits on composite results 1 in 20 duplicate with occasional triplicates (about 1 every 50 re-splits)</p> <ul style="list-style-type: none"> • Mt Kersey - RC drilling 1m samples passed through riffle splitter and composited. Resulting composite was re-split on site for a 1-2kg sample. Wet samples were grab sampled. RAB - Cones quartered by trowel and composited over 4m. Wet samples were grab sampled. Samples oven dried then pulverised to nominal 75 microns, 400-500g is then split and residue stored. • Normandy - RAB, 4m composites, sample method undocumented. Assays analysed for low level gold (ppb) • Pancontinental - No methods or measures known • Perilya - No methods or measures known • Texas Gulf - Whole metres placed in plastic sacks and were then split to approximately 500g samples. Split method undocumented. Samples crushed, disc pulverized then split to 250g. Petrographic study completed by Mintek Services. • West coast holdings - 2m intervals collected through a cyclone and passed through riffle splitter for approximately 1kg sample. • WMC - RC Sampling on 1m basis, methods undocumented. Assay by aqua regia method, unknown laboratory. • OBM - RC samples were submitted either as individual samples taken from the onsite cone splitter or as four metres composite samples taken by metal scoop. Core sample intervals selected by geologist and defined by geological boundaries, cut by saw and submitted as half core. All samples were dispatched to the SGS laboratory at the Davyhurst site for pulverising. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10). Field duplicates, blanks and standards were submitted for QAQC analysis. From 10 March 2025 samples were analysed by 500g photon analysis by SGS. Field duplicates, blanks and standards were submitted for QAQC analysis.
<i>Quality of assay data and laboratory tests</i>	<ul style="list-style-type: none"> • The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. • For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. • Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	<ul style="list-style-type: none"> • Aberfoyle/Bardoc – multiple analysis methods at Sheen, Amdel, Genalysis, Classic, Comlabs and Australian Laboratories. Usually 50g fire assay for RC and aqua regia or 50g fire assay for RAB. Aberfoyle conducted assay QAQC studies periodically, usually on a deposit basis, however these were not well documented. • Ashton - Fire assay and AAS at Classic Labs and Genalysis. Genalysis involved single stage mix and grind. Genalysis utilised internal FA stds. • Billiton - Laboratory and methods undocumented. Standards for RAB and RC inserted however frequency unknown • ConsEx - Genalysis composite 2m samples were hammer milled, mixed and split to 200g then pulverised to 200#. 1m samples single stage mix and ground to 200#. Phase 1 standard wet chemical multi acid digestion and AAS. Second phase were also pre-roasted. Results of >1g/t re-assayed by fire assay. Check assays at umpire lab (Classic labs) for Lady Eileen drilling - significant differences in high grade samples, otherwise considered good. • Consolidated Gold/ DPPL – RC and RAB - Mixer mill prep with fire assay 50g charge at AMDEL, Minilab or Analabs Laboratories in Kalgoorlie. Half core was diamond sawn, jaw crushed, milled using LABTECHNICS mill at AMDEL for 50g charge by fire assay. Gannet standards submitted to monitor lab accuracy for infill resource drilling. Pulp umpire analysis was done but frequency unknown (1995). Screen fire assays of selected high grade samples. Quartz blanks submitted between each diamond core sample. • Croesus samples analysed for Au by Fire Assay/ICPOES by Ultratrace in Perth. Gannet standards and blank samples made by Croesus were submitted with split sample submissions. QAQC analysis of repeats was analysed by Croesus Mining NL for their drilling completed during 2000. • Delta - Analysis at Genalysis, Kalgoorlie. Total mixer mill prep, Aqua-regia with 50g charge, 0.01ppm detection limit. 1m re-samples: as above but with 50g charge fire assay. Standards submitted although frequency and certification undocumented. • Hill Minerals - AAS following mixed acid digestion at Genalysis, Perth.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> • Intrepid - Samples assayed by atomic absorption (Aqua regia?) at Kalgoorlie Assay Labs. • Monarch - ALS Laboratory procedures: A 50g sample charge was taken from the 250g representative sample, fused with a lead concentrate using the laboratory digestion method FA-Fusion, then digested and analysed by Atomic Absorption Spectroscopy (Au-AA26) against matrix matched standards. Ultra Trace procedures: A 40g sample charge is taken and analysed for gold (Au) by lead collection fire assay. • Mt Kersey - RAB and RC samples: 30g charge with 0.02 ppm DL by qua regia with a D.I.B.K and Ortho Phosphoric acid extraction. AAS at AAL group. • Normandy - Amdel Laboratories, Perth using 50g Aqua-regia followed by graphite furnace AAS. Also by IC2E - digesting 1g subsample of pulp in aqua regia, bulked with water, then passed through an ICP-OES. Duplicate samples were sent to a different, undocumented lab. • Pancontinental - Method undocumented. 2 RC holes were re-split and fire assayed and some screen fire assayed • Perilya - 10ppb Au detection limit at Analabs Perth by Method P649, 50g Aqua Regia, DIBK, Carbon Rod (10ppb D.L.) • Texas Gulf - Samples crushed, disc pulverized then split to 250g. Bromine digest followed by ketone extraction at Pilbara Labs, Kalgoorlie. Noted as not suitable in presence of sulphides. Values greater than 0.8g/t re-assayed by fire assay. • West coast holdings Assayed by both AAS (Aqua Regia) and Fire Assay at SGS labs • WMC drill samples were assayed by aqua regia method, unknown laboratory. • Fire assay is considered a total technique and aqua regia is considered a partial technique. • Historic operators assayed by "AAS". This is assumed to be aqua regia. • OBM – Up to 2022 Samples sent to Nagrom in Perth. The samples have been analysed by Firing a 50gm portion of the sample. Lower sample weights may be employed for samples with very high sulphide and metal contents. This is the classical fire assay process and will give total separation of gold. An ICPOES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:25 for standards and 1:25 for blanks. Sizing results (percentage of pulverised sample passing a 75µm mesh) are undertaken on approximately 1 in 40 samples. Duplicate samples are submitted for RC holes only at a rate of approximately 1:30. The accuracy (standards) and precision (repeats) of assaying are acceptable. For all drilling from 2022, All samples were sent to the accredited onsite SGS laboratory at Davyhurst for sample preparation. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10) with MP-AES finish or 500g Photon analysis. Commercially prepared standard samples and blanks are inserted in the sample stream at an average rate of 1:25. Sizing results (percentage of pulverised sample passing a 75µm mesh) are undertaken on approximately 1 in 20 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. The accuracy (standards) and precision (repeats) of assaying are acceptable.
<i>Verification of sampling and assaying</i>	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • OBM geologists have viewed selected diamond holes from certain deposits, including Waihi and verified the location of mineralised intervals. • Twinned holes were occasionally used by previous operators but this practice was not common. • Monarch Gold Mining Company Ltd; Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were put into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory • OBM - Geological and sample data logged directly into field computer (Panasonic Toughbook CF-31) using Geobank Mobile. Data is exported onto company servers and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. • Data entry, verification and storage protocols for remaining operators is unknown. • No adjustments have been made to assay data

Criteria	JORC Code explanation	Commentary
<i>Location of data points</i>	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<ul style="list-style-type: none"> • RAB and AC holes are/were not routinely collar surveyed or downhole surveyed due to their limited use in resource estimation. To this end, discussion of RAB and AC drilling is omitted from this section. RC/GC (grade control) and shallow RC holes are/were not routinely downhole surveyed due to their shallow nature reducing the chance of significant deviation. Barren exploration RC holes not routinely downhole surveyed or collar surveyed. DD holes routinely collar and downhole surveyed by most operators or have been re-surveyed by subsequent operators. • The influence of magnetic rocks on the azimuths of magnetic down hole surveys is minor. Early holes surveyed in AMG zone 51 and converted to MGA using Geobank and or Datashed data management software. • Aberfoyle/Bardoc (RC, RC/DD, DD) Various local grids which have undergone 2 point transformations. RC collars and downhole surveys known to be surveyed at times, presumably when anomalous gold intersected. DD holes downhole surveyed by Eastman single shot (25m interval average) or Multishot (5m interval average) • Billiton (RC, DD) Local Lights of Israel grid undergone 2 point transformation. Downhole surveys when performed were by undocumented method with a 25m interval average • ConsEx (RC). Drilled on local grids (possibly truncated AMG84, zone 51). Holes appear to have been surveyed using AMG, zone 51 grid at a later stage. Numerous vertical holes not down-hole surveyed. Downhole surveys when performed were by undocumented method with a 9m interval average • Cons Gold/DPPL (RC, DD) Local grids and AMG84 zone 51 used. RC and DD Collars surveyed by licensed surveyors to respective grids. Holes of all types routinely collar surveyed whilst RC resource holes routinely downhole surveyed by various methods including gyro and EMS with average intervals ranging between 10-25m. • Croesus (RC, DD) Various local grids and AMG zone 51. RC, DD holes routinely collar surveyed and downhole surveyed using Electronic Multishot (EMS), GRYO, Eastman single shot or combination thereof at 10-15m average interval. • Hills (RC) Local grid used. • Monarch(RC) -Various local grids and MGA. Holes routinely collar surveyed and downhole surveyed using EMS, or GYRO at 5m interval average or Eastman single shot (28m interval average). • Mt Kersey(RC) Truncated AMG grid used • Prospector (DD). Unknown • Texasgulf (RC) Local grid: MC30/1317 based on 351.5°baseline, parallel to tenement boundary. MC30/1327 based on 355.5° • WMC (RC, DD) - Digital data provided by ConsGold. (Wamex report a50226). Downhole surveys when performed were by undocumented method with a 16m interval average • OBM (RC, DD) MGA94, zone 51. Drill hole collar positions were picked up by a contract surveyor using RTKGPS subsequent to drilling. Drill-hole, downhole surveys are recorded every 30m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early stage exploration project. For all drilling from 2022 Drill hole collar positions were picked up by an OBM mining surveyor using RTKGPS subsequent to drilling. All downhole surveys were taken every 10m by Gyro.
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been 	<ul style="list-style-type: none"> • Data spacing highly variable from wide spaced ~800m x ~80m regional RAB to close spaced resource drilling ~10m x ~10m and grade control drilling at ~5m x ~5m. • Drill hole spacing is adequate to establish geological and grade continuity for the deposits that currently have resources reported. • Drill intercepts are length weighted, 1g/t lower cut-off, not top-cut, maximum 2m internal dilution

Criteria	JORC Code explanation	Commentary
	<i>applied.</i>	
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> • Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<ul style="list-style-type: none"> • For most of the deposits in and around Davyhurst the prevailing geological and structural trend is approx. North-South. Once the orientation of mineralisation was established drilling was mostly oriented at 90° to the strike of mineralisation. Drillhole inclinations range from -50 to -75°. • It is unknown whether the orientation of sampling achieves unbiased sampling, though it is considered unlikely • OBM – RC and DD drilling is predominately inclined at between -50 and -60 degrees towards the East. Drilling inclined to the West is only done when lodes are deemed to be vertical or if local landforms prevent access.
<i>Sample security</i>	<ul style="list-style-type: none"> • The measures taken to ensure sample security. 	<ul style="list-style-type: none"> • Undocumented for most operators. • ConsGold – RC residues stored onsite • Monarch - Pre-numbered sample bags were put into numbered plastic bags. These numbers were written on the submission forms which were checked by the geologist. Plastic bags were then securely cable tied and placed in a secure location. Samples were then picked up by the Lab in Kalgoorlie or deliver to Perth via courier. A work order conformation was emailed to Monarch personnel for each sample submission once samples were received by the Laboratory. • West coast holdings - Residues stored on site but security measures undocumented • Texas Holdings - Residues stored on site but security measures undocumented • OBM – Samples are bagged into cable-tied polyweave bags and stored in bulk bags in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> • The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> • OBM has reviewed historic digital data and compared it to hardcopy and digital (wamex) records. • No audits of sampling techniques have been done.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary								
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i> 	<ul style="list-style-type: none"> All tenure pertaining to this report is listed below <table border="1" data-bbox="923 425 2061 636"> <thead> <tr> <th data-bbox="923 425 1073 463">TENEMENT</th><th data-bbox="1073 425 1439 463">HOLDER</th><th data-bbox="1439 425 1529 463">Expiry Date</th><th data-bbox="1529 425 2061 463">AGREEMENTS</th></tr> </thead> <tbody> <tr> <td data-bbox="923 463 1073 636">M30/255</td><td data-bbox="1073 463 1439 636">CARNEGIE GOLD PTY LTD.</td><td data-bbox="1439 463 1529 636">10/01/2038</td><td data-bbox="1529 463 2061 636"> Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage </td></tr> </tbody> </table> <ul style="list-style-type: none"> Carnegie Gold PTY LTD is a wholly owned subsidiary of OBM. There are no known heritage or native title issues. There are no known impediments to obtaining a licence to operate in the area. 	TENEMENT	HOLDER	Expiry Date	AGREEMENTS	M30/255	CARNEGIE GOLD PTY LTD.	10/01/2038	Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage
TENEMENT	HOLDER	Expiry Date	AGREEMENTS							
M30/255	CARNEGIE GOLD PTY LTD.	10/01/2038	Farm-in and JV with Davyston Exploration Pty Ltd for all minerals other than gold and its byproducts (portion of tenement only) Davyston Exploration Pty Ltd holds a consent caveat and a mortgage							
Exploration done by other parties	<ul style="list-style-type: none"> <i>Acknowledgment and appraisal of exploration by other parties.</i> 	<ul style="list-style-type: none"> Modern exploration commenced at the Davyhurst sites in the 1980s. Three companies, Jones Mining, Western Mining Corporation (WMC) and Hill Minerals pegged claims surrounding the historic Davyhurst sites. In 1986, WMC established a 300,000 tonne per annum carbon-in-pulp (CIP) treatment plant at Davyhurst and commenced open pit mining at Golden Eagle and Waihi. In 1988 WMC's and Jones Mining's assets were acquired by Consolidated Exploration Ltd. Consolidated Exploration then developed open cut mines at Great Ophir, Lady Eileen, Lady Eileen South and Homeward Bound. At about the same time Aberfoyle Resources / Hill Minerals commenced open-pit mining at the Lights of Israel Deposit and trucked the ore 80 km to the Bardoc processing plant. During 1995/96 Consolidated Exploration Ltd. restructured as Consolidated Gold NL (CGNL) and commenced tenement acquisition and exploration activities in the area. This resulted in the consolidation of holdings in the district. In December 1996 CGNL acquired the assets of Aberfoyle Resources in the area, including the Bardoc Processing plant, in an equity transaction. The Bardoc plant was relocated to the Davyhurst site and upgraded to 1.2 Mt/y. In October 1998 Davyhurst Project Pty Ltd (DPPL), a subsidiary of NM Rothschild and Sons (Australia), acquired the project. In 2000, Croesus Mining NL ("Croesus") acquired the Davyhurst Project and continued operations until 2005. In January 2006, Monarch Gold Mining Company Limited (Monarch) acquired Davyhurst and operated the project until 2008. Drilling, sampling and assay procedures and methods as stated in the database and confirmed from Wamex reports and hard copy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Davyhurst area. The company is confident that previous operators completed work to standards considered acceptable for the time. As part of each resource upgrade, OBM will commit to additional drilling to confirm the style, widths and tenor of mineralisation at each deposit. 								
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> Regional Geology - Rocks of the Coolgardie domain (Kalgoorlie Terrane) are prevalent in the Davyhurst area. Rocks of the Coolgardie Domain are not well exposed at Davyhurst and the distribution of rock types suggests that it is mainly represented by the upper part of the stratigraphic sequence, namely basalts, felsic volcanics and sedimentary rocks. The abundant ultramafic-mafic sills of the Ora Banda Domain do not occur in the Coolgardie Domain. Granitoids in the Davyhurst Project area can be classified by magnetic signature into three types: low, medium and high magnetic response. 								

Criteria	JORC Code explanation	Commentary
		<p>Binns et al. (1976) distinguished 'static style' and 'dynamic style' regional metamorphism. Static style areas generally occupy the central, low-strain part of the greenstone regions away from the granitoids and typically have lower metamorphic grades (prehnite–pumpellyite to upper greenschist facies). Strain is concentrated in narrow zones so that textures are well preserved in more massive and competent rocks. Dynamic-style areas of greenstone have higher metamorphic grades (upper greenschist to upper amphibolite facies) and are characterized by more pervasive foliation, particularly along the contacts with large granitoid terrains. There appears to be two major controls on mineralisation in the Davyhurst area. Both mineralisation styles rely on mineralisation taking place during reactivation of earlier ductile shear zones. In the case of the Lights of Israel group of deposits, the early shears are moderately to gently west dipping, whereas in the Federal Flag – Lady Eileen group of deposits, the early shear is steeply west dipping. In the northern portion of the Davyhurst tenements most gold mineralisation is aligned in planar corridors that have N- to NW-trends. The overall dip of the mineralised corridors is mostly steep ($>75^\circ$) E- or W-dipping with moderate to steep ($\sim 60^\circ$) and shallow-dipping ($\sim 15^\circ$) ore zones at the Federal Flag and Lady Gladys deposits, respectively. Within these planar corridors of mineralisation linear trends to gold distribution are mostly shallowly plunging. Internal variations within the corridors at individual deposits are common and discussed later. Mineralisation at the Lights of Israel and Makai deposits differs from the other examined deposits in that mineralisation has a linear form that plunges moderately ($\sim 20^\circ$) to the NNW.</p> <ul style="list-style-type: none"> • Local Geology - The two major rock types within the Waihi deposit are: <ul style="list-style-type: none"> ◦ Tremolite/Actinolite/Chlorite Amphibolite. Weakly to strongly foliated, fine to medium grained rocks composed of tremolite/actinolite within a fibrous Mg chlorite matrix. ◦ Fine Grained Basalt. Massive to weakly foliated, very fine grained rock composed of actinolite and plagioclase (albite) with trace magnetite. • Late stage lepidolite bearing pegmatite dykes striking 060° and dipping steeply 75° north cut across the stratigraphy at several places. A quartz felspar porphyry sub parallel to regional foliation has been mapped in the old Homeward Bound pit. Detailed mapping by ConsGold of the Waihi and Homeward Bound pits shows the area is dominated by a strong penetrative foliation striking 347° and dipping 75° to 80° west. A second weaker foliation striking 040° and dipping 75° north was also recognised in both pits. The intersection of these two foliations gives a lineation plunging approximately 70° towards 310°. Several post mineralisation faults striking approximately 070° and dipping north have been mapped or inferred from the drilling. The faults have only minor lateral displacement. Several of the faults are infilled by lepidolite pegmatite. • Gold mineralisation at Waihi occurs with both altered tremolite schist and basalts. Generally gold mineralisation associated with the tremolite schist occurs in the vicinity of the old Waihi workings and in the east lode to the east of the old Homeward Bound pit. Mineralisation is characterised by multiple lenses and broad alteration haloes. Mineralisation associated with the tremolite schist also appears to have a gentle northerly plunge approximately 40° towards 340°. To the north, in the more competent basalts mineralisation is confined to a single main lode within the shear system. Within the deposit there is a pervasive biotite alteration halo. Associated with gold mineralisation, biotite plus silica and quartz veining occur. Higher grade gold mineralisation is generally associated with extreme silica flooding and quartz veining which has destroyed the majority of the rock fabric. Diopside as an alteration mineral also occurs throughout the resource. Quartz veining sub parallel to, or cross cutting the regional fabric also occurs within the deposit. These veins are discontinuous and can form boudins with the ore zone. Grade distribution within these blobs is erratic (Lennartz, 1988). Controls on ore shoots within the resource are not well understood at this stage. From the data available there appears to be a major zone of mineralisation plunging north from the south end of the Waihi pit. From the old stope plans of the Waihi Shaft, it would appear that the higher grade mineralisation has a steeply dipping lensoidal shape, with occasional glory holes, which WMC inferred were fold hinges. Around the Homeward Bound and east lode areas the higher grade mineralisation appears to have a 30° plunge to the north. Pyrrhotite, pyrite and arsenopyrite are the dominant sulphides within the resource. Trace to accessory concentrations of chalcopyrite, pentlandite, gedrite, and bismuth have been recognised

Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> • A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ◦ easting and northing of the drill hole collar ◦ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar ◦ dip and azimuth of the hole ◦ down hole length and interception depth ◦ hole length. • If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	<ul style="list-style-type: none"> • See list of drill intercepts. • Widths reported in the Significant Intercepts table are all down hole lengths.
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • Original assays are length weighted. Grades are not top cut. Intercepts are reported at a Lower cut off of nominally 1.0g/t. Due to the narrow nature of mineralisation a minimum sample length of 0.2m was accepted when calculating intercepts. Maximum 2m internal dilution. • No metal equivalents reported
Relationship between mineralisation widths and	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is 	<ul style="list-style-type: none"> • Intercept widths are down hole lengths. True widths are not reported given the varying orientation of drilling and mineralisation at each deposit/prospect mentioned in the report. • The geometry of the mineralisation at Waihi is approx. 345° and sub vertical. Drilling is oriented perpendicular to the strike of the mineralisation (075° and to a lesser extent 255°).

Criteria	JORC Code explanation	Commentary
<i>intercept lengths</i>	<ul style="list-style-type: none"> known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	
<i>Diagrams</i>	<ul style="list-style-type: none"> Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> See plans and sections.
<i>Balanced reporting</i>	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practised to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Results reported include both low and high gram metre (g/t x down hole length) values. The significant intercept table provides details of drill hole intercepts shown on diagrams. There is no lower cut-off grade, the holes listed include those with NSI (no significant intercept). Holes in the significant intercept table are shown on diagrams coloured according to gram metre grade bins. This provides spatial context to the number of holes in the project area with significant gold intercepts versus the number of holes with lesser or no significant intercepts
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Metallurgical and geotechnical work has been completed for numerous previously mined deposits, including Waihi. Waihi deposit was previously mined and processed at Davyhurst plant with no known metallurgical issues. Ongoing geological/ structural evaluation to determine the controls on mineralisation
<i>Further work</i>	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> Data evaluation and geological assessment of all deposits, including Waihi, followed by additional resource drilling and updated JORC 2012 compliant Mineral Resources. Further resource definition drilling will be conducted Regional exploration targeting for new green-fields deposits.