ASX ANNOUNCEMENT

19 December 2024



FIRST ORE INTERSECTED AT SAND KING

- Sand King Underground mine development tracking to plan with first ore intersected just four months after portal establishment
- Initial grade control drilling confirms multiple mineralised lodes per level, including highgrade lodes in addition to bulk tonnage opportunities
- Surface Diamond Drilling extends and enhances 090 lodes in northern Sand King

Ora Banda Mining Limited ("Ora Banda", "Company") is pleased to provide an update on its Sand King Underground mine which forms part of the Davyhurst Gold Project and together with the Riverina Underground are the centrepiece of the Company's DRIVE TO 150 Project with an annual production outlook of 140,000oz to 160,000oz in FY26.

Sand King has achieved its first major milestone, intersecting multiple ore lodes in the first crosscut on the 315 Level. This is in line with internal planning and the mine remains on track to deliver first stoping ore in the March-25 Quarter. Steady state production of ~60kozpa is expected to commence in the June-25 Quarter.

Since the establishment of the Sand King portal in late August this year, mine development has advanced on schedule and in good ground conditions with 427 decline metres and a total of 835 development metres achieved to date.

Underground diamond drilling for grade control is also underway at the mine with the rig completing 5,477 metres to date of the planned 45,400 metre program. This initial program has confirmed multiple discrete high grade lodes and additional bulk tonnage opportunities at Sand King (see Figures 3,4 & 5).

Significant grade control results to date include:

0	6.0m @ 9.5 g/t	Inc.	3.5m @ 13.7 g/t	0	1.3m @ 17.6 g/t	Inc.	1.0m @ 21.9 g/t
0	11.3m @ 4.1 g/t	Inc.	0.5m @ 10.7 g/t	0	3.4m @ 6.7 g/t	Inc.	0.6m @ 21.1 g/t
0	3.5m @ 13.2 g/t	Inc.	1.1m @ 37.8 g/t	0	2.0m @ 10.7 g/t	Inc.	1.7m @ 12.4 g/t
0	12.2m @ 3.2 g/t	Inc.	0.3m @ 12.8 g/t	0	0.9m @ 22.6 g/t	Inc.	0.3m @ 63.3 g/t
0	3.6m @ 9.8 g/t	Inc.	3.2m @ 10.8 g/t	0	1.3m @ 16.6 g/t	Inc.	1.0m @ 21.3 g/t
0	2.7m @ 13.2 g/t	Inc.	2.3m @ 14.0 g/t	0	4.1m @ 5.1 g/t	Inc.	0.9m @ 14.1 g/t
0	2.4m @ 14.0 g/t	Inc.	1.7m @ 17.9 g/t	0	1.0m @ 20.4 g/t	Inc.	0.4m @ 52.2 g/t
0	3.4m @ 8.6 g/t	Inc.	0.5m @ 16.9 g/t	0	6.3m @ 3.2 g/t	Inc.	0.7m @ 13.6 g/t

The Company also recently conducted a small surface exploration drilling program at Sand King North. This 6-hole program targeted high-grade East-West ore structures and successfully infilled and extended the known lodes along strike. Intercepts included:

0	8.0m @ 5.4 g/t	Inc.	2.7m @ 13.6 g/t	0	2.4m @ 11.5 g/t	Inc.	0.4m @ 48.0 g/t
0	1.0m @ 31.3 g/t	Inc.	0.5m @ 61.0 g/t	0	2.2m @ 10.9 g/t	Inc.	1.9m @ 11.9 g/t
0	13.6m @ 2.3 g/t	Inc.	0.4m @ 13.4 g/t	0	8.3m @ 2.9 g/t	Inc.	0.5m @ 10.7 g/t

Commenting on the progress at Sand King, Ora Banda's Managing Director, Luke Creagh, said:

"Reaching first ore at the Sand King Underground mine is exciting, especially considering that this milestone has been achieved less than 4 months after establishing the portal, and 14 months after the first drill hole targeting underground was completed.

"The grade control and surface drilling has confirmed, enhanced and extended known mineralisation and we consider this to be at the early stages of unlocking the full potential of the Sand King mineralised system.

"As the ounce production from Sand King increases month-on-month, we are set up for a strong second half of the financial year. The combination of Riverina and Sand King high-grade ore delivers a step change to our production profile and cashflows, with a production outlook of 140,000oz to 160,000oz in FY26."



Figure 1 – Overview showing proximity of Sand King to the Davyhurst processing hub

Sand King Mining and Exploration Update Summary

Since commencement of the Sand King Underground mining operation in late August 2024, the project has continued to progress well and in-line with the Final Investment Decision (FID). Initial capital works projects have been completed as per the FID schedule and within budget, leaving only the primary fan installation to be completed in January 2025.

An underground diamond drilling program of 45,400 metres has commenced with the rig ramping up quickly and now delivering above the anticipated productivity rate. Importantly, the initial 5,477 metres of grade control infill drilling has confirmed:

- Large "Big Dog" Lode results are in line with the Resource Model expectations (Figures 3,4 & 5)
- Infill drilling identified the high-grade nature of the narrow 090 striking tension veins (Figure 3)
- Confirmed presence of stacked / intersecting lodes that present a bulk mining opportunity (Figure 3)
- Potential for increased tonnes and grade in the modelled area with closer space drilling identifying higher-grade 090 tension veins (Figure 3)
- FID Block Model integrity well supported by infill drilling

Ore has been intersected across 2 lodes through the cross cut on the first level as shown in Figures 6, 7, 8 & 9 with face sampling returning:

0	3.2m @ 3.3 g/t	Inc.	2.7m @ 13.6 g/t	Lode D17
0	3.1m @ 5.0 g/t	Inc.	0.7m @ 12.3 g/t	Lode D17
0	2.5m @ 7.1 g/t	Inc.	0.7m @ 10.5 g/t	New Lode (unmodelled)

Sand King Underground remains on track to deliver key project metrics including:

- Investment capital of ~\$39 million with maximum cash draw down of ~\$32 million, funded by operating cashflows from Riverina Underground and existing cash – *Ongoing*
- Portal commencement September-2024 quarter Achieved
- First development ore December-2024 quarter Achieved
- Stoping commences March-2025 quarter on track
- Steady state production of ~60kozpa commencing in June-2025 quarter on track

As announced on 11 July 2024, the Sand King Underground Mineral Resource Estimate increased by 176% to 3.4 million tonnes at 2.8g/t for 304k ounces, up from 110k ounces. The maiden Sand King Underground Ore Reserve Estimate is 537k tonnes at 3.2g/t for 55k ounces (see Appendix 1 & 2 for further detail).

The Sand King Underground mine plan incorporates design elements such as drill drives and infrastructure to benefit from any Mineral Resource conversion or extension. The current Mineral Resource is open in all directions and has only been drilled to a depth of ~300m below surface.



Figure 2 - Sand King underground mine design, oblique view looking west



Figure 3 - Plan View 315 Level showing grade control drilling & results, cross cut design and main modelled ore lode positions



Figure 4 - Oblique View – Looking Northeast - showing grade control drilling & results, crosscut design and main modelled ore lode positions



Figure 5 - Oblique View – Looking West - showing grade control drilling & results, resource drilling on the Big Dog Lode. Recent surface exploration drilling is also shown against the northern modelled 090 striking lodes



Figure 6 - D17 Lode Looking Norther showing face sample grades



Figure 7 - New Lode Looking Norther showing face sample grades



Figure 8 – Face #1 - D17 Lode looking south showing face sample grades



Figure 9 - Face #2 – D17 Lode looking south showing face sample grades



Figure 10 - Sand King surface infrastructure including offices and workshops



Figure 11 - Expandable 2 MW Power station and showing underground cable feed



Figure 12 - Sand King header tanks for mine water supply



Figure 13 - Sand King Portal and newly established ventilation adit



Figure 14 - Underground electrical sub-station



Figure 15 - Sand King – on site core processing facility



Figure 16 - Explosive and emulsion magazine



Figure 17 - Sand King MOP with first high grade ore on surface

This announcement was authorised for release to the ASX by Luke Creagh, Managing Director.

For further information about Ora Banda Mining Ltd and its projects please visit the Company's website at <u>www.orabandamining.com.au</u>.

Investor & Media Queries: Luke Creagh Managing Director +61 8 6365 4548 admin@orabandamining.com.au

Competent Persons Statement

The information in this announcement that relates to new exploration results is based on, and fairly represents, information and supporting documentation prepared by Mr Andrew Czerw, an employee of Ora Banda Mining Limited, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Czerw has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Czerw consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears.

The information in this announcement regarding Sand King Exploration Results has been extracted from the Company's ASX announcements set out below, which are available to view at <u>www.orabandamining.com.au</u>. The Company confirms that it is not aware of any new information or data that materially affects the information included in those ASX announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from those ASX announcements.

'Davyhurst Gold Project Update' dated 3 September 2024, 'Riverina Underground & Sand King Update' dated 4 April 2024, 'New High Grade Lode System Discovered at Sand King' dated 28 February 2024, 'Exploration Update – Sand King' dated 6 February 2024, 'Exploration Update – Sand King' dated 2 November 2023, 'Exploration Update' dated 3 August 2023, 'High Grade Results for Sand King Validation Drill Program' dated 27 April 2020, 'Missouri Deposit Mineral Resource and Reserve Update' dated 15 December 2016, 'Outstanding Siberia Drilling Results Continue' dated 23 November 2016, 'High Grade Results Continue at Siberia' dated 15 November 2016, 'High Grade Results Continue at Siberia' dated 2 November 2016, 'Siberia Drilling Update' dated 25 October 2016, 'Significant Drilling Results from Siberia' dated 22 September 2016 and 'Strong Initial Results from Siberia Diamond Drilling' dated 13 September 2016.

The information in this announcement that relates to Mineral Resources and Ore Reserves has been extracted from the Company's ASX announcement, 'Mineral Resource and Ore Reserve Statement' dated 2 July 2024. The Company confirms that it is not aware of any new information or data that materially affects the information included in that announcement and that all material assumptions and technical parameters underpinning the estimates in that announcement continue to apply and have not materially changed.

Forward-looking Statements

This announcement contains forward-looking statements which may be identified by words such as "believes", "estimates", "expects', "intends", "may", "will", "would", "could", or "should" and other similar words that involve risks and uncertainties. These statements are based on an assessment of present economic and operating conditions, and on a number of assumptions regarding future events and actions that, as at the date of this announcement, are expected to take place.

Such forward-looking statements are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, the Directors and management of the Company. These and other factors could cause actual results to differ materially from those expressed in any forward-looking statements.

The Company has no intention to update or revise forward-looking statements, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this announcement, except where required by law.

The Company cannot and does not give assurances that the results, performance or achievements expressed or implied in the forward-looking statements contained in this announcement will actually occur and investors are cautioned not to place undue reliance on these forward-looking statements.

PROL	MEASURED		INDIC	ATED	INFERRED		TOTAL MATERIAL			
PROJ		('000t)	(g/t Au)	('000t)	(g/t Au)	('000t)	(g/t Au)	('000t)	(g/t Au)	('000oz.)
LIGHTS OF ISR	AEL	-	-	74	4.3	180	4.2	254	4.2	34
MAKAI SHOOT	r	-	-	1,985	2.0	153	1.7	2,138	2.0	136
	Open Pit	-	-	2,057	2.3	95	2.0	2,152	2.3	157
WAIHI	Underground	-	-	278	3.6	324	3.5	602	3.5	68
	TOTAL	-	-	2,335	2.5	419	3.5	2,754	2.5	225
Central Davyhu	ırst Subtotal	-	-	4,394	2.3	752	3.3	5,146	2.4	396
LADY GLADYS		-	-	1,858	1.9	190	2.4	2,048	1.9	125
	Open Pit	476	1.7	2,118	1.6	117	1.5	2,711	1.6	138
RIVERINA AREA	Underground	24	3.8	1,641	3.8	2,294	3.6	3,959	3.7	468
	TOTAL	500	1.8	3,759	2.6	2,411	3.5	6,670	2.8	606
	Open Pit	-	-	386	1.6	17	1.6	403	1.6	21
BRITISH LION	Underground	-	-	36	3.2	3	3.8	39	3.2	4
	TOTAL	-	-	422	1.7	20	2.0	442	1.7	25
	Open Pit	-	-	-	-	691	1.5	691	1.5	33
FOREHAND	Underground	-	-	-	-	153	2.5	153	2.5	12
	TOTAL	-	-	-	-	844	1.7	844	1.7	46
	Open Pit	-	-	-	-	127	2.3	127	2.3	9
SILVER TONGUE	Underground	-	-	-	-	77	4.5	77	4.5	11
	TOTAL	-	-	-	-	204	3.1	204	3.1	21
SUNRAYSIA		-	-	175	2.1	318	2.0	493	2.0	32
Riverina-Mullin	e Subtotal	500	1.6	6,214	2.2	3,987	2.9	10,701	2.5	854
	Open Pit	-	-	0	0.0	0	0.0			
SAND KING	Underground	113	1.9	1,444	2.7	1,858	2.9	3,415	2.8	304
	TOTAL	113	1.9	1,444	2.7	1,858	2.9	3,415	2.8	304
	Open Pit	-	-	-	-	-	-	-	-	-
MISSOURI	Underground	-	-	464	3.4	246	4.9	710	3.9	89
	TOTAL	-	-	464	3.4	246	4.9	710	3.9	89
PALMERSTON / CA	MPERDOWN	-	-	118	2.3	174	2.4	292	2.4	23
BLACK RABBIT		-	-	-	-	434	3.5	434	3.5	49
Siberia Subtota	al	113	1.9	2,026	2.9	2,712	3.1	4,851	3.0	465
	Open Pit	-	-	241	3.7	28	1.6	269	3.5	30
CALLION	Underground	-	-	255	6.0	156	5.5	411	5.8	77
	TOTAL	-	-	496	4.9	184	4.9	680	4.9	107
Callion Subtota	l -	-	-	496	4.9	184	4.9	680	4.9	107
FEDERAL FLAG	i	32	2	112	1.8	238	2.5	382	2.3	28
SALMON GUMS		-	-	199	2.8	108	2.9	307	2.8	28
WALHALLA		-	-	448	1.8	216	1.4	664	1.7	36
WALHALLA NORTH		-	-	94	2.4	13	3.0	107	2.5	9
MT BANJO		-	-	109	2.3	126	1.4	235	1.8	14
MACEDON	-	-	-	-	186	1.8	186	1.8	11	
Walhalla Subto	tal	32	2.0	962	2.1	887	2.0	1,881	2.1	125
Davyhurst To	tal	600	1.8	14,100	2.4	8,500	3.0	23,300	2.6	1,950

Appendix 1 – Mineral Resource Table (see ASX announcement on 2 July for further details)

 The Riverina Area, British Lion, Callion, Forehand and Silver Tongue Mineral Resources have been updated in accordance with all relevant aspects of the JORC code 2012, and initially released to the market on 2 December 2019, 26 May 2020, 5 June 2020, 9 October 2020, 1 August 2022 & 16 February 2023 (Riverina Area), 15 May 2020 & 29 June 2020 (Callion), 29 July 2021 (Forehand, Silver Tongue & British Lion)

 The Sand King, Missouri and Waihi Mineral Resources have previously been updated in accordance with all relevant aspects of the JORC code 2012, and initially released to the market on 3 January 2017 & 26 May 2020 (Sand King), 15 December 2016 & 26 May 2020 (Missouri), 4 February 2020 (Waihi). Further updates to Sand King and Riverina are provided in this release.

- 3. All Mineral Resources listed above, with the exception of the Missouri, Sand King, Riverina Area, British Lion, Waihi, Callion, Forehand and Silver Tongue were prepared previously and first disclosed under the JORC Code 2004 (refer Swan Gold Mining Limited Prospectus released to the market on 13 February 2013). These Mineral Resources have not been updated in accordance with JORC Code 2012 on the basis that the information has not materially changed since it last reported.
- 4. The Riverina, British Lion, Waihi, Callion, Forehand and Silver Tongue Open Pit Mineral Resource Estimates are reported within a A\$2,400/oz pit shell above 0.5g/t. The British Lion, Waihi, Missouri, Callion, Forehand and Silver Tongue Underground Mineral Resource Estimates are reported from material outside a A\$2,400 pit shell and above 2.0 g/t. Riverina Underground Mineral Resource Estimates are reported from fresh material below the A\$2,400/oz pit shell within Mine stope optimised solids of dimensions 10m x 10m x 1.6m minimum width at a diluted cut-off grade of 0.8g/t. Sand King Underground Mineral Resource Estimates are reported from fresh material below 350mRL (base of open pit) within Mine stope optimised solids of dimensions 10m x 10m x 1.6m minimum width at a diluted cut-off grade of 0.8g/t.
- 5. Resources are inclusive of in-situ ore reserves and are exclusive of surface stockpiles
- 6. The values in the above table have been rounded.
- •

Appendix 2 – DGP Ore Reserve by Deposit (see ASX announcement on 2 July for further details)

PROJECT	DEPOSIT	PR	OVED	PROE	BABLE	TOTAL MATERIAL		
AREA		('000t)	(g/t Au)	('000t)	(g/t Au)	('000t)	(g/t Au)	('000oz.)
Riverina	Riverina Underground	-	-	651	4.2	651	4.2	87
Siberia	Sand King Underground	-	-	537	3.2	537	3.2	55
UG Sub-Total		-	-	1,188	3.7	1,188	3.7	142
Davyhurst	Waihi Open Pit	-	-	307	2.4	307	2.4	24
Low Grade	All mines	-		123	1.1	123	1.1	4
Stockpiles	Siberia / Riverina	600	1.1	-	-	600	1.1	20
Sub-Total		600	1.1	123	1.1	1,030	1.5	48
TOTAL		600	1.1	1,311	3.5	2,217	2.7	190

Notes:

- 1. The table contains rounding adjustments to reflect accuracy and may not total exactly.
- *2.* This Ore Reserve was estimated from practical mining envelopes and the application of modifying factors for mining dilution and ore loss.
- 3. For the open pit Ore Reserve, dilution skins were applied to the undiluted Mineral Resource estimate. The method also included internal and edge dilution resulting from forming practical mineable shapes. Dilution was incorporated in the model at the background grades estimated into the model: The average grade of dilution for Waihi was 0.16 g/t. The estimated average dilution at Waihi was estimated to be 27%. Ore loss was incurred in the Auto Stope Designer (ASD) Deswik process due to variation between mineralised lode geometry and practical dig block geometry. In addition, a nominal 5% loss was applied for further mining losses occurring through normal operations.
- 4. For the underground Ore Reserve, dilution skins were applied to the Mineral Resource estimate. Dilution was included at the background grade estimated into each model. The Riverina dilution is estimated to average 59% while Sand King is estimated to average 29%, reflecting mining shapes and orebody widths appropriate for each deposit.
- 5. The Inferred Mineral Resource within the mining envelope was considered as waste when defining limits of these envelopes; however, minor amount of inferred material was included within the Riverina Underground and Sand King Underground mine plan due to practical mining geometries and orebody characteristics.
- 6. The Waihi open pit Ore Reserve was primarily estimated using a cut-off grade of 1.2 g/t based on a gold price of A\$2,600/oz. Low Grade reserve was based on A\$3,000/oz. Costs used in the cut-off grade calculation allow for ore transport, processing, site overheads and selling costs as well as a historical global process recovery of 92%.
- 7. The Ore Reserve is inclusive of surface stockpiles above cut-off. All surface stockpiles were classified as Proved.
- 8. All low grade material is in situ.
- 9. The Underground Ore Reserve was estimated using a cut-off grade of 2.5 g/t Au based on a gold price of A\$2,250/oz, stopes were further spatially optimised. Costs used in the cut-off grade calculation allow for ore transport, processing, site overheads and selling costs as well as process recovery specific to the location. Process recoveries range for the project were estimated to be 87% or above, based on recent metallurgical test work.

- 10. Inferred material within total Underground Ore Reserve equates to 24,250t at a grade of 4.5g/t. This material is included at the edges of the mining envelope and equate to 2.5% of the Ore Reserve inventories.
- *11. Costs were derived from the FY25 budget estimate including underground contract pricing current at the date of this Ore Reserve and budget level contract pricing for Waihi. Unit costs for haulage, processing and site overheads were estimated based on scheduled process plant throughput of material above the economic cut-off grade. Full utilisation of process capacity is reliant on realising expected conversion of further Mineral Resource to Ore Reserve.*

Appendix 3 – Significant Intersections Table – Ora Banda Drill holes

(1g/t cut-off, maximum 2m internal dilution, minimum width 0.2m)

Project	Hole ID	MGA	MGA	RL	Azi	Dip	End	Depth	Depth	Gram	Aug/tinterval	Cut-
	SKDD24002	North	East	128	156	-51	230	From 32.00	To	Metres	1.0m@14.g/t	off 1
	SKDD24002	6656414	304198	420	161	-51	72	19.00	20.00	1.4	1.0m @ 4.2 g/t	1
		6656414	304170	428	162	-54	192	16.50	17.00	0.5	0.5m@1.0g/t	1
		0050414	504170	420	102	54	192	67 70	69.00	3.7	1 3m @ 2 9 g/t	1
	SKDD24004A							72.00	73.00	2.2	1.0m @ 2.2 g/t	1
								82.00	89.00	15.5	7.0m@2.2g/t	1
	SKDD24004A							104.70	112.70	42.9	8.0m @ 5.4 g/t	1
	SKDD24004A							Incl 104.70	107.40	36.7	2.7m @ 13.6 g/t	10
	SKDD24004A							116.00	118.30	13.1	2.3m @ 5.7 g/t	1
	SKDD24004A							Incl 117.00	117.70	9.4	0.7m @ 13.4g/t	10
	SKDD24004A							121.30	128.00	12.5	6.7m@1.9g/t	1
	SKDD24004A							Incl 121.30	121.60	4.9	0.3m @ 16.4 g/t	10
	SKDD24004A							131.60	134.00	27.5	2.4m @ 11.5 g/t	1
								Incl 131 60	132.00	19.2	0.4m @ 48.0g/t	10
								136.31	138.00	6.5	1.7m @ 3.8 g/t	1
								Incl 136 31	136.00	5.3	0.4m @ 13.5 g/t	10
SIBERIA NORTH	SKDD24004A	6656412	304136	428	166	-52	200	112 11	113.41	3.0	1 3m @ 2 3 g/t	10
Siberta recontract	SKDD24006	0050412	504150	420	100	52	200	118 13	120.34	24.0	2 2m @ 10 9 g/t	1
	SKDD24006							Incl 118 42	120.34	27.8	1.9m @ 11.9g/t	10
	SKDD24000							122.07	122.34	6.9	0.7m @ 10.1 g/t	1
	SKDD24006							136.70	137.34	4.3	0.6m@6.7g/t	1
	SKDD24000							147.25	1/10/12	3.0	1.2m @ 2.5 g/t	1
	SKDD24000							154.00	15/ 80	1.5	1.2m @ 2.5 g/t	1
	SKDD24000							170.28	170.02	1.5	0.6m@1.8g/t	1
	SKDD24000							170.28	190.32	19.6	0.011 @ 1.8 g/t	1
	SKDD24000	6656463	20/221	120	167	-51	60	17 00	20.00	18.0	3.0m@1.6g/t	1
SIBERIA NORTH	SKDD24010B	0050405	504221	429	107	-51	00	48.00	10.00	4.7	1.0m @ 1.0 g/t	1
	SKDD24010D	6656462	304223	129	167	-53	228	37 50	38 50	31.3	1.0m@31.3g/t	1
Siberta recontract	SKDD24010C	0050402	504225	425	107	55	220	Incl 38 00	38 50	30.5	0.5m@61.0g/t	10
	SKDD24010C	6656440	304167	128	160	-53	237	111 40	119 70	24.0	8 3m @ 2 9 g/t	10
Siberta recontract		0050440	504107	420	100	55	237	Incl 116 00	116 50	53	0.5m @ 10.7g/t	10
								131.40	133.00	1.9	1.6m@12g/t	1
	SKDD24012A							137.60	138 10	0.9	0.5m@1.8g/t	1
	SKDD24012A							146 25	159.10	30.8	13.6m @ 2.3 g/t	1
	SKDD24012A							Incl 157 20	157.60	5.4	0.4m @ 13.4 g/t	10
SIBERIA NORTH	SKDD24012/1	6656428	304094	427	162	-52	235	4 00	8.00	4.8	4.0m@12g/t	1
SIDEMANOI	SKDD24015	0030420	504054	427	102	52	233	23.00	27.00	11.5	4.0m @ 2.9 g/t	1
	580024015							20.00	2/100	11.5	4.011 @ 2.15 g/ t	-
	SKDD24015							30.00	31.00	1.9	1.0m @ 1.9 g/t	1
	SKDD24015							33.00	34.00	1.0	1.0m @ 1.0 g/t	1
	SKDD24015							46.00	47.00	2.1	1.0m @ 2.1 g/t	1
	SKDD24015							114.00	115.00	1.1	1.0m @ 1.1 g/t	1
	SKDD24015							131.00	132.00	1.0	1.0m @ 1.0 g/t	1
	SKDD24015							137.00	137.50	2.0	0.5m @ 4.0 g/t	1
	SKDD24015							190.92	191.46	1.1	0.5m @ 2.0 g/t	1
	SKDD24015							196.00	198.10	4.4	2.1m @ 2.1 g/t	1
	SKDD24015							201.74	206.60	17.6	4.9m @ 3.6 g/t	1
	SKDD24015							Incl 203.46	204.06	11.1	0.6m @ 18.5 g/t	10

Project	Hole ID	MGA	MGA	RL	Azi	Dip	End	Depth	Depth	Gram	Au g/t interval	Cut-
SIBERIA NORTH	SKUGGC24001	6655990	303842	339	294	-14	133	32.68	33.43	1.5	0.8m @ 2.0 g/t	оп 1
	SKUGGC24001							44.22	44.90	7.9	0.7m @ 11.6 g/t	1
	SKUGGC24001							73.00	75.12	15.2	2.1m @ 7.2 g/t	1
	SKUGGC24001							Incl 73.48	73.78	4.4	0.3m @ 14.8 g/t	10
	SKUGGC24001							Incl 74.35	75.12	9.7	0.8m @ 12.7 g/t	10
	SKUGGC24001							84.76	85.06	0.5	0.3m @ 1.8 g/t	1
SIBERIA NORTH	SKUGGC24002	6655990	303842	339	301	-14	126	31.60	32.84	4.8	1.2m @ 3.9 g/t	1
	SKUGGC24002							36.37	38.03	1.8	1.7m @ 1.1 g/t	1
	SKUGGC24002							39.62	40.70	1.4	1.1m @ 1.3 g/t	1
	SKUGGC24002							42.64	42.94	0.3	0.3m @ 1.0 g/t	1
	SKUGGC24002							51.00	52.45	11.9	1.5m @ 8.2 g/t	1
	SKUGGC24002							Incl 51.70	52.45	7.9	0.8m @ 10.5 g/t	10
	SKUGGC24002							66.75	67.83	1.4	1.1m @ 1.3 g/t	1
	SKUGGC24002							77.00	78.30	6.3	1.3m @ 4.9 g/t	1
	SKUGGC24002							91.20	92.00	1.3	0.8m @ 1.7 g/t	1
	SKUGGC24002							110.00	116.34	20.0	6.3m @ 3.2 g/t	1
	SKUGGC24002							Incl 110.30	111.04	10.0	0.7m @ 13.6 g/t	10
SIBERIA NORTH	SKUGGC24003	6655990	303842	339	308	-15	120	30.55	33.89	7.6	3.3m @ 2.3 g/t	1
	SKUGGC24003							36.50	36.80	0.6	0.3m @ 1.9 g/t	1
	SKUGGC24003							50.00	50.70	2.3	0.7m @ 3.3 g/t	1
	SKUGGC24003							59.90	61.80	19.3	1.9m @ 10.2 g/t	1
	SKUGGC24003							Incl 60.60	61.50	14.0	0.9m @ 15.6 g/t	10
	SKUGGC24003							68.00	68.70	3.3	0.7m @ 4.7 g/t	1
	SKUGGC24003							82.96	86.10	15.2	3.1m @ 4.8 g/t	1
	SKUGGC24003							Incl 82.96	83.60	13.0	0.6m @ 20.2 g/t	10
	SKUGGC24003							106.50	107.00	1.0	0.5m @ 2.1 g/t	1
SIBERIA NORTH	SKUGGC24004	6655991	303842	339	316	-15	113	29.00	34.30	9.4	5.3m @ 1.8 g/t	1
	SKUGGC24004							40.00	41.00	7.0	1.0m @ 7.0 g/t	1
	SKUGGC24004							Incl 40.60	41.00	4.5	0.4m @ 11.3 g/t	10
	SKUGGC24004							45.98	46.67	1.5	0.7m @ 2.2 g/t	1
	SKUGGC24004							56.00	57.15	8.5	1.2m @ 7.4 g/t	1
	SKUGGC24004							Incl 56.30	56.60	4.9	0.3m @ 16.2 g/t	10
	SKUGGC24004							68.23	69.75	5.8	1.5m @ 3.8 g/t	1
	SKUGGC24004							74.62	77.00	16.3	2.4m @ 6.8 g/t	1
	SKUGGC24004							Incl 75.18	75.48	4.7	0.3m @ 15.8 g/t	10
	SKUGGC24004							Incl 76.10	76.48	5.0	0.4m @ 13.3 g/t	10
	SKUGGC24004							85.00	86.00	2.6	1.0m @ 2.6 g/t	1
	SKUGGC24004							101.73	103.20	3.9	1.5m @ 2.7 g/t	1
	SKUGGC24004							103.90	104.20	1.1	0.3m @ 3.7 g/t	1
SIBERIA NORTH	SKUGGC24005	6655991	303843	339	324	-16	117	28.30	33.11	11.4	4.8m @ 2.4 g/t	1
	SKUGGC24005							49.77	51.41	14.0	1.6m@8.5g/t	1
	SKUGGC24005							Incl 49.77	50.12	4.4	0.4m@12.5g/t	10
	SKUGGC24005							Incl 50.57	50.88	3.8	0.3m@12.2g/t	10
	SKUGGC24005							61.22	62.50	15.9	1.3m@12.5g/t	1
	SKUGGC24005							incl 61.22	62.05	14.4	U.8m@17.3g/t	10
	SKUGGC24005							69.00	/1.20	8.0	2.2m @ 3.6 g/t	1
	SKUGGC24005							86.94	88.26	2.9	1.3m @ 2.2 g/t	1
	SKUGGC24005							98.92	102.00	17.4	3.1m@5.6g/t	1
	SKUGGC24005		-		-			Incl 99.60	99.90	4.6	0.3m @ 15.2 g/t	10

North East Depth From To Metres	t interval	off
SIBERIA NORTH SKUGGC24006 6655991 303843 339 332 -16 114 27.10 32.77 7.4 5.7m	@ 1.3 g/t	1
SKUGGC24006 58.00 59.00 20.4 1.0m	@ 20.4 g/t	1
SKUGGC24006 Incl 58.00 58.35 18.3 0.4m	@ 52.2 g/t	10
SKUGGC24006 66.00 67.26 5.6 1.3m	@ 4.5 g/t	1
SKUGGC24006 Incl 66.36 66.66 3.5 0.3m	@ 11.7 g/t	10
SKUGGC24006 84.00 85.76 11.0 1.8m	@ 6.2 g/t	1
SKUGGC24006 99.82 101.18 5.8 1.4m	@ 4.3 g/t	1
SIBERIA NORTH SKUGGC24007 6655990 303842 339 298 -20 135 33.75 35.98 4.1 2.2m	@ 1.8 g/t	1
SKUGGC24007 43.07 45.72 34.9 2.7m	@ 13.2 g/t	1
SKUGGC24007 Incl 43.07 45.39 32.5 2.3m	@ 14.0 g/t	10
SKUGGC24007 56.19 57.77 4.7 1.6m	@ 3.0 g/t	1
SKUGGC24007 71.72 73.47 6.2 1.8m	@ 3.5 g/t	1
SKUGGC24007 81.83 84.85 5.8 3.0m	@ 1.9 g/t	1
SIBERIA NORTH SKUGGC24008 6655991 303842 339 305 -21 129 31.70 32.00 0.4 0.3m	@ 1.4 g/t	1
SKUGGC24008 35.10 41.70 17.4 6.6m	@ 2.6 g/t	1
SKUGGC24008 50.90 51.30 2.3 0.4m	@ 5.8 g/t	1
SKUGGC24008 64.60 65.60 5.3 1.0m	@ 5.3 g/t	1
SKUGGC24008 Incl 65.30 65.60 3.3 0.3m	@ 10.9 g/t	10
SKUGGC24008 74.00 77.37 10.1 3.4m	@ 3.0 g/t	1
SKUGGC24008 82.66 82.96 1.4 0.3m	@ 4.5 g/t	1
SKUGGC24008 114.70 115.95 2.6 1.3m	@ 2.1 g/t	1
SIBERIA NORTH SKUGGC24009 6655991 303842 339 313 -22 123 32.74 33.26 2.8 0.5m	@ 5.5 g/t	1
SKUGGC24009 35.86 36.32 2.7 0.5m	@ 5.8 g/t	1
SKUGGC24009 47.82 48.83 1.8 1.0m	@ 1.8 g/t	1
SKUGGC24009 59.86 61.20 12.9 1.3m	@ 9.6 g/t	1
SKUGGC24009 Incl 60.90 61.20 6.9 0.3m	@ 22.9 g/t	10
SKUGGC24009 72.86 74.04 16.4 1.2m	@ 13.9 g/t	1
SKUGGC24009 80.86 81.22 0.5 0.4m	@ 1.4 g/t	1
SKUGGC24009 84.41 85.31 6.7 0.9m	@ 7.5 g/t	1
SKUGGC24009 Incl 85.01 85.31 5.4 0.3m	@ 17.9 g/t	10
SKUGGC24009 110.92 112.88 7.2 2.0m	@ 3.7 g/t	1
SIBERIA NORTH SKUGGC24010 6655991 303843 339 321 -22 123 30.26 31.72 3.4 1.5m	@ 2.3 g/t	1
SKUGGC24010 33.75 34.20 1.7 0.5m	@ 3.7 g/t	1
SKUGGC24010 45.54 46.44 6.1 0.9m	@ 6.8 g/t	1
SKUGGC24010 54.94 55.96 5.0 1.0m	@ 4.9 g/t	1
SKUGGC24010 Incl 55.30 55.66 3.7 0.4m	@ 10.4 g/t	10
SKUGGC24010 67.28 68.03 7.5 0.8m	@ 10.0 g/t	1
SKUGGC24010 Inc167.28 67.73 6.4 0.5m	@ 14.3 g/t	10
SKUGGC24010 70.45 71.37 20.8 0.9m	@ 22.6 g/t	10
	@ 63.3 g/t	10
SKUGGC24010 74.18 75.00 8.0 1.5m	@ 5.4 g/t	10
SKUGGC24010 107.5.30 5.2 0.311	@ 10.5 g/t	10
SIDERIA NORTH SKUGGC24010 5655001 202842 220 228 22 120 20 40 25 61 10 0 6 2m	@ 4.5 g/t	1
SIGGC24011 0053591 303643 535 326 422 120 2540 35.01 13.5 0.21	@ 3.2 g/t	10
SKUGGC24011 38.05 38.50 0.7 0.5m	@ 12.1 g/t	10
SKUGGC24011 49.27 53.33 20.7 4 1m	@ 5.1 p/t	1
SKUGGC24011 Incl 52.11 53.01 12.7 0.9m	@ 14.1 g/t	10
SKUGGC24011 62 50 62 90 4 4 0 4m	@ 10.9 g/t	1
SKUGGC24011 71 22 72 39 5 9 1 2m	@ 5.0 g/t	1
SKUGGC24011 85 56 85 86 0.4 0.3m	@ 1.2 g/t	1
SKUGGC24011 88.47 89.10 3.4 0.6m	@ 5.4 g/t	1
SKUGGC24011 106.29 107.70 11.4 1.4m	@ 8.1 g/t	1
SKUGGC24011 Incl 107.03 107.35 4.4 0.3m	@ 13.7 g/t	10

Project	Hole ID	MGA	MGA	RL	Azi	Dip	End	Depth	Depth	Gram	Au g/t interval	Cut-
SIBERIA NORTH	SKUGGC24012	North 6655990	East 303842	339	302	-25	140	From 34.38	To 37.90	Metres	3.5m@3.3g/t	0ff 1
	SKUGGC24012							41.45	45.32	14.3	3.9m @ 3.7 g/t	1
	SKUGGC24012							Incl 42.15	42.48	3.3	0.3m @ 10.0 g/t	10
	SKUGGC24012							48.98	49.28	0.4	0.3m @ 1.4 g/t	1
	SKUGGC24012							52.75	53.47	1.2	0.7m@1.7g/t	1
	SKUGGC24012							66.72	70.30	8.1	3.6m @ 2.3 g/t	1
	SKUGGC24012							75.00	76.25	20.7	1.3m @ 16.6 g/t	1
	SKUGGC24012							Incl 75.00	75.95	20.3	1.0m @ 21.3 g/t	10
	SKUGGC24012							81.10	82.33	3.3	1.2m @ 2.7 g/t	1
	SKUGGC24012							86.56	87.96	19.9	1.4m @ 14.2 g/t	1
	SKUGGC24012							Incl 86.86	87.65	14.9	0.8m@18.9g/t	10
SIBERIA NORTH	SKUGGC24013	6655991	303842	339	309	-27	141	34.93	38.05	16.2	3.1m@5.2g/t	1
	SKUGGC24013							Incl 34.93	35.27	7.0	0.3m @ 20.6 g/t	10
	SKUGGC24013							41.14	42.88	6.1	1.7m @ 3.5 g/t	1
	SKUGGC24013							48.50	49.30	1.6	0.8m @ 2.0 g/t	1
	SKUGGC24013							64.70	65.78	3.0	1.1m @ 2.8 g/t	1
	SKUGGC24013							74.67	76.08	5.5	1.4m @ 3.9 g/t	1
	SKUGGC24013							78.63	81.45	3.8	2.8m @ 1.3 g/t	1
SIBERIA NORTH	SKUGGC24014	6655991	303843	339	317	-28	129	33.00	41.15	13.4	8.2m@1.6g/t	1
	SKUGGC24014							46.56	47.78	3.9	1.2m @ 3.2 g/t	1
	SKUGGC24014							60.32	60.86	3.9	0.5m @ 7.2 g/t	1
	SKUGGC24014							85.06	88.44	29.2	3.4m @ 8.6 g/t	1
	SKUGGC24014							Incl 85.36	85.88	8.8	0.5m @ 16.9 g/t	10
	SKUGGC24014							Incl 87.40	88.14	13.4	0.7m@18.1g/t	10
	SKUGGC24014							115.75	117.15	3.0	1.4m @ 2.1 g/t	1
SIBERIA NORTH	SKUGGC24015	6655990	303842	339	300	-30	154	39.68	41.46	8.8	1.8m @ 5.0 g/t	1
	SKUGGC24015							46.95	48.38	16.1	1.4m @ 11.3 g/t	1
	SKUGGC24015							Incl 47.25	48.38	15.8	1.1m @ 14.0 g/t	10
	SKUGGC24015							57.10	57.90	3.2	0.8m @ 4.0 g/t	1
	SKUGGC24015							73.37	74.44	12.0	1.1m @ 11.2 g/t	1
	SKUGGC24015							80.40	80.70	1.8	0.3m @ 6.0 g/t	1
	SKUGGC24015							91.65	92.30	2.7	0.7m @ 4.2 g/t	1
	SKUGGC24015							127.50	127.98	0.5	0.5m @ 1.1 g/t	1
SIBERIA NORTH	SKUGGC24016	6655991	303842	339	306	-32	147	37.00	38.10	8.7	1.1m @ 7.9 g/t	1
	SKUGGC24016							40.21	41.00	4.4	0.8m @ 5.6 g/t	1
	SKUGGC24016							46.67	50.10	11.5	3.4m @ 3.3 g/t	1
	SKUGGC24016							Incl 47.44	47.80	4.5	0.4m @ 12.4 g/t	10
	SKUGGC24016							52.70	53.45	2.2	0.8m @ 2.9 g/t	1
	SKUGGC24016							72.00	73.00	8.2	1.0m @ 8.2 g/t	1
	SKUGGC24016							Incl 72.00	72.37	7.0	0.4m @ 18.9 g/t	10
	SKUGGC24016							78.15	78.72	0.8	0.6m @ 1.4 g/t	1
	SKUGGC24016							80.44	80.75	0.4	0.3m @ 1.3 g/t	1
SIBERIA NORTH	SKUGGC24017	6655991	303842	339	313	-33	141	38.91	50.18	46.7	11.3m @ 4.1 g/t	1
	SKUGGC24017							Incl 39.23	39.75	5.5	0.5m @ 10.7 g/t	10
	SKUGGC24017							Incl 44.09	44.50	4.1	0.4m @ 10.1 g/t	10
	SKUGGC24017							65.00	65.95	8.5	1.0m @ 8.9 g/t	1
	SKUGGC24017							Incl 65.30	65.65	3.9	0.4m @ 11.3 g/t	10
	SKUGGC24017							69.50	69.84	0.7	0.3m @ 2.1 g/t	1
	SKUGGC24017							96.46	99.68	10.6	3.2m @ 3.3 g/t	1
	SKUGGC24017							Incl 96.76	97.30	7.1	0.5m @ 13.2 g/t	10

Project	Hole ID	MGA	MGA	RL	Azi	Dip	End	Depth	Depth	Gram	Aug/tinterval	Cut-
SIBERIA NORTH	SKUGGC24018	North 6656008	East 303863	339	323	-20	113	From 26.70	T0 31 32	Metres	4.6m @ 2.4 g/t	off 1
SIDERINTION	SKUGGC24018	0050000	505005	555	525	20	115	43.40	43.71	4.8	0.3m @ 15.5 g/t	1
	SKUGGC24018							48.00	48 30	1.9	0.3m@6.3g/t	-
	SKUGGC24018							58 40	59.61	6.8	1.2m @ 5.6 g/t	1
	SKUGGC24018							71 17	72 14	4.9	1.2m @ 5.0 g/t	1
	SKUGGC24018							75.34	76.39	2.9	1.1m @ 2.8 g/t	1
	SKUGGC24018							101 31	102 73	8.7	1.4m@6.1g/t	-
SIBERIA NORTH	SKUGGC24019	6656009	303863	339	331	-23	69	27.78	31.93	9.0	4.2m @ 2.2 g/t	1
0.02	SKUGGC24019			000	001	20	00	47.37	48.08	4.0	0.7m @ 5.6 g/t	1
	SKUGGC24019							Incl 47.37	47.67	3.6	0.3m @ 11.8 g/t	10
	SKUGGC24019							54.30	55.00	2.7	0.7m @ 3.9 g/t	1
	SKUGGC24019							65.00	66.07	3.8	1.1m @ 3.5 g/t	1
SIBERIA NORTH	SKUGGC24019B	6656009	303863	339	331	-21	108	27.70	31.80	15.9	4.1m @ 3.9 g/t	1
	SKUGGC24019B							Incl 30.60	31.00	4.2	0.4m @ 10.5 g/t	10
	SKUGGC24019B							43.46	44.05	5.2	0.6m @ 8.8 g/t	1
	SKUGGC24019B							48.11	48.78	2.0	0.7m @ 3.0 g/t	1
	SKUGGC24019B							64.72	65.69	10.1	1.0m @ 10.4 g/t	1
	SKUGGC24019B							Incl 64,72	65.02	6.6	0.3m @ 22.2 g/t	10
	SKUGGC24019B							78.17	78.77	2.5	0.6m @ 4.1 g/t	1
	SKUGGC24019B							91.68	95.32	35.6	3.6m @ 9.8 g/t	1
	SKUGGC24019B							Incl 92.12	95.32	34.7	3.2m @ 10.8 g/t	10
SIBERIA NORTH	SKUGGC24020	6656008	303863	339	309	-27	129	29.90	34.10	10.3	4.2m@2.4g/t	1
	SKUGGC24020							61.31	62.04	1.6	0.7m @ 2.2 g/t	1
	SKUGGC24020							69.89	73.60	6.7	3.7m @ 1.8 g/t	1
	SKUGGC24020							87.00	88.00	1.7	1.0m @ 1.7 g/t	1
	SKUGGC24020							91.13	91.85	3.6	0.7m @ 5.1 g/t	1
	SKUGGC24020							112.98	115.11	8.1	2.1m @ 3.8 g/t	1
SIBERIA NORTH	SKUGGC24021	6656009	303863	339	318	-26	123	27.87	28.91	2.5	1.0m @ 2.4 g/t	1
	SKUGGC24021							31.55	33.66	3.0	2.1m @ 1.4 g/t	1
	SKUGGC24021							41.90	42.24	4.0	0.3m @ 11.8 g/t	1
	SKUGGC24021							62.84	64.00	7.0	1.2m @ 6.0 g/t	1
	SKUGGC24021							Incl 62.84	63.14	4.7	0.3m @ 15.7 g/t	10
	SKUGGC24021							78.66	78.96	0.3	0.3m @ 1.0 g/t	1
	SKUGGC24021							83.25	83.55	0.3	0.3m @ 1.0 g/t	1
	SKUGGC24021							106.12	107.17	5.2	1.1m @ 4.9 g/t	1
SIBERIA NORTH	SKUGGC24022	6656009	303863	339	326	-28	119	28.93	31.37	7.8	2.4m @ 3.2 g/t	1
	SKUGGC24022							33.40	34.00	1.5	0.6m @ 2.4 g/t	1
	SKUGGC24022							57.00	59.15	10.1	2.2m @ 4.7 g/t	1
	SKUGGC24022							Incl 58.05	58.36	3.4	0.3m @ 11.0 g/t	10
	SKUGGC24022							67.00	68.00	7.2	1.0m @ 7.2 g/t	1
	SKUGGC24022							71.26	76.05	14.8	4.8m @ 3.1 g/t	1
	SKUGGC24022							Incl 72.97	73.27	7.7	0.3m @ 25.5 g/t	10
	SKUGGC24022							84.51	85.25	3.7	0.7m @ 5.0 g/t	1
	SKUGGC24022							104.12	106.06	6.9	1.9m @ 3.6 g/t	1
SIBERIA NORTH	SKUGGC24024	6656009	303864	339	346	-29	117	34.48	39.30	7.3	4.8m @ 1.5 g/t	1
	SKUGGC24024							65.82	68.82	16.9	3.0m @ 5.6 g/t	1
	SKUGGC24024							Incl 67.89	68.22	4.1	0.3m @ 12.4 g/t	10
	SKUGGC24024							75.60	76.65	9.6	1.1m @ 9.2 g/t	1
	SKUGGC24024							Incl 75.60	76.30	8.8	0.7m @ 12.6 g/t	10
	SKUGGC24024							99.60	102.00	33.7	2.4m @ 14.0 g/t	1
	SKUGGC24024							Incl 99.60	101.30	30.4	1.7m @ 17.9 g/t	10

Shefen ANORIM Skulisé Cabob Géséode 10.3 en 1 and 1 </th <th>Project</th> <th>Hole ID</th> <th>MGA North</th> <th>MGA East</th> <th>RL</th> <th>Azi</th> <th>Dip</th> <th>End Depth</th> <th>Depth From</th> <th>Depth To</th> <th>Gram Metres</th> <th>Aug/tinterval</th> <th>Cut-</th>	Project	Hole ID	MGA North	MGA East	RL	Azi	Dip	End Depth	Depth From	Depth To	Gram Metres	Aug/tinterval	Cut-
SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGCAUS SUGC	SIBERIA NORTH	SKUGGC24025	6656008	303863	339	307	-31	138	31.86	32.87	2.9	1.0m @ 2.9 g/t	1
SUGCA005		SKUGGC24025							35.70	47.85	39.3	12.2m @ 3.2 g/t	1
SURGEQU25		SKUGGC24025							Incl 40.70	41.00	3.8	0.3m @ 12.8 g/t	10
Suncer 2Suncer		SKUGGC24025							Incl 47.20	47.50	3.9	0.3m @ 13.0 g/t	10
Sudecrase <td></td> <td>SKUGGC24025</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>54.17</td> <td>55.75</td> <td>12.9</td> <td>1.6m @ 8.1 g/t</td> <td>1</td>		SKUGGC24025							54.17	55.75	12.9	1.6m @ 8.1 g/t	1
SKUGGC2052SKUGGC2052SKUGC2072 <td></td> <td>SKUGGC24025</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Incl 54.75</td> <td>55.45</td> <td>10.4</td> <td>0.7m @ 14.9 g/t</td> <td>10</td>		SKUGGC24025							Incl 54.75	55.45	10.4	0.7m @ 14.9 g/t	10
SKUGGC205SKUGGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207SKUGC207		SKUGGC24025							59.00	59.30	0.4	0.3m @ 1.4 g/t	1
SNUGGC2025SNUGGC2025SNUGGC2025SNUGC2025SNUGC2025SNUGC2025SNUGC2025SNUGC2026SNUGC2027SNUGC2026SNUGC2027<		SKUGGC24025							74.25	74.73	8.0	0.5m @ 16.7 g/t	1
SKUGGC2025 SKUGGC2025 SKUGGC2026 SKUGGC2025 SKUGGC2026 SKUGC2026 SKUGGC2026 SKUGC2026 SKUGGC2027 SKUGC2026 SKUGGC2027 SKUGC2027 SKUGGC2027 SKUGC2027 SKUGGC2028 SKUGC2028 SKUGGC2028 SKUGC2028 SKUGGC2028 SKUGC2028 SKUGGC2028 SKUGC2028 SKUGGC2028 SKUGC2027 SKUGGC2027 SKUGC2027 SKUGGC2027 SKUGC2027 SKUGGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2028 SKUGC2029 SKUGC2028 SKUGC2029 SKUGC2028 SKUGC2029 SKUGC2028 SKUGC2029 SKUGC2028 SKUGC2029 <thskugc2< td=""><td></td><td>SKUGGC24025</td><td></td><td></td><td></td><td></td><td></td><td></td><td>77.00</td><td>83.00</td><td>56.9</td><td>6.0m @ 9.5 g/t</td><td>1</td></thskugc2<>		SKUGGC24025							77.00	83.00	56.9	6.0m @ 9.5 g/t	1
SKUGGC2025 SKUGGC2025 SKUGGC2025 SKUGGC2026 SKUGGC2027 SKUGGC2		SKUGGC24025							Incl 79.50	83.00	47.9	3.5m@13.7g/t	10
SXUGGC2025 SXUGGC2025 ind 85.0 3.3 3.4 3.3 3.4 3.3 3.4 3.3 3.4		SKUGGC24025							85.02	86.94	8.2	1.9m @ 4.3 g/t	1
NUMBER NUMBER<		SKUGGC24025							Incl 85.02	85.33	3.6	0.3m @ 11.7 g/t	10
SIBERIANORTI SKUGGC24026 6656008 30366 339 314 32 13 31.28 34.20 3.0 2.9 m 0.0 ml.1 1 SKUGGC24026 SKUGGC24026 SKUGGC24026 35.65 36.96 1.8 1.3 m 0.1 4 ½ 1 SKUGGC24026 SKUGGC24026 SKUGGC24026 1.0 m 0.1 2 ½ 1.0 m 0.1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		SKUGGC24025							124.14	127.33	3.9	3.2m @ 1.2 g/t	1
SKUGGC24026 SKUGGC24026 35.6 36.9 1.8 1.3m 0.14 µ 1 SKUGGC24026 SKUGGC24026 70.92 72.7 15.0 0.3m 0.14 µ 1 SKUGGC24026 SKUGGC24026 1.5K 1.3m 0.4 µ 1 1 SKUGGC24026 SKUGGC24026 1.5K 1.3m 0.4 µ 1 1 SKUGGC24026 SKUGGC24027 665009 30386 39 32 33 14 30.33 32.00 5.0 1.3m 0.4 µ 1 SKUGGC24027 SKUGGC24027 655009 30386 39 32 33 14 30.33 32.00 5.0 1.5m 0.3 µ 1 SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24027 1.5K	SIBERIA NORTH	SKUGGC24026	6656008	303863	339	314	-32	133	31.28	34.20	3.0	2.9m @ 1.0 g/t	1
Nungercaps Nungerc		SKUGGC24026							35.65	36.96	1.8	1.3m @ 1.4 g/t	1
SNUGC2026 SNUGC2026 G022 G728 G78		SKUGGC24026							41.00	41 70	0.8	0.7m@1.1g/t	1
Bootenerse Bootene		SKUGGC24026							70.92	72 78	17.8	1.9m@9.5g/t	1
SKUGGC2026 SKUGGC2026 SKUGGC2027 SKUGGC2		SKUGGC24026							Incl 71 00	72.70	15.0	0.8m @ 18.9 g/t	10
Base of the second se		SKUGGC24020							QA 77	95.97	2.2	1.1m @ 2.0 g/t	1
3300000000000000000000000000000000000		SKUGGC24020							04.77	120.02	2.2	1.1m @ 2.0 g/t	1
Siberia Markini B, Skuber 2027 Boddo S 00300 3 0380 303 Skuber 2027 Boddo S 00300 3 0380 303 Skuber 2027 Boddo S 00300 3 0380 303 Boddo S 000 3 0380 303 Boddo S 0000 3 0380 303 Boddo S 000 3 0380 303		SKUGGC24028	6656000	202062	220	222	22	145	20.52	22.00	4.7	1.011 @ 4.0 g/t	1
SNUGC4027 SKUGC2027 SKUGC2027 SKUGC2027 Imm3.5.7 SKUGC1027 Imm3.5.7 SKUGC2027 Imm3.5.7 Imm3.5.7 <td< td=""><td>SIBERIA NORTH</td><td>SKUGGC24027</td><td>0050009</td><td>303603</td><td>222</td><td>522</td><td>-55</td><td>145</td><td>30.33</td><td>32.00</td><td>5.5</td><td>1.5m @ 5.8 g/t</td><td>1</td></td<>	SIBERIA NORTH	SKUGGC24027	0050009	303603	222	522	-55	145	30.33	32.00	5.5	1.5m @ 5.8 g/t	1
SNUGGC4027 iskugGC24027 iskugGC24028 iskuGGC24029 isk		SKUGGC24027							35./3	36.62	4.9	0.9m @ 5.5 g/t	1
IndefinitionNon-Single indefinition </td <td></td> <td>SKUGGC24027</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>65.14</td> <td>68.64</td> <td>46.3</td> <td>3.5m@13.2g/t</td> <td>1</td>		SKUGGC24027							65.14	68.64	46.3	3.5m@13.2g/t	1
SkUGGC24027 SkUGGC24028 SkUGGC24029 SkUGGC24030 SkUGGC24030 SkUGGC24030		SKUGGC24027							Incl 67.19	68.30	42.0	1.1m @ 37.8 g/t	10
SkUGGC24027 SkUGGC24028 SkUGGC24029 SkUGGC24030		SKUGGC24027							79.60	81.22	10.7	1.6m @ 6.6 g/t	1
SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24027 SKUGGC24028 SKUGGC24029		SKUGGC24027							84.41	84.71	0.5	0.3m @ 1.5 g/t	1
SkUGGC24027 115.25 115.25 115.25 12.7 1.3m @ 17.6 /r 1 SKUGGC24027 SKUGGC24028 655009 303864 339 331 -34 129 33.6 37.8 7.6 4.4m @ 1.7 µ/r 1 SIBERIANORTH SKUGGC24028 655009 303864 339 331 -34 129 34.0 37.80 7.6 4.4m @ 1.7 µ/r 1 SKUGGC24028 SKUGGC24028 SKUGGC24028		SKUGGC24027							88.22	88.82	0.9	0.6m @ 1.4 g/t	1
SkUGGC24027 SkUGGC24028 G656009 303864 339 331 34 129 33.45 37.80 7.60 4.4mq.17.g/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 40.00 42.00 42.00 42.00 42.00 2.00 0.0m 98.3 g/t 1 SKUGGC24028 SKUGGC24028 1.0m 60.04 60.40 62.00 2.0m 91.0.g/t 1 SKUGGC24028 SKUGGC24028 1.0m 60.04 60.40 62.00 3.08 s/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 1.0m 80.0g/t 1 1.0m 80.0g/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 1.0m 91.0 g/t 1 1 SKUGGC24028 SKUGGC24029 655009 303864 39 341 -55 1.42 36.90 3.76 4.6 0.6m 98.3 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 3.41 -55 1.42 36.90 3.14 3.5 1.1m 91.2 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 <		SKUGGC24027							115.25	116.54	22.7	1.3m @ 17.6 g/t	1
SIBERIA NORTH SKUGGC24028 6656009 303864 339 33 -34 129 33.45 37.80 7.6 4.4m @ 1.7g/t 1 SKUGC24028 SKUGGC24028 SKUGGC24028 42.00 42.00 42.00 20.0 0.6m @ 8.3g/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 1 60.44 62.40 21.0 20.0m @ 1.7g/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 75.55 77.18 6.66 1.6m @ 4.0g/t 1 SKUGGC24028 SKUGGC24028 SKUGGC24028 10.13m @ 6.7g/t 1 11.3m @ 6.7g/t 1 SKUGGC24029 6656009 303864 39 34 -35 122 36.90 37.46 4.6 0.6m @ 8.3g/t 1 SIBERIA NORTH SKUGGC24029 6656009 303864 39 34 -35 14 36.90 37.46 4.6 0.6m @ 8.3g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 37.66 4.4 0.5 0.5m @ 1.2g/t 1 <		SKUGGC24027							Incl 115.55	116.54	21.7	1.0m @ 21.9 g/t	10
SKUGGC24028 SKUGGC24028 42.00 42.00 42.00 5.0 0.6m @ 8.3 µt 1 SKUGGC24028 SKUGGC24028 60.44 62.40 21.0 20.0m @ 10.7 µt 1 SKUGGC24028 SKUGGC24028 75.55 77.18 6.66 1.6m @ 4.0 µt 1 SKUGGC24028 Incl 60.44 62.10 20.6 1.7m @ 12.4 µt 1 SKUGGC24028 Incl 20.4 121.57 77.18 6.66 1.6m @ 4.0 µt 1 SKUGGC24028 Incl 20.4 121.57 7.2 0.8m @ 8.8 µt 1 SKUGGC24029 6556009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3 µt 1 SKUGGC24029 6556009 303864 339 341 -35 142 36.90 37.45 4.0 0.5m @ 10.0 µt 1 SKUGGC24029 55009 303864 339 341 -35 142 36.90 37.45 4.0 0.5m @ 12.9 µt 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 13.5 33.1 1.1m @ 12.9 µt 1 <tr< td=""><td>SIBERIA NORTH</td><td>SKUGGC24028</td><td>6656009</td><td>303864</td><td>339</td><td>331</td><td>-34</td><td>129</td><td>33.45</td><td>37.80</td><td>7.6</td><td>4.4m @ 1.7 g/t</td><td>1</td></tr<>	SIBERIA NORTH	SKUGGC24028	6656009	303864	339	331	-34	129	33.45	37.80	7.6	4.4m @ 1.7 g/t	1
SKUGGC24028 SKUGGC24028 21.0 20.0 20.0 1.0 SKUGGC24028 SKUGGC24028 75.55 77.18 6.6 1.6 1.0 SKUGGC24028 SKUGGC24028 75.55 77.18 6.60 1.6m 0.4.0 g/t 1 SKUGGC24028 SKUGGC24028 1 100.0 120.23 121.57 9.00 1.3m 0.6.7 g/t 1 SKUGGC24028 SKUGGC24028 655009 303864 339 341 -5 142 36.90 37.46 6.60 0.5m 0.0 g/t 1 SIBERIANORTH SKUGGC24029 655009 303864 339 341 -5 142 36.90 37.46 6.60 0.5m 0.0 g/t 1 SIBERIANORTH SKUGGC24029 655009 303864 339 341 -5 142 36.90 37.46 6.90 0.5m 0.4 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 655009 303863 339 341 -5 142 36.90 3.51 1.1m 0.3 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24030 655009 303863 339 326 -5 16.06 3.60 3.3m 0.48 g		SKUGGC24028							42.00	42.60	5.0	0.6m @ 8.3 g/t	1
SKUGGC24028 inclision 62.00 1.0m @ 12.4 g/l 10 SKUGGC24028 SKUGGC24028 75.55 77.88 6.66 1.6m @ 4.0 g/l 1 SKUGGC24028 SKUGGC24028 10 120.23 121.57 0.90 1.3m @ 6.7 g/l 1 SKUGGC24028 SKUGGC24028 Incli 120.33 120.03 120.03 12.00 1.47 0.5m @ 10.0 g/l 1 SKUGGC24029 656009 303864 339 341 -55 14 36.90 37.46 4.60 0.5m @ 10.0 g/l 1 SKUGGC24029 656009 303864 339 341 -55 14 36.90 37.46 4.60 0.5m @ 10.0 g/l 1 SKUGGC24029 SKUGGC24029 656009 303864 339 341 -55 43 36.90 31.4 5.0 1.1m @ 3.1gl 5.0 0.5m @ 10.0 g/l 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 SKUGGC24029 73.66 73.60 73.80 3.3 1.1m @ 3.1gl 1.1m @ 3.1gl 1.1m @ 3.1gl 1.1m @ 3.1gl 3.3m @ 1.2gl 1.1m @ 3.1gl 1.1m @ 3.1gl 3.2m @ 1.1m @ 3.1gl 1.1m @ 3.1gl		SKUGGC24028							60.44	62.40	21.0	2.0m @ 10.7 g/t	1
SKUGGC24028 75.55 77.18 6.66 1.6m@4.0.g/tm 1 SKUGGC24028 86.31 87.15 7.2 0.8m@8.6.g/tm 1 SKUGGC24028 1102.023 121.07 9.00 1.3m@6.7.g/tm 1 SKUGGC24028 6656009 303864 339 341 -55 142 36.90 37.46 4.60 0.5m@10.0.g/tm 1 SIBERIA NORTH SKUGGC24029 6556009 303864 339 341 -55 142 36.90 37.46 4.60 0.5m@1.0.0.g/tm 1 SKUGGC24029 6556009 303864 339 341 -55 142 36.90 37.46 4.60 0.5m@1.2.g/tm 1 SKUGGC24029 SKUGGC24029 5KUGGC24029 43.51 44.06 0.5m 0.5m@1.2.g/tm 1 SKUGGC24029 SKUGGC24029 70.67 71.80 3.55 1.1m@3.1.g/tm 1 SKUGGC24029 SKUGGC24029 70.67 71.80 3.51 1.1m@1.2.g/tm 1 SKUGGC24029 SKUGGC24030 655009 303863 339 326 -8 15 36.67 3.8 2.2m@1.7.g/tm 1<		SKUGGC24028							Incl 60.44	62.10	20.6	1.7m @ 12.4 g/t	10
SKUGGC24028 SKUGGC24028 10.8m @ 8.6.9/t 1 SKUGGC24028 120.23 121.57 9.00 1.3m @ 6.7.9/t 1 SKUGGC24028 6656009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3.9/t 1 SIBERIANORTH SKUGGC24029 6656009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3.9/t 1 SKUGGC24029 6556009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3.9/t 1 SKUGGC24029 5KUGGC24029 5KUGGC24029 43.61 44.06 0.5 0.5m @ 1.2.9/t 1 SKUGGC24029 5KUGGC24029 70.67 71.80 3.5 1.1m @ 3.1.9/t 1 SKUGGC24029 5KUGGC24029 73.96 74.44 2.4 0.5m @ 4.9.4/t 1 SKUGGC24029 5KUGGC24029 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7.1/t 1 SIBERIANORTH SKUGGC24030 6566009 303863 339 326 -38 150 34.55 36.73 3.8		SKUGGC24028							75.55	77.18	6.6	1.6m @ 4.0 g/t	1
SKUGGC24028 120.23 121.57 9.00 1.3m @ 6.7g/t 1 SKUGGC24028 incl 120.33 121.00 4.7 0.5m @ 10.0g/t 1 SIBERIA NORTH SKUGGC24029 6656009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3g/t 1 SIBERIA NORTH SKUGGC24029 6656009 303864 339 341 -35 142 36.90 37.46 4.6 0.6m @ 8.3g/t 1 SKUGGC24029 SKUGGC24029 43.61 44.06 0.5 0.5m @ 1.2g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 70.67 71.80 3.5 1.1m @ 3.1g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 70.67 71.80 3.5 1.1m @ 3.1g/t 1 SKUGGC24029 SKUGGC24029 70.67 71.80 3.5 1.1m @ 1.2g/t 1 SKUGGC24029 SKUGGC24030 SSKUGGC24030 3.5 1.1m @ 1.2g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030		SKUGGC24028							86.31	87.15	7.2	0.8m @ 8.6 g/t	1
SKUGGC24028 Incl 120.53 121.00 4.7 0.5m @10.0 g/t 10 SIBERIA NORTH SKUGGC24029 6656009 303864 339 341 -35 142 36.00 37.46 4.60 0.6m @ 8.3 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 39.80 41.45 6.9 1.7m @ 4.2 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 44.361 44.06 0.5 0.5m @ 1.2 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 70.67 71.80 3.55 1.1m @ 3.1 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 73.96 74.44 2.44 0.5m @ 4.9 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 110.63 13.63 1.1m @ 1.2 g/t 1 SKUGGC24029 SKUGGC24030 6556009 303863 339 326 -38 150 36.73 3.80 2.2m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 6556009 303863 339 326 -38 150		SKUGGC24028							120.23	121.57	9.0	1.3m @ 6.7 g/t	1
SIBERIA NORTH SKUGGC24029 6656009 303864 339 341 -35 142 36.90 37.46 4.66 0.6m @ 8.3 g/t 1 SKUGGC24029 SKUGGC24029 43.61 44.06 6.9 0.5m @ 1.2 g/t 1 SKUGGC24029 SKUGGC24029 43.61 44.06 0.5 0.6m @ 4.0 g/t 1 SKUGGC24029 SKUGGC24029 70.67 71.80 3.5 1.1m @ 3.1 g/t 1 SKUGGC24029 SKUGGC24029 73.96 74.44 2.4 0.5m @ 4.9 g/t 1 SKUGGC24029 SKUGGC24029 80.51 81.63 1.3.9 1.1m @ 1.2 g/t 1 SKUGGC24029 SKUGGC24029 SKUGGC24029 101.63 13.91 5.9 3.3m @ 1.8 g/t 1 SIBERIA NORTH SKUGGC24030 656009 303863 339 326 -38 150 34.53 36.73 3.8 2.2m @ 1.7 g/t 1 SIBERIA NORTH SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 <		SKUGGC24028							Incl 120.53	121.00	4.7	0.5m @ 10.0 g/t	10
SKUGGC24029 39.80 41.45 6.9 1.7m @4.2 g/t 1 SKUGGC24029 43.61 44.06 0.5 0.5m @1.2 g/t 1 SKUGGC24029 5XUGGC24029 52.53 53.15 2.5 0.6m @4.0 g/t 1 SKUGGC24029 70.67 71.80 3.5 1.1m @3.1 g/t 1 SKUGGC24029 77.96 74.44 2.4 0.5m @4.9 g/t 1 SKUGGC24029 80.51 81.63 1.3 1.1m @1.2 g/t 1 SKUGGC24029 80.51 110.63 13.91 5.9 3.3m @1.8 g/t 1 SKUGGC24029 656009 303863 339 326 -38 110.63 13.91 5.9 3.3m @1.8 g/t 1 SIBERIA NORTH SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @1.7 g/t 1 SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.0m @1.7 g/t 1 SKUGGC24030 656009 303863 339 326 -38 150 66.88 70.24	SIBERIA NORTH	SKUGGC24029	6656009	303864	339	341	-35	142	36.90	37.46	4.6	0.6m @ 8.3 g/t	1
SKUGGC24029 43.61 44.06 0.5 0.5m @ 1.2 g/t 1 SKUGGC24029 52.53 53.15 2.5 0.6m @ 4.0 g/t 1 SKUGGC24029 70.67 71.80 3.5 1.1m @ 3.1 g/t 1 SKUGGC24029 73.96 74.44 2.4 0.5m @ 4.9 g/t 1 SKUGGC24029 80.51 81.63 1.3 1.1m @ 1.2 g/t 1 SKUGGC24029 656009 303863 339 326 ~38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SIBERIANORTH SKUGGC24030 656009 303863 339 326 ~38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 656009 303863 339 326 ~38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 5KUGGC24030 656009 303863 339 326 ~38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 5KUGGC24030 656009 303863 339 326 ~38 150 36.74 150 3.4m @ 6.7 g/t 1 SKUGGC24030 5KUGGC24030<		SKUGGC24029							39.80	41.45	6.9	1.7m @ 4.2 g/t	1
SKUGGC24029 SKUGGC24029 53.15 2.5 0.6m @ 4.0 g/t 1 SKUGGC24029 SKUGGC24029 70.67 71.80 3.5 1.1m @ 3.1 g/t 1 SKUGGC24029 SKUGGC24029 80.51 81.63 1.3 1.1m @ 1.2 g/t 1 SKUGGC24029 101.63 110.63 13.91 5.9 3.3m @ 1.8 g/t 1 SKUGGC24029 655009 303863 339 326 -38 150 34.55 36.73 3.8 2.0m @ 1.7 g/t 1 SIBERIA NORTH SKUGGC24030 655009 303863 339 326 -38 150 34.55 36.73 3.8 2.0m @ 1.7 g/t 1 SIBERIA NORTH SKUGGC24030 655009 303863 339 326 -38 150 34.55 36.73 3.8 2.0m @ 1.7 g/t 1 SKUGGC24030 5KUGGC24030 655009 303863 339 326 -38 150 34.55 36.73 3.8 2.0m @ 1.7 g/t 1 SKUGGC24030 5KUGGC24030 655009 303863 339 326 -38 150 36.73 3.50 3.4m @ 6.7 g/t 1 SKUG		SKUGGC24029							43.61	44.06	0.5	0.5m @ 1.2 g/t	1
SKUGGC24029 SKUGGC24029 71.80 3.5 1.1m @ 3.1g/t 1 SKUGGC24029 SKUGGC24029 73.96 74.44 2.4 0.5m @ 4.9g/t 1 SKUGGC24029 SKUGGC24029 10.63 11.3.91 5.9 3.3m @ 1.8g/t 1 SKUGGC24029 SKUGGC24029 10.63 13.91 5.9 3.3m @ 1.8g/t 1 SKUGGC24029 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7g/t 1 SIBERIANORTH SKUGGC24030 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7g/t 1 SIBERIANORTH SKUGGC24030 6556009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7g/t 1 SKUGGC24030 SKUGGC24030 6556009 303863 339 326 -38 150 36.73 3.8 2.2m @ 1.7g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 6556009 303863 339 326 -38 150 64.8 1.2m @ 3.9g/t 1 SKUGGC24030		SKUGGC24029							52.53	53.15	2.5	0.6m @ 4.0 g/t	1
SKUGGC24029 SKUGGC24029 73.96 74.44 2.44 0.5m @ 4.9 g/t 1 SKUGGC24029 80.51 81.63 1.3 1.1m @ 1.2 g/t 1 SKUGGC24029 110.63 113.91 5.9 3.3m @ 1.8 g/t 1 SIBERIA NORTH SKUGGC24030 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SIBERIA NORTH SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SIBERIA NORTH SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.50 6.6m @ 2.1 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 91.00 91.50 0.4m @ 1.4		SKUGGC24029							70.67	71.80	3.5	1.1m @ 3.1 g/t	1
SKUGGC24029 SKUGGC24029 80.51 81.63 1.3 1.1m@1.2 g/t 1 SIBERIANORTH SKUGGC24030 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m@1.7 g/t 1 SIBERIANORTH SKUGGC24030 6556009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m@1.7 g/t 1 SKUGGC24030 SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m@1.7 g/t 1 SKUGGC24030 SKUGGC24030 656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m@1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 65.80 70.44 22.3 34m@6.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 SKUGGC24030 81.17 82.38 4.8 1.2m@3.9 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m@14.8 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 91.00 91.5		SKUGGC24029							73.96	74.44	2.4	0.5m @ 4.9 g/t	1
SKUGGC24029 110.63 113.91 5.9 3.3 m @ 1.8 g/t 1 SIBERIA NORTH SKUGGC24030 6656009 303863 339 326 -38 150 34.55 36.73 3.80 2.2 m @ 1.7 g/t 1 SKUGGC24030 6556009 303863 339 326 -38 150 34.55 36.73 3.80 2.0 m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 3.55 0.6 m @ 21.1 g/t 10 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.50 0.6 m @ 21.1 g/t 10 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.50 0.6 m @ 21.1 g/t 1 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.50 0.6 m @ 21.1 g/t 1 SKUGGC24030 SKUGGC24030 Incl 68.65 87.00 10.2 2.2 m @ 4.6 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 5.2 0.4 m @ 1.8 g/t 1 SKUGGC24030		SKUGGC24029							80.51	81.63	1.3	1.1m @ 1.2 g/t	1
SIBERIA NORTH SKUGGC24030 6656009 303863 339 326 -38 150 34.55 36.73 3.8 2.2m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 38.80 40.80 3.5 2.0m @ 1.7 g/t 1 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.5 0.6m @ 21.1 g/t 10 SKUGGC24030 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.5 0.6m @ 21.1 g/t 10 SKUGGC24030 SKUGGC24030 Incl 68.76 69.40 13.5 0.6m @ 3.9 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 10 SKUGGC24030 SKUGGC24030 Incl 86.65 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24029							110.63	113.91	5.9	3.3m @ 1.8 g/t	1
SKUGGC24030 38.80 40.80 3.5 2.0m @ 1.7 g/t 1 SKUGGC24030 66.88 70.24 22.3 3.4m @ 6.7 g/t 1 SKUGGC24030 1ncl 68.76 69.40 13.5 0.6m @ 21.1 g/t 10 SKUGGC24030 81.17 82.38 4.8 1.2m @ 3.9 g/t 1 SKUGGC24030 81.17 82.38 4.8 1.2m @ 3.9 g/t 1 SKUGGC24030 101 102 2.2m @ 4.6 g/t 1 SKUGGC24030 1ncl 86.65 87.00 5.2 0.4m @ 14.8 g/t 1 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1	SIBERIA NORTH	SKUGGC24030	6656009	303863	339	326	-38	150	34.55	36.73	3.8	2.2m @ 1.7 g/t	1
SKUGGC24030 66.88 70.24 22.3 3.4m @ 6.7 g/t 1 SKUGGC24030 Incl 68.76 69.40 13.5 0.6m @ 21.1 g/t 10 SKUGGC24030 81.17 82.38 4.8 1.2m @ 3.9 g/t 1 SKUGGC24030 84.78 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 1 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							38.80	40.80	3.5	2.0m @ 1.7 g/t	1
SKUGGC24030 Incl 68.76 69.40 13.5 0.6m @ 21.1 g/t 10 SKUGGC24030 81.17 82.38 4.8 1.2m @ 3.9 g/t 1 SKUGGC24030 84.78 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 10 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							66.88	70.24	22.3	3.4m @ 6.7 g/t	1
SKUGGC24030 81.17 82.38 4.8 1.2m @ 3.9 g/t 1 SKUGGC24030 84.78 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 10 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							Incl 68.76	69.40	13.5	0.6m @ 21.1 g/t	10
SKUGGC24030 84.78 87.00 10.2 2.2m @ 4.6 g/t 1 SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 10 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							81.17	82.38	4.8	1.2m @ 3.9 g/t	1
SKUGGC24030 Incl 86.65 87.00 5.2 0.4m @ 14.8 g/t 10 SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							84.78	87.00	10.2	2.2m @ 4.6 g/t	1
SKUGGC24030 91.00 91.50 0.6 0.5m @ 1.2 g/t 1 SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							Incl 86.65	87.00	5.2	0.4m @ 14.8 g/t	10
SKUGGC24030 125.15 126.61 6.4 1.5m @ 4.4 g/t 1		SKUGGC24030							91.00	91.50	0.6	0.5m @ 1.2 g/t	1
		SKUGGC24030							125.15	126.61	6.4	1.5m @ 4.4 g/t	1

Appendix 4 - JORC CODE, 2012 EDITION – TABLE 1 REPORT TEMPLATE

Section 1 Sampling Techniques and Data – Sand King

(Criteria listed in the preceding Missouri & Sand King section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	 Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information. 	 Goldfields Group; Auger holes were drilled to a maximum depth of 1.5m. RC samples were routinely collected at 1m intervals. Diamond drill core samples were taken at geological boundaries and sawn in half. Samples pulverised at laboratory. Monarch Gold Mining Company Ltd; RAB samples were collected at 2m and 4m composites via a scoop method at 1m intervals. RC samples were collected at 1m, 2m to 5m intervals. 1m samples were riffle split. WMC; In early drilling by WMC, samples were "panned" for visible gold. Percussion samples were collected at 1m intervals, split in the field. Diamond core samples were cut in half or quartered. Gilt Edged Mining NL; All RAB and RC holes were collected through a cyclone and sampled at 1m intervals, pipe or spear sampled, composited over 5m intervals. The composite samples weighing about 3kg were despatched for analysis. 5m composites with assays greater than 0.2 g/t Au were resampled by riffle-splitting the whole of each 1m sample down to about 3kg prior to being despatched for analysis. Siberia Mining Corporation Ltd; RAB samples were collected at 1m intervals from the drill hole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form a 5m composite. RC samples were collected at 1m intervals and passed through a cyclone and split using a two tiered, 75:25 riffle splitter. The split sample (approximately 2-3kg) was stored in a drawn calico bag, which was then placed next to the split sample reject (approximately 10-15kg), which was contained in UV resistant PVC bags. A representative scoop sample was then taken from each split sample reject Bags to form a 4m composite sample. Diamond half core sampled at 1m intervals. Ora Banda Mining; RC samples were routinely collected at 1m intervals and cone split. RC samples are collected at 1m intervals in calico bags directly from a cone splitter. Sample size of at least 2kg is targeted. Surface diamond drilling co
Drilling techniques	 Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	 Goldfields Group; Auger holes were using an auger rig on the back of a Toyota Landcruiser from Snap Drilling. RC holes were drilled by Western Diamond Drillers using a Schramm Rig. Diamond holes were drilled by Mundy Drilling services using a KL1200 rig. Diamond holes were oriented. Monarch Gold Mining Company Ltd; RC holes were drilled by Kennedy Drilling using a 4 inch blade. WMC; RC percussion holes were drilled using a Schram Rig. RC holes were drilled using blades and hammer. The RC drilling diameter is unknown. Diamond drill holes for NQ core were drilled and reduced to BQ core at depth if necessary. Some diamond holes commenced with a percussion pre-collar. Diamond core generally not oriented. Gilt Edged Mining NL; RC holes were drilled by either Sing Drilling or McKay Drilling. Both Kalgoorlie companies used a booster and auxiliary compressor. The RC drilling diameter is unknown. Siberia Mining Corporation Ltd; RAB holes were drilled by ProDrill Pty Ltd of Kalgoorlie using an open hole RAB drill rig. All holes were drilled dry. RC holes were drilled by Premium Drilling Pty Ltd of Kalgoorlie using a 350/750 Schram RC drill rig and a 5.25" face sampling hammer. An auxiliary booster was used on holes deeper than 75m. EGL; RC drilling using 5.25 inch face sampling hammer. PQ, HQ and NQ diamond core. PQ drilled from surface until fresh rock encountered, then changed to NQ for geotechnical holes. Resource holes drilled HQ from surface to fresh rock, then changed to NQ. Ora Banda Mining Limited – 5.5 – 5.625 inch diameter RC holes using face sampling hammer with samples collected under cone splitter. Core holes have RC pre-collars, then NQ₂, HQ₃ or PQ₃ coring to BOH. All core oriented by Axis instrument. RC grade control rig is 5.5 inch diameter hammer with samples collected from a rig mounted cone splitter into calico bags which are submitted for assay. GC Drilling

Criteria	JORC Code explanation	Commentary
		was carried out by Australian Surface Drill Contractors, Rock on Ground, Orlando Drilling and JDC Drilling. Underground diamond drilling – NQ2 coring with standard tubing (triple tubing for geotechnical), all core is oriented by Axis Champ Ori tool, rig alignment via DeviAligner tool, downhole surveys via DeviGyro-Ox tool.
Drill sample recovery	 Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	 Quantitative auger, RAB and RC drill recoveries were not recoded by Goldfields Group, Monarch Gold Mining Company Ltd, WMC, Gilt Edged Mining NL, Siberia Mining Corporation, Maitland Mining NL, Newcrest Mining Ltd, Julia Mines NL, Placer Dome Asia Pacific Ltd, Goongarrie Gold Pty Ltd, Australian Consolidated Equities Ltd, Centaur Mining and Exploration Ltd, EGL, Britannia Gold NL, Glengarry Resources NL, Sundowner Minerals NL and Gutnick Resources NL. EGL - Diamond drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). RC sample recoveries not recorded. Ora Banda Mining Limited – RC drilling recoveries, including Grade control RC were recorded on a pre metre basis based on sample size. Diamond Core recoveries are very high due to the competent ground. Any core recovery issues are noted on core blocks and logged. Diamond drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). There is no known relationship between sample recovery and grade.
Logging	 Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	 Goldfields Group; Qualitative: colour, oxidation, hardness, shearing, texture, grain size, rock, alteration, minerals and Quantitative: alteration intensity, mineralisation intensity, structure intensity, vein percent. Monarch Gold Mining Company Ltd; Qualitative: colour, oxidation, hardness, shearing, texture, grain size, rock, alteration, minerals. Quantitative: alteration intensity, mineralisation intensity, structure intensity, vein percent. WMC; RC and diamond logging describes the dominant and minor rock types, mineralisation, oxidation, alteration, texture, vein type and basic structure. Quantitative values assigned to amounts of sulphides, alteration and veining. Gilt Edged Mining NL; Qualitative: rock code, alteration, colour, lithology, oxidation, mineralogy, vein style, vein assemblage, remarks. Quantitative: mineralisation intensity. EGL; Qualitative: alteration, colour, grain size, lithology, oxidation, mineralogy, structure, vein style, vein assemblage, remarks. Quantitative: mineralisation intensity, vein percent. Ora Banda Mining Limited – Field logging was conducted using Geobank MobileTM software on Panasonic Toughbook CF-31 ruggedized laptop computers. Qualitative logging: Lithology, colour, oxidation grainsize, texture, structure, hardness, regolith. Quantitative: estimates are made of quartz veining, sulphide and alteration percentages. Core photographed both wet and dry. Magnetic susceptibility and RQD were also recorded for core holes. Underground face sampling domain logging of lithology, veining, alteration, mineralisation/sulphides with each face mapped and photographed. All holes were geologically logged in their entirety to a level of detail to support mineral resource estimation
Sub-sampling techniques and sample preparation	 If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all subsampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	 Goldfields Group; RC samples were routinely collected at 1m intervals and riffle split. Diamond drill core samples were taken at geological boundaries and sawn in half. RC and diamond samples were dried, crushed, split, pulverised and a 50 gm charge taken. All sampling of resource drilling incorporated a system of standards and blanks to keep strict control on assay reliability. Monarch Gold Mining Company Ltd; RAB samples were collected at 1m intervals and 2m and 4m composites taken via a scoop method. RC samples were collected at 1m, 2m and 5m intervals. 1m samples were riffle split. Samples were prepared with a single stage mix and grind from which an assay charge was taken Composite samples with assays greater than 0.2 g/t Au were split at 1m intervals and re-analysed. Field duplicate sample preparation and assay accuracy. WMC; In early drilling by WMC, samples were "panned' for visible gold. Percussion samples were collected at 1m intervals, split in the field. Diamond core samples were cut in half or quartered. Samples were dried in fan forced ovens at 80°C for paper packets and 140°C for samples in calico bags, sieved using a nylon mesh. Oversize samples crushed in Jacques jaw crusher to produce -6mm sample, split employing either a rotary or riffle splitter and pulverised using Tema Swing mills prior to analysis, except for soil and stream sediment samples finer than 80 mesh. A 25grm charge was taken for assaying. Gilt Edged Mining NL; All RAB and RC holes were collected through a cyclone and sample dat 1m intervals, pipe or spear sampled, composited over 5 mintervals. The composite samples weighing about 3kg were despatched for analysis. Sm composites with assays greater than 0.2 g/t Au were resampled by riffle-splitting the whole of each 1m sample down to about 3kg prior to being despatched for analysis. Samples were despatched to Mintab in Kalgoorlie where they were dried, pulverised to anominal 90% minus 200 mesh (75 microns) and a 25 gm aliquot ta

Criteria	JORC Code explanation	Commentary
		 bag, which was then placed next to the split sample reject (approximately 10-15kg), which was contained in UV resistant PVC bags. A representative scoop sample was then taken from each split sample reject bags to form a 4m composite sample. Diamond half core was sampled at 1m intervals. Samples were dried, crushed, split, pulverised until 80% passed minus 75 microns and a 50 gm charge taken. Field duplicates were submitted. Composites with assays greater than 0.2 g/t Au were re-assayed using individual 1m re-split samples. EGL & Swan Gold; RC samples were routinely collected at 1m intervals from a cone splitter and submitted for analysis. Samples were crushed, pulverised and a 50gm charge taken for analysis. Field duplicates, blanks and standards were submitted for QAQC analysis. Diamond core in sampled at 1m intervals or to zones of geological interest. Core samples are sawn in half. Minimum sample length in NQ core or 0.3m.
		 Ora Banda Mining Limited – RC samples were submitted as individual 1m split samples (cone splitter) or composited to 4m by PVC spear. Half-core samples, cut by automated core saw. Core sample intervals selected by geologist and defined by geological and/or mineralisation boundaries. RC samples were dried, crushed, split, pulverised and a 50gm charge taken. Field duplicates, blanks and standards were submitted for QAQC analysis. Grade control samples are prepared in the SGS on-site laboratory or at the SGS Kalgoorlie laboratory. GC samples are dried, crushed, split, pulverised and a 50gm charge taken for fire assay. Core sample intervals selected by geologist and defined by geological boundaries, cut by saw and submitted as half core. All samples were dispatched to the SGS laboratory at the Davyhurst site for pulverising. Prepared samples were then despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10) MP-AES finish. Field duplicates, blanks and standards were submitted for QAQC analysis. Underground core sample intervals selected by geologist and defined by geologist and defined by geologist and defined by geologist and defined for a 50g charge Fire Assay (GO_FAP50V10) MP-AES finish. Field duplicates, blanks and standards were submitted for QAQC analysis. Underground core sample intervals selected by geologist and defined by geological boundaries and whole-core sampled. Whole core samples dried, crushed, split and pulverised at the SGS site laboratory. Prepared samples despatched to SGS laboratories in Kalgoorlie for a 50g charge Fire Assay (GO_FAP50V10) MP-AES finish. Underground face samples as per diamond drilling, including field duplicates, rock chip samples taken via hammer sampling per geology domain. Face samples submitted to SGS Kalgoorlie for 350g photon analysis.
Quality of assay data and laboratory tests	 The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established. 	 Goldfields Group; Auger samples were set to Analabs (Welshpool) to be assayed for gold to 1ppb by graphite furnace P605 and arsenic to 1ppm by aqua regia hydride H605. RC samples were submitted to Australian Laboratory Services (ALS) in Kalgoorlie for gold and arsenic analysis. Fire assay methods were used for gold analysis with 50gm charge, detection limit of 0.01ppm Au, while Aqua Regia methods, with detection limits of Sppm As, were used for arsenic analysis. Diamond drill core samples were despatched to Genalysis in Kalgoorlie and analysed for gold using 50gm fire assay to 0.01ppm. A system of standards and blanks were incorporated in all sample despatches to keep a strict control on assay reliability. QA/QC re-assaying of mineralised RC intersections and interpreted structures was undertaken later in the reporting period. Monarch Gold Mining Company Ltd; Samples submitted to ALS for 50g Fire Assay with AAS finish. Samples were also analysed at Ultratrace for gold, palladium and platinum. Submitted field duplicates, blanks and standards for QAQC analysis. WMC; All samples were sent to WMC Exploration Division Kalgoorlie Laboratory to be analysed for gold using wet method, aqua regia leach, reading by AAS; a 25gm sample was digested with aqua regia, the gold extracted using aliquot DIBK and the solvent backwashed. The gold concentration was determined by Atomic Absorption. Gilt Edged Mining Dry, and Jin asamples assayed by Fire/ASS with a detection limit of 0.01ppm. Certified reference material standards were employed. Duplicate samples, analytical standards, and check analyses at a second laboratory were used to monitor analytical quality. Siberia Mining Corporation Ltd; All samples were submitted to SGS Analabs in Kalgoorlie to be assayed for gold using 50gm Fire Assay with detection limit at 0.01ppm Au and for sulphur. Samples were also analysed at Ultratrace. Standards and repeats (1 in 20) were used during the first phase drilling campaigi

Criteria	JORC Code explanation	Commentary		
		(barren basalt) were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. The accuracy (standards) and precision (repeats) of assaying are acceptable. Face samples assayed as per diamond core, including a field duplicate per face.		
<i>Verification of sampling and assaying</i>	 The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	 Selected drill intersections from WMC, Goldfields and Siberia Mining Corporation diamond core have been inspected by EGL/OBM geologists. Some WMC holes have been re-logged by EGL geologists and mineralisation identified at the reported intervals. Drill intersections from WMC and Goldfields diamond core were inspected by Siberia Mining Corporation geologists in 2005 and mineralization was visible in core at the expected intervals. Mineralisation widths and styles are very comparable with NQ2 drilling by SMC in 2004. Holes are not deliberately twinned. WMC; Hand written geology logs and assays were digitally captured. EGL; Data has been verified by reviewing original drill and assay logs. Print outs of computerized sample intervals and assays generated by WMC were used to verify the intercepts reported. Geological and sample data logged directly into field computer at the core yard. Data is transferred to Perth via email and imported into GBIS SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. Monarch Gold Mining Company Ltd; Geological and sample data logged directly into field simported into Datashed SQL database with in-built validation. Ora Banda Mining Limited - Geological and sample data logged directly into field computer, copied onto the company servers and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly and/or digital copies of data are kept for reference if necessary. Data entry, verification and storage protocols for remaining operators is unknown. No adjustments have been made to assay data. 		
Location of data points	 Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control. 	 Goldfields Group; Collar co-ordinates for RC and DD holes, including elevation were surveyed with DGPS. RAB holes were located with GPS. Downhole surveys were taken every 10m for RC and DD holes, method unknown. RAB holes not downhole surveyed. The gird system used is AGD 1984 AMG Zone 51. Monarch Gold Mining Company Ltd; Drill hole collars were surveyed by Spectrum Surveys of Kalgoorlie using RTK GPS. Downhole surveys were undertaken by electronic multiple shot (EMS) or Eastman single shot. The gird system used is GDA1994 MGA Zone 51. WMC; Drill hole collars were surveyed by Electronic Distance Meter (EDM) theodolite by the Kalgoorlie Gold Operations' mine surveyor. Holes also surveyed using theodolite by MCGay Surveys as well as by WMC mine surveyors. WMC RC holes were generally not downhole surveyed. Diamond holes down hole surveyed by Eastman single shot camera or multishot approximately every 30m. The gird system used is AGD 1984 AMG Zone 51. Gilt Edged Mining NL; Contract surveyors were engaged for siting of drill holes prior to drilling, pick-up of accurate drill hole co-ordinates after drilling and down-hole plunge and azimuth readings. All holes drilled after 1998 were picked up by Fugro Survey Pty Ltd of Kalgoorlie using differential GPS. The gird system used is AGD 1984 AMG Zone 51. Siberia Mining Corporation Ltd; Collar co-ordinates for northings, eastings and elevation were recorded by Fugro Spatial Solutions Pty Ltd. The gird system used is AGD 1984 AMG Zone 51. Siberia Mining Corporation Ltd; Collar co-ordinates for northings, eastings and elevation were recorded by Fugro Spatial Solutions Pty Ltd. The gird system used is AGD 1984 AMG Zone 51. Siberia Mining Collar locations were surveyed by DGPS and downhole surveys were collected using electronic multishot by the drillers. Subsequent to drilling holes were open hole gyro surveyed by AGMS Zone 51. Ora Banda Mining Limited (RC, DD) MGA94, zone		
Data spacing and distribution	 Data spacing for reporting of Exploration Results. Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. 	 Drilling is predominantly on a 20mE X 20mN grid. Open pit grade control drilling was carried out on a nominal 5m X 5m grid Underground diamond drilling – typical spacing for grade control purposes is 10m x 10m, targeting the main Big Dog Lode. Underground face samples are taken each 3m/4m ore development cut. At Sand King the data spacing and distribution is sufficient to establish geological and grade continuity to support the definition of Mineral Resource and classifications as defined under the JORC 2012 code. Samples are composited to 1m intervals for resource estimation. 		

Criteria	JORC Code explanation	Commentary	
	Whether sample compositing has been applied.		
Orientation of data in relation to geological structure	 Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	 At Sand King drilling is predominantly inclined to the south, optimal for the predominantly ENE (060°) and E (090°) striking, north dipping mineralisation. Underground diamond holes are collared from decline cuddies in sub-horizontal and inclined fans cutting across subvertical lodes. Drill fans are oriented to intersect the main 060 lode (Big Dog) optimally. It is not known whether there is any introduced sample bias due to drill orientation. 	
Sample security	• The measures taken to ensure sample security.	 Unknown for earlier operators. EGL – Samples are bagged, tied and in a secure yard on site. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. Monarch - Pre-numbered sample bags were put into numbered plastic bags. These numbers were written on the submission forms which were checked by the geologist. Plastic bags were then securely cable tied and placed in a secure location. Samples were then picked up by the Lab in Kalgoorlie or deliver to Perth via courier. A work order conformation was emailed to Monarch personnel for each sample submission once samples were received by the Laboratory. Ora Banda Mining Limited - Samples were collected on the day of drilling and bagged into cable tied polyweave bags. Polyweave bags are stored into bulka bags on pallets in a secure yard on-site. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. 	
Audits or reviews	• The results of any audits or reviews of sampling techniques and data.	 Digital data from the SQL database has been reviewed by OBM and is consistent with hard copy and digital WAMEX data. Siberia Mining Corporation conducted a due diligence on the data and core in 2005 and were "comfortable with the quality and integrity of the data". Digital data has been reviewed and is consistent with hard copy data. Monarch Gold Mining Company Ltd: Monthly OAOC reports were produced to monitor accuracy and precision. 	

Section 2 Reporting of Exploration Results – Sand King

(Criteria listed in the preceding Missouri & Sand King section also apply to this section.)

Criteria	JORC Code explanation	Corr	ommentary		
Mineral tenement and land tenure	 Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	•	Sand King deposit is on Tenement M24/960 held by Siberia Mining Corporation Pty. Ltd., a wholly owned subsidiary of Ora Banda Mining. The tenement is in good standing.		
status			TENEMENT	HOLDER	AGREEMENTS
			M24/0960	SIBERIA MINING CORPORATION PTY LTD	SIBERIA GRANTED GARDNER THE RIGHT TO EXPLORE FOR NICKEL MINERALS (portion of the tenement only) ROB MITCHELL AND HANK SHRERS (SURFACE ALLUVIAL RIGHTS TO 2M DEPTH) (portion of the tenement only) STONEHORSE ENERGY LIMITED HAVE RIGHTS TO EXPLORE FOR NICKEL MINERALS JV BETWEEN DAVYSTON EXPLORATION PTY LTD (65%) AND SIBERIA MINING CORPORATION PTY LTD (35%) FOR ALL MINERALS OTHER THAN GOLD AND SILVER DAVYSTON EXPLORATION PTY LTD HOLDS A CONSENT CAVEAT
		:	There are no know	vn heritage issues vn impediments to o	nerating in the area
Exploration done by other parties	• Acknowledgment and appraisal of exploration by other parties.	•	Drilling on the ten Siberia Mining Cor	rporation, Monarch (ted by numerous operators, but the majority of work was completed by WMC, Gilt Edged Mining, Sold, EGS and OBM. All work by these companies was to industry standards of the time.
Geology	• Deposit type, geological setting and style of mineralisation.	:	Sand King is an or Gold mineralisatic from sub 1m to ~ 6 and normally stee (though NE-SW lod	rogenic lode style de on at Sand King take: 6m true width. Occas eply dipping (~80 deg les are present) and	posit hosted by mafic rocks, predominantly basalt. s the form of stacked quartz-biotite-feldspar-sulphide shear lodes within the basalt. Widths vary sionally blow outs occur with >6m true width. Mineralised structures are NE-SW striking in the south rees) to the north-west while in the north-eastern end of the deposit lodes dominantly strike E-W dip steeply to the north (~80 degrees)
Drill hole Information	 A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the sasis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case. 	•	See Significant Ir The significant ir a lode position w project area with Widths reported i	ntercepts in docume ntercept table provid vith grades below thi n significant gold into in the Significant Int	nt les details of drill holes with intercepts of >= 1 gram metres, In cases where drilling has intercepted s value, NSI (no significant intercept) is listed. This provides context to the number of holes in the ercepts versus the number of holes with lesser or no significant intercepts. ercepts table are all down hole lengths.

Criteria	JORC Code explanation	Commentary		
Data aggregation methods	 In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated. 	 Original assays are length weighted. Grades are not top cut. Lower cut-off grade is nominally 1.0g/t. Maximum 2m internal dilution and minimum width of 0.2m. No metal equivalents reported. 		
Relationship between mineralisation widths and intercept lengths	 These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	 Drilling is predominantly angled at -60° to the south, optimally intersecting the steep north dipping mineralisation. This drill orientation does not intersect all lodes at optimal angles and as such some drill intercepts are longer than true widths. Underground diamond drilling is flat to gently inclined and perpendicular to the main 060 lodes so true widths are similar but less than intercept widths. All intercept widths reported are down hole lengths. The geometry of mineralisation is known for the Sand King deposit. However, no attempt has been made to report true widths. Some drill programs required shallow angle (~30°) diamond drilling to hit specific targets within the constraints of existing mining infrastructure (existing pit and dumps) 		
Diagrams	 Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	See plans and sections.		
Balanced reporting	 Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	 All drill intercepts from recent drilling are reported. Results reported include both low and high gram metre (g/t x down hole length) values. 		
Other substantive exploration data	 Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	 Metallurgical, geotechnical, environmental and engineering work has been completed for Sand King deposit and is included in the Reserve estimate. See ASX announcement dated 1/7/2024. 		
Further work	 The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	 Additional drilling to grow the UG resource. Statutory approvals for UG mining in place 		